2009 ANA

Arkansas Prevention Needs Assessment Student Survey

Faulkner County Profile Report

Arkansas Department of Human Services Division of Behavioral Sciences Office of Alcohol and Drug Abuse Prevention

Conducted by International Survey Associates

Contents

1	INTRODUCTION	16
	1.1 The Risk and Protective Factor Model of Prevention	19
2	TOOLS FOR ASSESSMENT AND PLANNING	19
3	SCHOOL IMPROVEMENT USING SURVEY DATA	20
	3.1 What are the numbers telling you?	20
	3.2 How to decide if a rate is "unacceptable."	20
	3.3 Use these data for planning:	20
4	HOW TO READ THE CHARTS AND TABLES	21
5	NO CHILD LEFT BEHIND PROFILE	67
6	STUDENT TOBACCO USE, EXPERIENCES AND PREVEN- TION SERVICES	73
7	DRUG-FREE COMMUNITIES SUPPORT PROGRAM CORE MEASURES	76
8	CROSSTABULATION OF QUESTIONNAIRE VARIABLES BY GRADE LEVEL	78
9	PREVENTION RESOURCES	174
	9.1 Regional Prevention Resource Centers	174
	9.2 State and National Contacts	176

List of Tables

1	Student Totals	17
2	Grade	17
3	Sex	18
4	Ethnic Origin	18
5	Risk and Protective Factor Scale Definition	46
6	Alcohol - Lifetime Use	48
7	Cigarettes - Lifetime Use	48
8	Chewing Tobacco - Lifetime Use	48
9	Marijuana - Lifetime Use	48
10	Hallucinogens - Lifetime Use	49
11	Cocaine - Lifetime Use	49
12	Inhalants - Lifetime Use	49
13	Sedatives - Lifetime Use	49
14	Meth - Lifetime Use	50
15	Stimulants - Lifetime Use	50
16	Heroin - Lifetime Use	50
17	Ecstasy - Lifetime Use	50
18	Prescription Drugs - Lifetime Use	51
19	Over-The-Counter Drugs - Lifetime Use	51
20	Alcopops - Lifetime Use	51

21	Any Drug - Lifetime Use	51
22	Alcohol - Past 30 Day Use	51
23	Cigarettes - Past 30 Day Use	52
24	Chewing Tobacco - Past 30 Day Use	52
25	Marijuana - Past 30 Day Use	52
26	Hallucinogens - Past 30 Day Use	52
27	Cocaine - Past 30 Day Use	53
28	Inhalants - Past 30 Day Use	53
29	Sedatives - Past 30 Day Use	53
30	Meth - Past 30 Day Use	53
31	Stimulants - Past 30 Day Use	54
32	Heroin - Past 30 Day Use	54
33	Ecstasy - Past 30 Day Use	54
34	Prescription Drugs - Past 30 Day Use	54
35	Over-The-Counter Drugs - Past 30 Day Use	55
36	Alcopops - Past 30 Day Use	55
37	Any Drug - Past 30 Day Use	55
38	Binge Drinking	55
39	Pack of Cigarettes	55
40	Suspended from School	55
41	Drunk or High at School	56
42	Sold Illegal Drugs	56

Stolen a Vehicle	56
Been Arrested	56
Attacked to Harm	56
Carried a Handgun	56
Handgun to School	57
Community Risk - Low Neighborhood Attachment	57
Community Risk - High Community Disorganization	57
Community Risk - Transitions and Mobility	57
Community Risk - Laws and Norms Favorable to Drug Use	57
Community Risk - Perceived Availability of Drugs	57
Community Risk - Perceived Availability of Handguns	58
Family Risk - Poor Family Management	58
Family Risk - Family Conflict	58
Family Risk - Family History of Antisocial Behavior	58
Family Risk - Parental Attitudes Favorable to ATOD	58
Family Risk - Parental Attitudes Favorable to ASB	58
School Risk - Academic Failure	59
School Risk - Low Commitment to School	59
Peer Risk - Rebelliousness	59
Peer Risk - Early Initiation of Drug Use	59
Peer Risk - Early Initiation of ASB	59
Peer Risk - Peer Favorable Attitudes to ASB	59
	Been ArrestedAttacked to HarmCarried a HandgunHandgun to SchoolCommunity Risk - Low Neighborhood AttachmentCommunity Risk - High Community DisorganizationCommunity Risk - Transitions and MobilityCommunity Risk - Transitions and MobilityCommunity Risk - Transitions and MobilityCommunity Risk - Perceived Availability of DrugsCommunity Risk - Perceived Availability of HandgunsFamily Risk - Poor Family ManagementFamily Risk - Family ConflictFamily Risk - Family History of Antisocial BehaviorFamily Risk - Parental Attitudes Favorable to ATODFamily Risk - Parental Attitudes Favorable to ASBSchool Risk - Academic FailureSchool Risk - RebelliousnessPeer Risk - Early Initiation of Drug UsePeer Risk - Early Initiation of ASB

65	Peer Risk - Peer Favorable Attitudes to Drug Use	60
66	Peer Risk - Intentions to Use	60
67	Peer Risk - Peer Perceived Risk of Drug Use	60
68	Peer Risk - Interaction with Antisocial Peers	60
69	Peer Risk - Friends' Use of Drugs	60
70	Peer Risk - Sensation Seeking	60
71	Peer Risk - Peer Rewards for Antisocial Involvement	61
72	Peer Risk - Depressive Symptoms	61
73	Peer Risk - Gang Involvement	61
74	Community Protective - Opportunities for Prosocial Involvement	61
75	Community Protective - Rewards for Prosocial Involvement	61
76	Family Protective - Family Attachment	61
77	Family Protective - Family Opportunities for PSI	62
78	Family Protective - Family Rewards for PSI	62
79	School Protective - School Opportunities for PSI	62
80	School Protective - School Rewards for PSI	62
81	Peer Protective - Religiosity	62
82	Peer Protective - Social Skills	62
83	Peer Protective - Belief in a Moral Order	63
84	Peer Protective - Prosocial Involvement	63
85	Peer Protective - Peer Rewards for Prosocial Involvement	63
86	Peer Protective - Interaction with Prosocial Peers	63

87	Sources of Alcohol	64
88	Location of Alcohol Use	64
89	I feel safe at my school	65
90	How often have you taken a handgun to school	65
91	How wrong do you think it is for someone your age to take a gun to school.	66
92	Have any of your brothers/sisters ever taken a gun to school	66
93	Avg Age of First Marijuana	67
94	Avg Age of First Cigarettes	67
95	Avg Age of First Alcohol	67
96	Avg Age of First Regular Alcohol Use	67
97	Avg Age of First School Suspension	68
98	Avg Age of First Been Arrested	68
99	Avg Age of First Carried a Gun	68
100	Avg Age of First Attacked to Harm	68
101	Avg Age of First Belonged to a Gang	68
102	Cigarettes - Lifetime Use	73
103	Chewing Tobacco - Lifetime Use	73
104	Cigarettes - Past 30 Day Use	73
105	Chewing Tobacco - Past 30 Day Use	73
106	Which statement best describes rules about smoking inside your home?	74

107	Which statement best describes rules about smoking in your fam- ily cars?	74
108	During this school year, were you taught in any of your classes about the dangers of tobacco use?	75
109	During the past 12 months, have you participated in any commu- nity activities to discourage people your age from using cigarettes, chewing tobacco, snuff, dip or cigars?	75
110	Core Measure by Grade for Past 30 Day Use	76
111	Core Measure by Grade for Perception of Risk	76
112	Core Measure by Grade for Parental Disapproval	76
113	Core Measure by Grade for Age of Onset	76
114	Core Measure by Sex for Past 30 Day Use	77
115	Core Measure by Sex for Perception of Risk	77
116	Core Measure by Sex for Parental Disapproval	77
117	Core Measure by Sex for Age of Onset	77
118	Sex	82
119	Age	82
120	Are you Hispanic or Latino?	82
121	What is your race? Black or African American	83
122	What is your race? Asian	83
123	What is your race? American Indian	83
124	What is your race? Alaska Native	83
125	What is your race? White	84
126	What is your race? Native Hawaiian or Other Pacific Islander	84

127	What is your race? Other	84
128	What is the highest level of schooling completed by your mother or father?	85
129	Think of where you live most of the time. Which of the following people live there with you? Mother	85
130	Think of where you live most of the time. Which of the following people live there with you? Stepmother	85
131	Think of where you live most of the time. Which of the following people live there with you? Foster Mother	86
132	Think of where you live most of the time. Which of the following people live there with you? Grandmother	86
133	Think of where you live most of the time. Which of the following people live there with you? Aunt	86
134	Think of where you live most of the time. Which of the following people live there with you? Father	86
135	Think of where you live most of the time. Which of the following people live there with you? Stepfather	87
136	Think of where you live most of the time. Which of the following people live there with you? Foster Father	87
137	Think of where you live most of the time. Which of the following people live there with you? Grandfather	87
138	Think of where you live most of the time. Which of the following people live there with you? Uncle	87
139	Think of where you live most of the time. Which of the following people live there with you? Other Adults	88
140	Think of where you live most of the time. Which of the following people live there with you? Brother(s)	88
141	Think of where you live most of the time. Which of the following people live there with you? Stepbrother(s)	88

142	Think of where you live most of the time. Which of the following people live there with you? Sister(s)	88
143	Think of where you live most of the time. Which of the following people live there with you? Stepsister(s)	89
144	Think of where you live most of the time. Which of the following people live there with you? Other Children	89
145	In my school, students have lots of chances to help decide things like class activities and rules.	89
146	Teachers ask me to work on special classroom projects	90
147	My teacher(s) notices when I am doing a good job and lets me know about it.	90
148	There are lots of chances for students in my school to get involved in sports, clubs, and other school activities outside of class	90
149	There are lots of chances for students in my school to talk with a teacher one-on-one.	91
150	I feel safe at my school	91
151	The school lets my parents know when I have done something well.	91
152	My teachers praise me when I work hard in school	92
153	Are your school grades better than the grades of most students in your class?	92
154	I have lots of chances to be part of class discussions or activities.	92
155	Now thinking back over the past year in school, how often did you: enjoy being in school?	93
156	Now thinking back over the past year in school, how often did you: hate being in school?	93
157	Now thinking back over the past year in school, how often did you: try to do your best work in school?	93

158	How often do you feel that the school work you are assigned is meaningful and important?	94
159	Putting them all together, what were your grades like last year?	94
160	How important do you think the things you are learning in school are going to be for your later life?	94
161	How interesting are most of your courses to you?	95
162	During the LAST FOUR WEEKS how many whole days of school have you missed because you skipped or 'cut'?	95
163	Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: participated in clubs, organizations or activities at school?	95
164	Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: smoked cigarettes?	96
165	Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: tried beer, wine or hard liquor (for example, vodka, whiskey, or gin) when their parents didn't know about it?	96
166	Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: made a commitment to stay drug-free?	96
167	Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: used marijuana?	97
168	Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: tried to do well in school?	97
169	Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: used LSD, cocaine, amphetamines, or other illegal drugs?	97

170	Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: been suspended from school?	98
171	Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: liked school?	98
172	Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: carried a handgun?	98
173	Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: sold illegal drugs?	99
174	Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: regularly attended religious services?	99
175	Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: stolen or tried to steal a motor vehicle such as a car or motorcycle?	99
176	Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: been arrested?	100
177	Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: dropped out of school?	100
178	Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: been members of a gang?	100
179	What are the chances you would be seen as cool if you: smoked cigarettes?	101
180	What are the chances you would be seen as cool if you: worked hard at school?	101

181	What are the chances you would be seen as cool if you: began drinking alcoholic beverages regularly, that is, at least once or	
	twice a month?	101
182	What are the chances you would be seen as cool if you: defended someone who was being verbally abused at school?	102
183	What are the chances you would be seen as cool if you: smoked marijuana?	102
184	What are the chances you would be seen as cool if you: carried a handgun?	102
185	What are the chances you would be seen as cool if you: regularly volunteered to do community service?	103
186	How old were you when you first: smoked marijuana?	103
187	How old were you when you first: smoked a cigarette, even just a puff?	104
188	How old were you when you first: had more than a sip or two of beer, wine or hard liquor (for example, vodka, whiskey, or gin)? .	104
189	How old were you when you first: began drinking alcoholic beverages regularly, that is, at least once or twice a month?	105
190	How old were you when you first: used phenoxydine (pox, px, breeze)?	105
191	How old were you when you first: got suspended from school? .	106
192	How old were you when you first: got arrested?	106
193	How old were you when you first: carried a handgun?	107
194	How old were you when you first: attacked someone with the idea of seriously hurting them?	107
195	How old were you when you first: belonged to a gang?	108
196	How wrong do you think it is for someone your age to: take a handgun to school?	108

197	How wrong do you think it is for someone your age to: steal anything worth more than \$5?	108
198	How wrong do you think it is for someone your age to: pick a fight with someone?	109
199	How wrong do you think it is for someone your age to: attack someone with the idea of seriously hurting them?	109
200	How wrong do you think it is for someone your age to: stay away from school all day when their parents think they are at school?	109
201	How wrong do you think it is for someone your age to: drink beer, wine or hard liquor (for example, vodka, whiskey, or gin) regularly?	110
202	How wrong do you think it is for someone your age to: smoke cigarettes?	110
203	How wrong do you think it is for someone your age to: smoke marijuana?	110
204	How wrong do you think it is for someone your age to: use LSD, cocaine, amphetamines or another illegal drug?	111
205	At school during the past 12 months, did you receive help from the resource teacher, speech therapist or other special education teacher?	111
206	How many times have you done the following things? done what feels good no matter what.	111
207	How many times have you done the following things? done some- thing dangerous because someone dared you to do it	112
208	How many times have you done the following things? done crazy things even if they are a little dangerous.	112
209	How many times in the past year (12 months) have you: been suspended from school?	113
210	How many times in the past year (12 months) have you: carried a handgun?	113

211	How many times in the past year (12 months) have you: sold illegal drugs?	114
212	How many times in the past year (12 months) have you: stolen or tried to steal a motor vehicle such as a car or motorcycle?	114
213	How many times in the past year (12 months) have you: partic- ipated in clubs, organizations or activities at school?	115
214	How many times in the past year (12 months) have you: been arrested?	115
215	How many times in the past year (12 months) have you: done extra work on your own for school?	116
216	How many times in the past year (12 months) have you: attacked someone with the idea of seriously hurting them?	116
217	How many times in the past year (12 months) have you: been drunk or high at school?	117
218	How many times in the past year (12 months) have you: volun- teered to do community service?	117
219	How many times in the past year (12 months) have you: taken a handgun to school?	118
220	Are you currently on probation, or assigned a probation officer with Juvenile Court?	118
221	Have you ever belonged to a gang?	118
222	If you have ever belonged to a gang, did that gang have a name?	119
223	You're looking at CD's in a music store with a friend. You look up and see her slip a CD under her coat. She smiles and says 'Which one do you want? Go ahead, take it while nobody's around.' There is nobody in sight, no employees and no other customers. What would you do now?	119

224	You are visiting another part of town, and you don't know any of the people your age there. You are walking down the street, and some teenager you don't know is walking toward you. He is about your size, and as he is about to pass you, he deliberately			Sometimes we don't know what we will do as adults, but we may have an idea. Please answer how true these statements may be for you. WHEN I AM AN ADULT I WILL: smoke cigarettes	124
	bumps into you and you almost lose your balance. What would you say or do?	119		Sometimes we don't know what we will do as adults, but we may have an idea. Please answer how true these statements may be for you. WHEN I AM AN ADULT I WILL: drink beer, wine, or	
225	You are at a party at someone's house, and one of your friends offers you a drink containing alcohol. What would you say or do?	120		liquor	125
				Sometimes we don't know what we will do as adults, but we may	
226	It's 8:00 on a weeknight and you are about to go over to a friend's home when your mother asks you where you are going. You say 'Oh, just going to go hang out with some friends.' She			have an idea. Please answer how true these statements may be for you. WHEN I AM AN ADULT I WILL: smoke marijuana	125
	says, 'No, you'll just get into trouble if you go out. Stay home tonight.' What would you do now?	120		Sometimes we don't know what we will do as adults, but we may have an idea. Please answer how true these statements may be	
227	How often do you attend religious services or activities?	120		for you. WHEN I AM AN ADULT I WILL: use LSD, cocaine, amphetamines or another illegal drug.	125
228	I do the opposite of what people tell me, just to get them mad.	121		How much do you think people risk harming themselves (phys- ically or in other ways) if they: smoked one or more packs of	
229	I like to see how much I can get away with	121		cigarettes per day?	126
230	I ignore rules that get in my way	121		How much do you think people risk harming themselves (physically or in other ways) if they: try marijuana once or twice?	126
231	I think sometimes it's okay to cheat at school	122	245	How much do you think people risk harming themselves (physi-	
232	It is important to think before you act	122		cally or in other ways) if they: smoke marijuana regularly?	126
233	Sometimes I think that life is not worth it	122		How much do you think people risk harming themselves (phys- ically or in other ways) if they: take one or two drinks of an	107
234	At times I think I am no good at all	123		alcoholic beverage (beer, wine, liquor) nearly every day?	127
235	All in all, I am inclined to think that I am a failure	123		How much do you think people risk harming themselves (physically or in other ways) if they: have five or more drinks once or twice each weekend?	127
236	In the past year, have you felt depressed or sad MOST days, even if you felt okay sometimes?	123			
				On how many occasions have you had alcoholic beverages (beer, wine or hard liquor) to drink in your lifetime - more than just a	
237	It is all right to beat up people if they start the fight	124		few sips?	127
238	I think it is okay to take something without asking if you can get			On how many occasions have you had beer, wine or hard liquor	
	away with it	124 I		to drink during the past 30 days?	128

250	On how many occasions have you used marijuana (grass, pot) or hashish (hash, hash oil) in your lifetime?	128
251	On how many occasions have you used marijuana (grass, pot) or hashish (hash, hash oil) during the past 30 days?	129
252	On how many occasions have you used LSD or other psychedelics in your lifetime?	129
253	On how many occasions have you used LSD or other psychedelics during the past 30 days?	130
254	On how many occasions have you used cocaine or crack in your lifetime?	130
255	On how many occasions have you used cocaine or crack during the past 30 days?	131
256	On how many occasions have you sniffed glue, breathed the con- tents of an aerosol spray can, or inhaled other gases or sprays, in order to get high in your lifetime?	131
257	On how many occasions have you sniffed glue, breathed the con- tents of an aerosol spray can, or inhaled other gases or sprays, in order to get high during the past 30 days?	132
258	On how many occasions have you used phenoxydine (pox, px, breeze) in your lifetime?	132
259	On how many occasions have you used phenoxydine (pox, px, breeze) during the past 30 days?	133
260	On how many occasions have you used sedatives (tranquilizers, such as Valium or Xanax, barbiturates, or sleeping pills) without a doctor telling you to take them, in your lifetime?	133
261	On how many occasions have you used sedatives (tranquilizers, such as Valium or Xanax, barbiturates, or sleeping pills) without a doctor telling you to take them, during the past 30 days?	134
262	On how many occasions have you used methamphetamines (meth, speed, crank, crystal meth) in your lifetime?	134

263	On how many occasions have you used methamphetamines (meth, speed, crank, crystal meth) in the past 30 days?	135
264	On how many occasions have you used stimulants, other than methamphetamines (such as amphetamines, Ritalin or Dexedrine) without a doctor telling you to take them, in your lifetime?	135
265	On how many occasions have you used stimulants, other than methamphetamines (such as amphetamines, Ritalin or Dexedrine) without a doctor telling you to take them, during the past 30 days?	136
266	On how many occasions have you used heroin or other opiates in your lifetime?	136
267	On how many occasions have you used heroin or other opiates during the past 30 days?	137
268	On how many occasions have you used MDMA ('X', 'E', or ec- stasy) in your lifetime?	137
269	On how many occasions have you used MDMA ('X', 'E', or ec- stasy) during the past 30 days?	138
270	On how many occasions have you taken prescription drugs (such as Valium, Xanax, Ritalin, Adderall, OxyContin, Darvocet, or sleeping pills) on your own-that is, without a doctor telling you to take them in your lifetime?	138
271	On how many occasions have you taken prescription drugs (such as Valium, Xanax, Ritalin, Adderall, OxyContin, Darvocet, or sleeping pills) on your own-that is, without a doctor telling you to take them during the past 30 days?	139
272	On how many occasions have you taken non-prescription medicines such as diet pills (for example, Dietac, Dexatrim or Prolamine), stay-awake pills (for example No-Doz, Vivarin, or Wake), or cough or cold medicines (robos, DXM, etc.) to get high in your lifetime?	139

273	On how many occasions have you taken non-prescription medicines such as diet pills (for example, Dietac, Dexatrim or Prolamine), stay-awake pills (for example No-Doz, Vivarin, or Wake), or cough or cold medicines (robos, DXM, etc.) to get high during the past 30 days?	140
274	On how many occasions have you been drunk or very high from drinking alcoholic beverages during the past 30 days?	140
275	On how many occasions have you drunk flavored alcoholic bev- erages, sometimes called 'alcopops' (like Mike's Hard Lemonade, Smirnoff Ice, Bacardi Breezers, etc.) in your lifetime?	141
276	On how many occasions have you drunk flavored alcoholic bev- erages, sometimes called 'alcopops' (like Mike's Hard Lemonade, Smirnoff Ice, Bacardi Breezers, etc.) during the past 30 days?	141
277	Think back over the last two weeks. How many times have you had five or more alcoholic drinks in a row?	142
278	Have you ever used smokeless tobacco (chew, snuff, plug, dipping tobacco, or chewing tobacco)?	142
279	How often have you taken smokeless tobacco during the past 30 days?	142
280	Have you ever smoked cigarettes?	143
281	How frequently have you smoked cigarettes during the past 30 days?	143
282	Which statement best describes rules about smoking inside your home?	144
283	Which statement best describes rules about smoking in your fam- ily cars?	144
284	During this school year, were you taught in any of your classes about the dangers of tobacco use?	145
285	During the past 12 months, have you participated in any commu- nity activities to discourage people your age from using cigarettes, chewing tobacco, snuff, dip or cigars?	145

286	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?	145
287	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?	146
288	If you drank alcohol (not just a sip or taste) in the past year, how did you usually get it?	146
289	If you drank alcohol (not just a sip or taste) in the past year, where did you usually drink it?	147
290	During the last month, about how many marijuana cigarettes, or the equivalent, did you smoke a day, on the average?	147
291	How wrong would most adults (over 21) in your neighborhood think it is for kids your age: to use marijuana?	148
292	How wrong would most adults (over 21) in your neighborhood think it is for kids your age: to drink alcohol?	148
293	How wrong would most adults (over 21) in your neighborhood think it is for kids your age: to smoke cigarettes?	148
294	How much do each of the following statements describe your neighborhood? crime and/or drug selling	149
295	How much do each of the following statements describe your neighborhood? fights	149
296	How much do each of the following statements describe your neighborhood? lots of empty or abandoned buildings	149
297	How much do each of the following statements describe your neighborhood? lots of graffiti	150
298	If I had to move, I would miss the neighborhood I now live in.	150
299	My neighbors notice when I am doing a good job and let me know about it	150
300	I like my neighborhood	151

301	There are lots of adults in my neighborhood I could talk to about something important.	151
302	I'd like to get out of my neighborhood	151
303	There are people in my neighborhood who are proud of me when I do something well.	152
304	There are people in my neighborhood who encourage me to do my best.	152
305	I feel safe in my neighborhood	152
306	Which of the following activities for people your age are available in your community? sports teams?	153
307	Which of the following activities for people your age are available in your community? scouting?	153
308	Which of the following activities for people your age are available in your community? boys and girls clubs?	153
309	Which of the following activities for people your age are available in your community? 4-H clubs?	153
310	Which of the following activities for people your age are available in your community? service clubs?	154
311	If a kid smoked marijuana in your neighborhood would he or she be caught by the police?	154
312	If a kid drank some beer, wine or hard liquor (for example, vodka, whiskey, or gin) in your neighborhood would he or she be caught by the police?	154
313	If a kid carried a handgun in your neighborhood would he or she be caught by the police?	155
314	If you wanted to get some cigarettes, how easy would it be for you to get some?	155
315	If you wanted to get some beer, wine or hard liquor (for example, vodka, whiskey, or gin), how easy would it be for you to get some	?155

316	If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?	156
317	If you wanted to get a handgun, how easy would it be for you to get one?	156
318	If you wanted to get some marijuana, how easy would it be for you to get some?	156
319	During the past 12 months, have you participated in any alcohol prevention programs or seen any alcohol prevention messages in your school or community? Yes, a school-based program focused on preventing underage drinking and/or drinking and driving	157
320	During the past 12 months, have you participated in any alcohol prevention programs or seen any alcohol prevention messages in your school or community? Yes, a community-based program focused on preventing underage drinking and/or drinking and driving (for example, through your church or temple or through youth groups like Boys and Girls Club or 4-H).	157
321	During the past 12 months, have you participated in any alco- hol prevention programs or seen any alcohol prevention messages in your school or community? Yes, a media campaign address- ing underage drinking and/or drinking and driving (for example, newspaper ads, posters, pamphlets, radio, TV).	157
322	During the past 12 months, have you participated in any alcohol prevention programs or seen any alcohol prevention messages in your school or community? No	158
323	How wrong do your parents feel it would be for YOU to: drink beer, wine or hard liquor (for example, vodka, whiskey or gin) regularly?	158
324	How wrong do your parents feel it would be for YOU to: smoke cigarettes?	158
325	How wrong do your parents feel it would be for YOU to: smoke marijuana?	159
326	How wrong do your parents feel it would be for YOU to: steal something worth more than \$5?	159

327	How wrong do your parents feel it would be for YOU to: draw graffiti, write things, or draw pictures on buildings or other property (without the owner's permission)?	159
328	How wrong do your parents feel it would be for YOU to: pick a fight with someone?	160
329	During the past 12 months, have you talked with at least one of your parents about the dangers of underage drinking and/or drinking and driving? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians - whether or not they live with you.	160
330	Have any of your brothers or sisters ever: drunk beer, wine or hard liquor (for example, vodka, whiskey or gin)?	160
331	Have any of your brothers or sisters ever: smoked marijuana?	161
332	Have any of your brothers or sisters ever: smoked cigarettes?	161
333	Have any of your brothers or sisters ever: taken a handgun to school?	161
334	Have any of your brothers or sisters ever: been suspended or expelled from school?	162
335	The rules in my family are clear.	162
336	People in my family often insult or yell at each other	162
337	When I am not at home, one of my parents knows where I am and who I am with.	163
338	We argue about the same things in my family over and over	163
339	If you drank some beer or wine or liquor (for example, vodka, whiskey, or gin) without your parents' permission, would you be caught by your parents?	163
340	My family has clear rules about alcohol and drug use	164
341	If you carried a handgun without your parents' permission, would you be caught by your parents?	164

342	If you skipped school would you be caught by your parents?	164
343	Do you feel very close to your mother?	165
344	Do you share your thoughts and feelings with your mother?	165
345	My parents ask me what I think before most family decisions affecting me are made.	165
346	Do you share your thoughts and feelings with your father?	166
347	Do you enjoy spending time with your mother?	166
348	Do you enjoy spending time with your father?	166
349	If I had a personal problem, I could ask my mom or dad for help.	167
350	Do you feel very close to your father?	167
351	My parents give me lots of chances to do fun things with them.	167
352	My parents ask if I've gotten my homework done	168
353	People in my family have serious arguments	168
354	Would your parents know if you did not come home on time?	168
355	It is important to be honest with your parents, even if they be- come upset or you get punished.	169
356	My parents notice when I am doing a good job and let me know about it.	169
357	How often do your parents tell you they're proud of you for some- thing you've done?	169
358	How many brothers and sisters, including stepbrothers and stepsisters, do you have that are younger than you? \ldots	170
359	How many brothers and sisters, including stepbrothers and step- sisters, do you have that are older than you?	170
360	Have you changed homes in the past year (the last 12 months)?	170

361	How many times have you changed homes since kindergarten? . 171
362	Have you changed schools (including changing from elementary to middle and middle to high school) in the past year? 171
363	How many times have you changed schools since kindergarten (including changing from elementary to middle and middle to high school)?
364	Has anyone in your family ever had severe alcohol or drug problems?172
365	About how many adults (over 21) have you known personally who in the past year have: used marijuana, crack, cocaine, or other drugs?
366	About how many adults (over 21) have you known personally who in the past year have: sold or dealt drugs?
367	About how many adults (over 21) have you known personally who in the past year have: done other things that could get them in trouble with the police, like stealing, selling stolen goods, mugging or assaulting others, etc.?
368	About how many adults (over 21) have you known personally who in the past year have: gotten drunk or high?
369	How honest were you in filling out this survey?
List o	of Figures
1	Alcohol, Tobacco and Other Drug Use - Grade 6
2	Alcohol, Tobacco and Other Drug Use - Grade 8 23
-	

Alcohol, Tobacco and Other Drug Use - Grade 10

Alcohol, Tobacco and Other Drug Use - Grade 12

Heavy Use and Antisocial Behavior - Grade 6

Heavy Use and Antisocial Behavior - Grade 8 Heavy Use and Antisocial Behavior - Grade 10 Heavy Use and Antisocial Behavior - Grade 12 Risk Factors - Grade 8 Risk Factors - Grade 10 Risk Factors - Grade 12 Protective Factors - Grade 6 Protective Factors - Grade 8 School Safety Profile - Grade 10 School Safety Profile - Grade 12 Sources and Locations of Alcohol Use - Grade 6 Sources and Locations of Alcohol Use - Grade 8 Sources and Locations of Alcohol Use - Grade 10 Sources and Locations of Alcohol Use - Grade 12 No Child Left Behind Profile - Grade 8 No Child Left Behind Profile - Grade 10

28	No Child Left Behind Profile - Grade 12	72
29	Grade Chart	79
30	Gender Chart	80
31	Age Chart	81

1 INTRODUCTION

This report summarizes findings from the Arkansas Prevention Needs Assessment Survey (APNA), a survey of 6th, 8th, 10th and 12th grade school students, conducted in the fall of 2009. This survey was available free of charge to all Arkansas public school districts that chose to participate. The survey was designed to assess adolescent substance use and related behaviors, and risk and protective factors that predict these behaviors. In this report, the results are presented for each grade along with the overall results for the State. Table 1 provides information on the total number of students, the number of school districts and the number of schools represented by this report. Table 2 provides information on the number and percent of students at each grade. Table 3 provides information on the number and percent of students by sex. Table 4 provides information on the number and percent of students by ethnic origin.

The APNA Survey was first administered in the fall of 2002 and has been administered in the fall of each school year since then. Because trends over time are very important to prevention planning, readers are encouraged to review the results from the previous surveys. By comparing the results of the previous surveys, changes in ATOD (alcohol, tobacco and other drugs) use, rates of ASB (antisocial behavior), and levels of risk and protective factors can be determined for a specific grade. It is important to note that the results in this report are for students who were not sampled in the even grades (6, 8, 10, and 12) during the previous year's survey. Those students are now in grades 7, 9, 11 or are out of school. Together, the results of the current and past APNA surveys provide a complete picture of ATOD use, antisocial behavior, risk, and protection for students in Arkansas. (Methods Note Regarding Long-Term Trend Data:) The 2006 procedures varied from those used in this report, as well as those used in all other earlier reports. Non-standard procedures for calculating: 1) drug prevalence rates, and 2) for calculating scores on the risk and protective factor questions, were used in the 2006 report. The variation in 2006 procedures related to how missing data (i.e., instances where the student did not respond to a question) were counted. The effect of the 2006 procedure was to slightly reduce the reported prevalence levels for all drugs, and to lower the calculated scores for the risk and protective factor questions.

In this report, the computational methods used for all calculations are identical to those used in all prior reports, other than the 2006 report. In addition, to produce the most accurate long-term trend data possible, 2006 results have been recalculated using standard procedures consistent with all reporting years. This means that, in some cases, small deviations in 2006 data points will be noted between this report and the actual 2006 report.

Table 1: Student Totals

Response	Group	2006	2007	2008	2009
Total Students	county	1,351	1,258	3,787	4,011
	state	66,113	79,598	85,949	88,912

Table 2: Grade

		2	006	06 2007		2008		2009	
Response	Group	pct	n	pct	n	pct	n	pct	n
6	county	15.4	208	30.2	380	27.3	1,033	24.5	981
	state	26.5	17,539	28.8	22,910	28.8	24,553	28.5	25,324
8	county	13.8	186	29.2	367	25.8	977	28.2	1,131
	state	27.3	18,080	27.7	22,082	27.7	23,547	27.8	24,711
10	county	32.6	440	21.5	271	24.8	938	25.3	1,016
	state	25.5	16,833	24.3	19,315	24.0	20,451	24.3	21,629
12	county	38.3	517	19.1	240	22.2	839	22.0	883
	state	20.7	13,661	19.2	15,291	19.5	16,579	19.4	17,248

Table 3: Sex

		2006		2007		2	800	2009	
Response	Group	pct	n	pct	n	pct	n	pct	n
Male	county	50.2	664	49.1	608	50.4	1,882	48.8	1,916
	state	51.7	33,507	47.9	37,614	48.5	40,590	48.3	42,276
Female	county	49.8	659	50.9	630	49.6	1,852	51.2	2,010
	state	48.3	31,255	52.1	40,835	51.5	43,061	51.7	45,185

Table 4: Ethnic Origin

		2	006	2	007	2	008	2	009
Response	Group	pct	n	pct	n	pct	n	pct	n
Hispanic	county	2.9	42	3.6	48	5.0	207	5.2	229
	state	7.9	5,876	8.3	7,386	8.2	7,828	8.8	8,900
Black or African American	county	2.2	31	0.8	11	12.9	533	13.5	595
	state	15.0	11,149	16.5	14,752	17.1	16,250	18.2	18,449
Asian	county	0.6	8	0.9	12	0.9	39	1.0	46
	state	1.6	1,175	1.5	1,339	1.5	1,460	1.5	1,532
American Indian	county	3.1	44	4.8	65	3.8	159	3.3	147
	state	4.4	3,299	4.5	4,041	4.6	4,341	4.4	4,480
Alaska Native	county	0.2	3	0.2	3	0.2	8	0.3	12
	state	0.2	164	0.2	192	0.2	181	0.2	213
White	county	88.3	1,266	85.5	1,154	72.3	2,997	71.6	3,159
	state	63.6	47,346	61.3	54,915	60.7	57,673	58.6	59,377
Native Hawaiian	county	0.3	4	0.3	4	0.4	18	0.5	20
	state	0.6	447	0.5	487	0.5	489	0.6	627
Other	county	2.5	36	3.9	52	4.5	185	4.6	203
	state	6.7	5,016	7.2	6,406	7.2	6,832	7.6	7,703

1.1 The Risk and Protective Factor Model of Prevention

Risk and protective factor-focused prevention is based on a simple premise: To prevent a problem from happening, we need to identify the factors that increase the risk of that problem developing and then find ways to reduce the risks. Just as medical researchers have found risk factors for heart attacks such as diets high in fats, lack of exercise, and smoking, a team of researchers, the Social Development Research Group (SDRG), at the University of Washington, have defined a set of risk factors for drug abuse. The research team also found that some children exposed to multiple risk factors manage to avoid behavior problems later even though they were exposed to the same risks as children who exhibited behavior problems. Based on research, they identified protective factors and processes that work together to buffer children from the effects of high risk exposure and lead to the development of healthy behaviors.

Risk factors include characteristics of school, community, and family environments, as well as characteristics of students and their peer groups that are known to predict increased likelihood of drug use, delinquency, and violent behaviors among youth (Hawkins, Catalano & Miller, 1992; Hawkins, Arthur & Catalano, 1995; Brewer, Hawkins, Catalano & Neckerman, 1995).

2 TOOLS FOR ASSESSMENT AND PLANNING

Protective factors exert a positive influence or buffer against the negative influence of risk, thus reducing the likelihood that adolescents will engage in problem behaviors. Protective factors, identified through research reviewed by the Social Development Research Group, include social bonding to family, school, community and peers; and healthy beliefs and clear standards for behavior.

Research on risk and protective factors has important implications for prevention efforts. The premise of this approach is that in order to promote positive youth development and prevent problem behaviors, it is necessary to address those factors that predict the problem. By measuring risk and protective factors in a population, specific risk factors that are elevated and widespread can be identified and targeted by preventive interventions that also promote related protective factors. For example, if academic failure is identified as an elevated risk factor in a community, then mentoring and tutoring interventions can be provided that will improve academic performance, and also increase opportunities and rewards for classroom participation. Risk and protective factor-focused drug abuse prevention is based on the work of J. David Hawkins, Ph.D., Richard F. Catalano, Ph.D.; and a team of researchers at the University of Washington in Seattle. Beginning in the early 1980's, the group researched adolescent problem behaviors and identified risk factors for adolescent drug abuse and delinquency. The chart below shows the links between the 16 risk factors and the five problem behaviors. The check marks have been placed in the chart to indicate where at least two well designed, published research studies have shown a link between the risk factor and the problem behavior.

	PROBLEM BEHAVIORS					
YOUTH AT RISK	Substance Abuse	Delinquency	Teen Pregnancy	School Drop-Out	Violence	
Community						
Availability of Drugs and Firearms	1				✓	
Community Laws and Norms Favorable Toward Drug Use	~					
Transitions and Mobility	✓	✓		✓		
Low Neighborhood Attachment and Community Disorganization	~	1			~	
Extreme Economic and Social Deprivation	✓	✓	✓	✓	✓	
Family						
Family History of High Risk Behavior	✓	1	1	✓		
Family Management Problems	✓	1	1	✓	✓	
Family Conflict	✓	~	~	✓	√	
Favorable Parental Attitudes and Involvement in the Problem Behavior	~	~			~	
School						
Early and Persistent Antisocial Behavior	✓	1	1	✓	✓	
Academic Failure in Elementary School	✓	✓	✓	✓	✓	
Lack of Commitment to School	✓	~	~	\checkmark		
Individual/Peer						
Alienation and Rebelliousness	✓	>		✓		
Friends Who Engage in a Problem Behavior	✓	✓	\checkmark	\checkmark	✓	
Favorable Attitudes Toward the Problem Behavior	1	1	1	~		
Early Initiation of the Problem Behavior	✓	✓	\checkmark	✓	✓	

3 SCHOOL IMPROVEMENT USING SURVEY DATA

Data from the Arkansas Prevention Needs Assessment Survey can be used to help school and community planners assess current conditions and prioritize areas of greatest need.

Each risk and protective factor can be linked to specific types of interventions that have been shown to be effective in either reducing the risk(s) and enhancing the protection(s). The steps outlined below will help your school and community make key decisions regarding allocation of resources, how and when to address specific needs, and which strategies are most effective and known to produce results.

3.1 What are the numbers telling you?

Review the charts and data tables presented in this report. Using the table in section 3.3, note your findings as you discuss the following questions

- Which 3 to 5 risk factors appear to be higher than you would want?
- Which 3 to 5 protective factors appear to be lower than you would want?
- Which levels of 30 day drug use are increasing and/or unacceptably high?
 - Which substances are your students using the most?
 - At which grades do you see unacceptable usage levels?
- Which levels of antisocial behaviors are increasing and/or unacceptably high?
 - Which behaviors are your students exhibiting the most?
 - At which grades do you see unacceptable behavior levels?

3.2 How to decide if a rate is "unacceptable."

- Look across the charts to determine which items stand out as either much higher or much lower than the others.
- Compare your data to statewide data and national data. Differences of 5% or more between the local and other data should be carefully reviewed.
- Determine the standards and values held in your area. For example: Is it acceptable in your community for 75% of high school students to drink alcohol regularly even when the statewide percentage is 90?

3.3 Use these data for planning:

- Substance use and antisocial behavior data raise awareness about the problems and promote dialogue.
- Risk and protective factor data identify exactly where the community needs to take action.
- Promising approaches talk with resources listed on the last page of this report for ideas about programs that have been proven effective in addressing the risk factors that are high in your area, and in improving the protective factors that are low.

	Unacceptable	Unacceptable	Unacceptable	Unacceptable
Measure	Rate $\#1$	Rate #2	Rate #3	Rate #4
30 Day				
Drug Use				
Antisocial				
Behavior				
Risk				
Factors				
Protective				
Factors				

How do I decide which intervention(s) to employ?

- Strategies should be selected based on the risk factors that are high in your community and the protective factors that are low.
- Strategies should be age appropriate and employed prior to the onset of the problem behavior.
- Strategies chosen should address more than a single risk and protective factor.
- No single strategy offers the solution.


How do I know whether or not the intervention was effective?

• Participation in the annual administration of the survey provides trend data necessary for determining the effectiveness of the implemented intervention(s) and also provides data for determining any new efforts that are needed.

4 HOW TO READ THE CHARTS AND TABLES


- 1. Student responses for risk and protective factors, substance use and antisocial behavior questions are displayed by grade on the following pages.
- 2. The factors are grouped into 4 domains: community, family, peer-individual, and school.
- 3. The bars represent the percent of students in the grade who reported elevated risk or protection, substance use, antisocial behaviors or school safety concerns.
- 4. Scanning across these charts, you can easily determine which factors are most (or least) prevalent, thus identifying which are the most important for your community to address.
- 5. Bars will be complemented by a small dot. The dot shows the comparison from the state and provides additional information for you in determining the relative importance of each risk or protective factor.
- 6. A dashed line on each risk and protective factor chart represents the percentage of youth at risk or with protection for the seven state sample upon which the cut-points were developed. The seven states included in the norm group were Colorado, Illinois, Kansas, Maine, Oregon, Utah and Washington. This gives you a comparison to a national sample.
- 7. Brief definitions of the risk and protective factors can be found following the graphs.
- 8. The tables provide more detailed information and are broken down by grade level. The combined category consists of all the grade levels represented in this report combined together (ie. if the report is based on 10th and 12th graders then the combined category will be all the 10th and 12th graders combined). For the tables on substance use, some substances also have a comparison to the Monitoring the Future (MTF) data. Monitoring the Future is an annual federally funded national survey of substance use across the country for students in grade 8, 10 and 12. For some substances and for some years or some grades, there is no corresponding MTF data.
- 9. The following abbreviations are sometimes used in the tables and charts due to space constraints:

ATOD stands for Alcohol, Tobacco and Other Drug Use.ASB stands for Antisocial Behaviors.PSI stands for Prosocial Involvement.MTF stands for Monitoring the Future.




Alcohol, Tobacco and Other Drug Use - Grade 6 Faulkner County

Figure 1: Alcohol, Tobacco and Other Drug Use - Grade 6




Alcohol, Tobacco and Other Drug Use - Grade 8 Faulkner County

Figure 2: Alcohol, Tobacco and Other Drug Use - Grade 8




Alcohol, Tobacco and Other Drug Use - Grade 10 Faulkner County

Figure 3: Alcohol, Tobacco and Other Drug Use - Grade 10




Alcohol, Tobacco and Other Drug Use - Grade 12 Faulkner County

Figure 4: Alcohol, Tobacco and Other Drug Use - Grade 12




Heavy Use and Antisocial Behavior - Grade 6 Faulkner County

Figure 5: Heavy Use and Antisocial Behavior - Grade 6




Heavy Use and Antisocial Behavior - Grade 8 Faulkner County

Figure 6: Heavy Use and Antisocial Behavior - Grade 8




Heavy Use and Antisocial Behavior - Grade 10 Faulkner County

Figure 7: Heavy Use and Antisocial Behavior - Grade 10




Heavy Use and Antisocial Behavior - Grade 12 Faulkner County

Figure 8: Heavy Use and Antisocial Behavior - Grade 12




Risk Factors - Grade 6 Faulkner County

Figure 9: Risk Factors - Grade 6




Risk Factors - Grade 8 Faulkner County

Figure 10: Risk Factors - Grade 8




Risk Factors - Grade 10 Faulkner County

Figure 11: Risk Factors - Grade 10




Risk Factors - Grade 12 Faulkner County

Figure 12: Risk Factors - Grade 12




Protective Factors - Grade 6 Faulkner County

Figure 13: Protective Factors - Grade 6




Protective Factors - Grade 8 Faulkner County

Figure 14: Protective Factors - Grade 8



Protective Factors - Grade 10 Faulkner County

Figure 15: Protective Factors - Grade 10



Protective Factors - Grade 12 Faulkner County

Figure 16: Protective Factors - Grade 12

School Safety Profile - Grade 6 Faulkner County




Figure 17: School Safety Profile - Grade 6

School Safety Profile - Grade 8 Faulkner County




Figure 18: School Safety Profile - Grade 8

School Safety Profile - Grade 10 Faulkner County




Figure 19: School Safety Profile - Grade 10

School Safety Profile - Grade 12 Faulkner County






Figure 20: School Safety Profile - Grade 12




Sources and Locations of Alcohol Use - Grade 6 Faulkner County

Figure 21: Sources and Locations of Alcohol Use - Grade 6




Sources and Locations of Alcohol Use - Grade 8 Faulkner County

Figure 22: Sources and Locations of Alcohol Use - Grade 8



Sources and Locations of Alcohol Use - Grade 10 Faulkner County

Figure 23: Sources and Locations of Alcohol Use - Grade 10



Sources and Locations of Alcohol Use - Grade 12 Faulkner County

Figure 24: Sources and Locations of Alcohol Use - Grade 12

Table 5: Risk and Protective Factor Scale Definition

	Community Domain Risk Factors					
Low Neighborhood	A low level of bonding to the neighborhood is related to higher					
Attachment	levels of juvenile crime and drug selling.					
Community	Research has shown that neighborhoods with high population					
Disorganization	density, lack of natural surveillance of public places, physical					
	deterioration, and high rates of adult crime also have higher					
	rates of juvenile crime and drug selling.					
Laws and Norms	Research has shown that legal restrictions on alcohol and to-					
Favorable Toward	bacco use, such as raising the legal drinking age, restricting					
Drug Use	smoking in public places, and increased taxation have been fol-					
	lowed by decreases in consumption. Moreover, national surveys					
	of high school seniors have shown that shifts in normative att					
	tudes toward drug use have preceded changes in prevalence of					
Perceived Availability	The availability of cigarettes, alcohol, marijuana, and other il-					
of Drugs	legal drugs has been related to the use of these substances by					
	adolescents.					
Perceived Availability	The availability of handguns has also been related to the use of					
of Handguns	these substances by adolescents.					
	Community Domain Protective Factors					
Opportunities for	When opportunities are available in a community for positive					
Prosocial	participation, children are less likely to engage in substance use					
Involvement	and other problem behaviors.					
Rewards for	Rewards for positive participation in activities help children bond					
Prosocial	to the community, thus lowering their risk for substance use.					
Involvement						
	Family Domain Risk Factors					
Poor Family	$\ensuremath{Parents}'$ use of inconsistent and/or unusually harsh or severe					
Management	punishment with their children places them at higher risk for					
	substance use and other problem behaviors. Also, parents' fail-					
	ure to provide clear expectations and to monitor their children's					
	behavior makes it more likely that they will engage in drug abuse					
	whether or not there are family drug problems.					

continued on the next column

Risk and Protective Factor Scale Definition (continued)

	rotective Factor Scale Definition (continued)					
Family Conflict	Children raised in families high in conflict, whether or not the					
	child is directly involved in the conflict, appear at risk for both					
	delinquency and drug use.					
Family History of	When children are raised in a family with a history of problem					
Antisocial Behavior	behaviors (e.g., violence or ATOD use), the children are more					
	likely to engage in these behaviors.					
Parental Attitudes	In families where parents use illegal drugs, are heavy users of					
Favorable Toward	alcohol, or are tolerant of children's use, children are more likely					
Drug Use	to become drug abusers during adolescence. The risk is further					
	increased if parents involve children in their own drug (or alco-					
	hol) using behavior, for example, asking the child to light the					
	parent's cigarette or get the parent a beer from the refrigerator.					
Parental Attitudes	In families where parents are tolerant of their child's antisocial					
Favorable Toward	behavior (i.e. fighting, stealing, defacing property, etc.), chil-					
Antisocial Behavior	dren are more likely to become drug abusers during adolescence					
	Family Domain Protective Factors					
Family Attachment	Young people who feel that they are a valued part of their family					
	are less likely to engage in substance use and other problem					
	behaviors.					
Opportunities for	Young people who are exposed to more opportunities to par-					
Prosocial	ticipate meaningfully in the responsibilities and activities of the					
Involvement	family are less likely to engage in drug use and other problem					
	behaviors.					
Rewards for Prosocial	When parents, siblings, and other family members praise, en-					
Involvement	courage, and attend to things done well by their child, children					
	are less likely to engage in substance use and problem behaviors.					
	School Domain Risk Factors					
Academic Failure	Beginning in the late elementary grades (grades 4-6) academic					
	failure increases the risk of both drug abuse and delinquency. It					
	appears that the experience of failure itself, for whatever reasons,					
	increases the risk of problem behaviors.					
Low Commitment	Surveys of high school seniors have shown that the use of hal-					
to School	lucinogens, cocaine, heroin, stimulants, and sedatives or non-					
	medically prescribed tranquilizers is significantly lower among					
	students who expect to attend college than among those who do					
	not. Factors such as liking school, spending time on homework,					
	and perceiving the coursework as relevant are also negatively					
	related to drug use.					

continued on the next column

Risk and Protective Factor	Scale Definition ((continued)
----------------------------	--------------------	-------------

	School Domain Protective Factors					
Opportunities for	When young people are given more opportunities to participate					
Prosocial	meaningfully in important activities at school, they are less likely					
Involvement	to engage in drug use and other problem behaviors.					
Rewards for	When young people are recognized and rewarded for their contri-					
Prosocial	butions at school, they are less likely to be involved in substance					
Involvement	use and other problem behaviors.					
	Individual/Peer Risk Factors					
Rebelliousness	Young people who do not feel part of society, are not bound by					
	rules, don't believe in trying to be successful or responsible, or					
	who take an active rebellious stance toward society, are at higher risk of abusing drugs. In addition, high tolerance for deviance,					
	a strong need for independence and normlessness have all been					
	linked with drug use.					
Early Initiation	Early onset of drug use predicts misuse of drugs. The earlier the					
of Drug Use	onset of any drug use, the greater the involvement in other drug					
	use and the greater frequency of use. Onset of drug use prior to					
	the age of 15 is a consistent predictor of drug abuse, and a later					
	age of onset of drug use has been shown to predict lower drug					
	involvement and a greater probability of discontinuation of use.					
Early Initiation	Early onset of antisocial behaviors such as being suspended from					
of Antisocial Behavior	school, arrests, carrying handguns, fighting, etc. makes young					
	people more likely to be involved in substance abuse.					
Attitudes Favorable	During the elementary school years, most children express anti-					
Toward Drug Use	drug, anti-crime, and pro-social attitudes and have difficulty					
	imagining why people use drugs. However, in middle school,					
	as more youth are exposed to others who use drugs, their atti-					
	tudes often shift toward greater acceptance of these behaviors.					
	Youth who express positive attitudes toward drug use are more					
	likely to engage in a variety of problem behaviors, including drug					
	use.					
Attitudes Favorable	During the elementary school years, most children express anti-					
Toward	drug, anti-crime, and pro-social attitudes and have difficulty					
Antisocial Behavior	imagining why people engage in antisocial behaviors. How-					
	ever, in middle school, as more youth are exposed to others					
	who engage in antisocial behavior, their attitudes often shift to-					
	ward greater acceptance of these behaviors. Youth who express					
	positive attitudes toward antisocial behavior are more likely to					
engage in a variety of problem behaviors, including antisocia						
	behavior.					

continued on the next column

Risk and Protective Factor Scale Definition (continued)

Risk and Protective Factor Scale Definition (continued)						
Perceived Risk of	Young people who do not perceive drug use to be risky are far					
Drug Use	more likely to engage in drug use.					
Interaction with	Young people who associate with peers who engage in problem					
Antisocial Peers	behaviors are at higher risk for engaging in antisocial behavior					
	themselves.					
Friends' Use of Drugs	Young people who associate with peers who engage in alcohol or					
	substance abuse are much more likely to engage in the same be-					
	havior. Peer drug use has consistently been found to be among					
	the strongest predictors of substance use among youth. Even					
	when young people come from well-managed families and do not					
	experience other risk factors, spending time with friends who us					
	drugs greatly increases the risk of that problem developing.					
Depressive	Young people who express feelings of sadness for long periods					
Symptoms	over the past year and who have negative attitudes about them-					
	selves and life in general are more likely to use drugs.					
Rewards for	Young people who receive rewards for their antisocial behavior					
Antisocial Behavior	are at higher risk for engaging further in antisocial behavior and					
	substance use.					
	Individual/Peer Protective Factors					
Religiosity	Young people who regularly attend religious services are less					
	likely to engage in problem behaviors.					
Social Skills	Young people who are socially competent and engage in positive					
	interpersonal relations with their peers are less likely to use drugs					
	and engage in other problem behaviors.					
Belief in the	Young people who have a belief in what is "right" or "wrong"					
Moral Order	are less likely to use drugs.					
Prosocial	Participation in positive school and community activities helps					
Involvement	provide protection for youth.					
Rewards for	Young people who are rewarded for working hard in school and					
	volunteering in the community are less likely to engage in prob-					
Prosocial	volunteering in the community are less likely to engage in prob-					

I	Table 6: Alcohol - Lifetime Use					
Grade	Group	2006	2007	2008	2009	
6	county	15.5	18.2	15.8	16.3	
	state	18.8	17.7	18.5	18.1	
8	county	43.5	41.1	41.4	38.4	
	state	40.8	41.0	41.2	38.8	
	MTF	40.5	38.9	38.9	36.6	
10	county	67.7	58.1	58.1	59.4	
	state	62.6	62.1	60.4	59.9	
	MTF	61.5	61.7	58.3	59.1	
12	county	74.1	74.8	72.6	71.7	
	state	72.7	71.9	71.3	70.7	
	MTF	72.7	72.2	71.9	72.3	
Combined	county	58.9	44.2	45.9	45.7	
	state	47.1	45.5	45.2	44.3	

Table 6: Alcohol - Lifetime Use

Table 7: Cigarettes - Lifetime Use

Grade	Group	2006	2007	2008	2009
6	county	9.9	7.7	8.9	7.3
	state	13.0	10.8	10.4	10.3
8	county	25.5	22.5	21.2	21.7
	state	29.4	26.8	25.2	23.9
	MTF	24.6	22.1	20.5	20.1
10	county	44.3	34.3	38.5	33.7
	state	43.8	40.0	38.8	38.0
	MTF	36.1	34.6	31.7	32.7
12	county	47.4	51.6	49.2	45.6
	state	52.0	49.7	48.2	46.0
	MTF	47.1	46.2	44.7	43.6
Combined	county	37.7	26.1	28.8	26.6
	state	33.5	30.0	28.9	27.9

Table 8: Chewing Tobacco - Lifetime Use

Grade	Group	2006	2007	2008	2009
6	county	7.0	10.0	5.4	4.2
	state	7.5	6.1	5.9	5.7
8	county	26.4	20.2	13.4	14.2
	state	14.7	13.5	12.9	12.3
	MTF	10.2	9.1	9.8	9.6
10	county	34.1	29.8	23.0	20.6
	state	22.4	19.6	19.2	19.6
	MTF	15.0	15.1	12.2	15.2
12	county	30.4	30.2	27.3	24.0
	state	25.4	23.2	23.2	22.4
	MTF	15.2	15.1	15.6	16.3
Combined	county	27.5	21.1	16.9	15.6
	state	17.0	14.8	14.5	14.2

Table 9: Marijuana - Lifetime Use

Grade	Group	2006	2007	2008	2009
6	county	1.9	1.1	1.3	1.2
	state	2.0	1.5	1.5	1.5
8	county	9.7	9.9	9.9	8.3
	state	10.8	9.5	9.6	9.6
	MTF	15.7	14.2	14.6	15.7
10	county	26.7	16.5	23.8	24.9
	state	25.7	23.4	23.4	24.3
	MTF	31.8	31.0	29.9	32.3
12	county	27.9	28.9	37.3	37.2
	state	35.2	34.8	34.2	35.0
	MTF	42.3	41.8	42.6	42.0
Combined	county	21.0	12.2	17.3	17.1
	state	17.3	15.5	15.4	15.8

Table	e IU: Halli	icinogen	s - Liteti	me Use	
Grade	Group	2006	2007	2008	2009
6	county	0.5	0.0	0.1	0.0
	state	0.5	0.2	0.3	0.2
8	county	1.1	0.8	0.5	0.5
	state	1.5	0.7	0.8	0.6
	MTF	_	_	3.1	3.3
10	county	7.1	2.6	3.0	2.8
	state	3.4	2.0	2.3	2.0
	MTF	_	_	6.3	5.5
12	county	5.2	5.3	5.4	3.7
	state	4.7	4.0	3.9	3.6
	MTF	_	_	8.1	8.7
Combined	county	4.5	1.8	2.1	1.7
	state	2.4	1.5	1.6	1.4

Table 10: Hallucinogens - Lifetime Use

Table 11: Cocaine - Lifetime Use

Grade	Group	2006	2007	2008	2009
6	county	1.0	0.5	0.4	0.4
	state	0.8	0.4	0.4	0.4
8	county	2.2	2.3	1.2	1.1
	state	2.2	1.2	1.2	1.0
	MTF	3.4	3.1	3.1	2.6
10	county	7.3	2.6	3.5	2.4
	state	4.3	2.4	2.4	2.1
	MTF	4.8	5.3	5.2	4.6
12	county	6.2	6.2	7.2	3.0
	state	6.5	5.0	4.3	3.3
	MTF	8.5	7.8	7.8	6.0
Combined	county	5.2	2.5	2.9	1.7
	state	3.2	2.0	1.9	1.6

Table 12: Inhalants - Lifetime Use

Grade	Group	2006	2007	2008	2009
6	county	7.7	10.3	6.8	7.5
	state	9.2	9.3	8.9	8.7
8	county	15.7	18.9	13.3	13.8
	state	15.4	16.0	15.9	14.7
	MTF	16.1	15.6	15.7	14.9
10	county	18.6	15.7	13.1	15.4
	state	16.4	14.9	14.6	15.1
	MTF	13.3	13.6	12.8	12.3
12	county	11.0	11.5	13.5	12.9
	state	13.2	12.0	12.1	11.4
	MTF	11.1	10.5	9.9	9.5
Combined	county	13.6	14.2	11.6	12.5
	state	13.5	13.0	12.8	12.4

Table 13: Sedatives - Lifetime Use

Grade	Group	2006	2007	2008	2009
6	county	5.3	4.1	4.7	6.9
	state	5.1	4.9	4.9	5.0
8	county	10.3	10.8	10.8	11.8
	state	10.7	10.2	10.4	9.7
	MTF	4.3	3.9	3.9	3.9
10	county	24.5	15.0	17.0	18.2
	state	18.6	16.6	15.9	16.3
	MTF	7.2	7.4	6.8	7.0
12	county	22.1	16.4	21.7	17.4
	state	22.5	20.2	18.8	18.4
	MTF	10.3	9.5	8.9	9.3
Combined	county	18.7	10.7	13.2	13.5
	state	13.7	12.2	11.8	11.7

	Table 14: I	Vleth - L	Itetime	Use	
Grade	Group	2006	2007	2008	2009
6	county	0.5	0.3	0.5	0.2
	state	0.7	0.4	0.4	0.5
8	county	1.6	2.3	0.6	0.7
	state	1.9	1.2	1.1	0.9
	MTF	2.7	1.8	2.3	1.6
10	county	5.9	1.1	1.4	1.7
	state	4.0	2.1	1.8	1.8
	MTF	3.2	2.8	2.4	2.8
12	county	4.3	3.1	3.0	2.1
	state	5.0	3.4	2.7	2.2
	MTF	4.4	3.0	2.8	2.4
Combined	county	3.9	1.6	1.3	1.2
	state	2.8	1.6	1.4	1.3

Table 14: Meth - Lifetime Use

Table 15: Stimulants - Lifetime Use

Grade	Group	2006	2007	2008	2009
6	county	0.5	0.3	0.3	0.4
	state	0.8	0.5	0.5	0.5
8	county	1.6	2.3	2.1	1.2
	state	2.6	1.6	1.5	1.3
	MTF	7.3	6.5	6.8	6.0
10	county	10.9	5.3	5.8	5.5
	state	6.3	4.6	4.1	4.0
	MTF	11.2	11.1	9.0	10.3
12	county	8.9	8.4	9.6	7.9
	state	8.0	6.9	6.2	6.1
	MTF	12.4	11.4	10.5	9.9
Combined	county	7.3	3.5	4.3	3.6
	state	4.2	3.1	2.8	2.7

Table 16: Heroin - Lifetime Use

Grade	Group	2006	2007	2008	2009
6	county	0.5	0.0	0.3	0.2
	state	0.6	0.3	0.2	0.3
8	county	1.6	1.1	0.6	0.8
	state	1.1	0.6	0.6	0.5
	MTF	1.4	1.3	1.4	1.3
10	county	3.6	0.8	1.8	1.3
	state	2.0	1.1	1.1	1.3
	MTF	1.4	1.5	1.2	1.5
12	county	2.7	3.5	2.1	1.6
	state	2.6	2.0	2.0	1.9
	MTF	1.4	1.5	1.3	1.2
Combined	county	2.5	1.2	1.2	1.0
	state	1.5	0.9	0.9	0.9

Table 17: Ecstasy - Lifetime Use

Grade	Group	2006	2007	2008	2009
6	county	0.5	0.0	0.1	0.0
	state	0.5	0.2	0.2	0.1
8	county	2.2	1.1	1.5	1.2
	state	1.9	1.2	1.1	1.1
	MTF	2.5	2.3	2.4	2.2
10	county	7.5	2.6	4.2	4.1
	state	4.7	3.4	3.3	3.2
	MTF	4.5	5.2	4.3	5.5
12	county	6.6	4.4	7.7	6.6
	state	6.5	5.4	5.2	5.3
	MTF	6.5	6.5	6.2	6.5
Combined	county	5.3	1.7	3.2	2.9
	state	3.2	2.3	2.2	2.2

Table 18: Prescription Drugs - Lifetime Use

Grade	Group	2006	2007	2008	2009
6	county	0.0	0.0	2.2	4.9
	state	0.0	0.0	3.9	3.7
8	county	0.0	0.0	10.9	10.0
	state	0.0	0.0	10.6	9.1
10	county	0.0	0.0	20.0	21.8
	state	0.0	0.0	18.0	17.7
12	county	0.0	0.0	26.0	23.5
	state	0.0	0.0	22.2	21.2
Combined	county	0.0	0.0	14.4	14.7
	state	0.0	0.0	12.8	12.1

Table 19: Over-The-Counter Drugs - Lifetime Use

			0		
Grade	Group	2006	2007	2008	2009
6	county	0.0	0.0	2.9	2.3
	state	0.0	0.0	2.5	2.3
8	county	0.0	0.0	6.4	5.3
	state	0.0	0.0	6.0	5.4
10	county	0.0	0.0	10.6	9.7
	state	0.0	0.0	9.4	9.0
12	county	0.0	0.0	14.6	10.1
	state	0.0	0.0	11.0	9.6
Combined	county	0.0	0.0	8.4	6.8
	state	0.0	0.0	6.8	6.2

Table 20: Alcopops - Lifetime Use

Grade	Group	2006	2007	2008	2009
6	county	0.0	0.0	0.0	7.9
	state	0.0	0.0	0.0	9.0
8	county	0.0	0.0	0.0	25.5
	state	0.0	0.0	0.0	25.6
10	county	0.0	0.0	0.0	45.4
	state	0.0	0.0	0.0	44.8
12	county	0.0	0.0	0.0	56.9
	state	0.0	0.0	0.0	54.7
Combined	county	0.0	0.0	0.0	33.2
	state	0.0	0.0	0.0	31.3

Table 21: Any Drug - Lifetime Use

		, 0			
Grade	Group	2006	2007	2008	2009
6	county	10.2	11.9	12.8	15.1
	state	13.2	13.2	15.2	14.6
8	county	22.5	25.9	28.4	26.6
	state	24.8	25.0	29.0	27.0
10	county	40.7	30.3	39.3	41.6
	state	36.7	35.0	38.5	39.3
12	county	37.6	36.7	48.3	48.1
	state	42.7	42.3	45.5	45.4
Combined	county	32.4	24.6	31.5	32.3
	state	28.5	27.4	30.6	30.0

Table 22: Alcohol - Past 30 Day Use

Grade	Group	2006	2007	2008	2009
6	county	2.9	2.7	4.1	4.2
	state	4.7	3.6	3.9	3.8
8	county	21.1	19.2	15.4	13.7
	state	16.4	15.5	15.0	13.8
	MTF	17.2	15.9	15.9	14.9
10	county	38.1	30.8	28.1	29.3
	state	32.1	30.3	28.5	28.2
	MTF	33.8	33.4	28.8	30.4
12	county	40.7	42.9	43.7	38.4
	state	42.7	40.3	39.1	37.7
	MTF	45.3	44.4	43.1	43.5
Combined	county	31.3	21.2	22.0	20.8
	state	22.7	20.5	19.8	19.1

Table	Table 23: Cigarettes - Past 30 Day Use						
Grade	Group	2006	2007	2008	2009		
6	county	2.0	1.7	1.7	1.8		
	state	2.4	1.9	1.8	1.8		
8	county	7.1	9.3	4.5	6.4		
	state	9.0	8.1	7.5	6.8		
	MTF	8.7	7.1	6.8	6.5		
10	county	21.6	14.0	16.4	15.2		
	state	17.2	15.3	14.6	14.6		
	MTF	14.5	14.0	12.3	13.1		
12	county	22.1	28.1	27.1	21.8		
	state	24.0	23.5	22.7	21.3		
	MTF	21.6	21.6	20.4	20.1		
Combined	county	16.8	11.6	11.9	10.9		
	state	12.5	11.1	10.6	10.2		

Table 23: Cigarettes - Past 30 Day Use

Table 24: Chewing Tobacco - Past 30 Day Use

Grade	Group	2006	2007	2008	2009
6	county	3.5	1.7	2.0	1.2
	state	2.3	1.7	1.6	1.5
8	county	12.6	11.1	5.6	5.7
	state	5.9	5.5	5.3	5.2
	MTF	3.7	3.2	3.5	3.7
10	county	18.3	16.2	10.4	11.2
	state	11.1	9.5	8.6	9.4
	MTF	5.7	6.1	5.0	6.5
12	county	14.8	14.8	11.8	11.0
	state	11.9	10.8	10.7	10.7
	MTF	6.1	6.6	6.5	8.4
Combined	county	14.0	10.1	7.3	7.2
	state	7.5	6.5	6.1	6.3

Table 25: Marijuana - Past 30 Day Use

Grade	Group	2006	2007	2008	2009
6	county	1.0	0.5	0.5	0.3
	state	0.8	0.5	0.5	0.5
8	county	4.9	2.8	4.6	4.5
	state	5.2	4.1	3.9	4.1
	MTF	6.5	5.7	5.8	6.5
10	county	12.6	6.0	10.4	12.4
	state	12.5	10.4	10.4	11.4
	MTF	14.2	14.2	13.8	15.9
12	county	11.8	11.6	18.1	18.1
	state	16.3	15.3	14.6	15.7
	MTF	18.3	18.8	19.4	20.6
Combined	county	9.4	4.4	8.0	8.5
	state	8.2	6.8	6.6	7.1

Table 26: Hallucinogens - Past 30 Day Use

Grade	Group	2006	2007	2008	2009
6	county	0.5	0.0	0.1	0.0
	state	0.3	0.1	0.1	0.1
8	county	0.5	0.6	0.2	0.2
	state	0.9	0.3	0.4	0.3
	MTF	_	-	0.9	0.9
10	county	1.6	0.7	0.8	0.7
	state	1.5	0.6	0.7	0.7
	MTF	_	_	1.7	1.3
12	county	1.7	0.9	1.1	0.9
	state	1.6	1.1	1.1	0.9
	MTF	_	_	1.6	2.2
Combined	county	1.3	0.5	0.5	0.4
	state	1.0	0.5	0.5	0.4

Table 27: Cocaine - Past 30 Day Use						
Grade	Group	2006	2007	2008	2009	
6	county	1.0	0.3	0.2	0.3	
	state	0.5	0.2	0.1	0.2	
8	county	0.5	1.1	0.5	0.5	
	state	1.0	0.5	0.5	0.4	
	MTF	1.0	0.9	0.8	0.8	
10	county	2.0	0.4	1.0	0.3	
	state	1.6	0.6	0.4	0.5	
	MTF	1.5	1.3	1.3	0.9	
12	county	2.3	0.9	1.7	0.8	
	state	2.0	0.9	0.7	0.6	
	MTF	2.5	2.0	2.0	1.3	
Combined	county	1.8	0.7	0.8	0.5	
	state	1.2	0.5	0.4	0.4	

Table 27: Cocaine - Past 30 Day Use

Table 28: Inhalants - Past 30 Day Use

Grade	Group	2006	2007	2008	2009
6	county	4.3	4.3	2.7	4.1
	state	4.1	3.9	3.9	3.8
8	county	9.7	8.2	5.0	5.8
	state	6.5	6.5	6.3	6.1
	MTF	4.1	3.9	4.1	3.8
10	county	6.4	4.5	3.9	4.0
	state	5.2	4.1	3.8	4.1
	MTF	2.3	2.5	2.1	2.2
12	county	2.7	4.4	2.6	2.6
	state	3.1	2.3	2.3	2.3
	MTF	1.5	1.2	1.4	1.2
Combined	county	5.1	5.5	3.6	4.2
	state	4.8	4.4	4.2	4.2

Table 29: Sedatives - Past 30 Day Use

Grade	Group	2006	2007	2008	2009
6	county	1.9	1.6	2.2	2.4
	state	2.3	1.9	1.9	1.9
8	county	5.9	4.5	4.4	5.1
	state	5.3	4.6	4.6	4.3
10	county	15.0	3.4	6.2	7.7
	state	9.9	7.6	7.3	7.6
12	county	10.4	8.8	9.9	6.6
	state	11.3	9.2	8.3	8.2
	MTF	3.0	2.7	2.8	2.5
Combined	county	10.0	4.2	5.5	5.4
	state	6.9	5.5	5.2	5.2

Table 30: Meth - Past 30 Day Use

Grade	Group	2006	2007	2008	2009
6	county	0.5	0.0	0.0	0.2
	state	0.4	0.1	0.1	0.2
8	county	1.6	0.6	0.1	0.2
	state	0.9	0.4	0.4	0.3
	MTF	0.6	0.6	0.7	0.5
10	county	2.3	0.8	0.3	0.4
	state	1.6	0.6	0.4	0.5
	MTF	0.7	0.4	0.7	0.6
12	county	2.1	0.9	1.1	0.7
	state	1.6	0.6	0.6	0.6
	MTF	0.9	0.6	0.6	0.5
Combined	county	1.9	0.5	0.4	0.4
	state	1.1	0.4	0.4	0.4

Table 31: Stimulants - Past 30 Day Use							
Grade	Group	2006	2007	2008	2009		
6	county	0.5	0.3	0.3	0.3		
	state	0.4	0.2	0.2	0.2		
8	county	1.1	0.6	0.8	0.4		
	state	1.3	0.7	0.6	0.6		
	MTF	2.1	2.0	2.2	1.9		
10	county	4.1	1.5	2.0	1.1		
	state	2.6	1.4	1.4	1.5		
	MTF	3.5	4.0	2.8	3.3		
12	county	2.9	1.3	3.0	2.0		
	state	3.1	1.8	1.9	1.9		
	MTF	3.7	3.7	2.9	3.0		
Combined	county	2.7	0.8	1.5	0.9		
	state	1.8	0.9	0.9	1.0		

Table 31: Stimulants - Past 30 Day Use

Table 32: Heroin - Past 30 Day Use

Grade	Group	2006	2007	2008	2009
6	county	0.5	0.0	0.2	0.2
	state	0.3	0.1	0.1	0.1
8	county	0.5	0.0	0.5	0.1
	state	0.6	0.2	0.3	0.2
	MTF	0.3	0.4	0.4	0.4
10	county	1.6	0.0	0.3	0.4
	state	1.0	0.3	0.4	0.5
	MTF	0.5	0.4	0.4	0.4
12	county	1.0	0.4	1.2	0.9
	state	1.0	0.6	0.6	0.6
	MTF	0.4	0.4	0.4	0.4
Combined	county	1.0	0.1	0.6	0.4
	state	0.7	0.3	0.3	0.3

Table 33: Ecstasy - Past 30 Day Use

Grade	Group	2006	2007	2008	2009
6	county	0.5	0.0	0.1	0.0
	state	0.3	0.1	0.1	0.1
8	county	1.1	0.0	0.4	0.5
	state	0.8	0.4	0.5	0.4
	MTF	0.7	0.6	0.8	0.6
10	county	2.1	0.0	0.4	1.4
	state	1.7	1.0	0.9	0.9
	MTF	1.2	1.2	1.1	1.3
12	county	1.0	1.3	1.1	1.6
	state	2.1	1.4	1.0	1.2
	MTF	1.3	1.6	1.8	1.8
Combined	county	1.3	0.2	0.5	0.8
	state	1.2	0.7	0.6	0.6

Table 34: Prescription Drugs - Past 30 Day Use

Grade	Group	2006	2007	2008	2009
6	county	0.0	0.0	1.5	2.3
	state	0.0	0.0	1.6	1.6
8	county	0.0	0.0	4.8	4.6
	state	0.0	0.0	4.7	4.1
10	county	0.0	0.0	7.5	8.3
	state	0.0	0.0	8.1	8.1
12	county	0.0	0.0	10.1	9.2
	state	0.0	0.0	9.8	9.3
Combined	county	0.0	0.0	5.8	6.0
	state	0.0	0.0	5.6	5.4

Table 35: Over-The-Counter Drugs - Past 30 Day Use

Grade	Group	2006	2007	2008	2009
6	county	0.0	0.0	1.3	1.4
	state	0.0	0.0	1.2	1.2
8	county	0.0	0.0	3.5	3.3
	state	0.0	0.0	3.1	2.8
10	county	0.0	0.0	4.0	4.7
	state	0.0	0.0	4.2	4.0
12	county	0.0	0.0	5.2	4.4
	state	0.0	0.0	4.2	3.9
Combined	county	0.0	0.0	3.4	3.4
	state	0.0	0.0	3.0	2.9

Table 36: Alcopops - Past 30 Day Use

Grade	Group	2006	2007	2008	2009
6	county	0.0	0.0	0.0	2.6
	state	0.0	0.0	0.0	2.7
8	county	0.0	0.0	0.0	9.4
	state	0.0	0.0	0.0	9.8
10	county	0.0	0.0	0.0	20.8
	state	0.0	0.0	0.0	19.2
12	county	0.0	0.0	0.0	22.3
	state	0.0	0.0	0.0	23.9
Combined	county	0.0	0.0	0.0	13.5
	state	0.0	0.0	0.0	12.8

Table 37: Any Drug - Past 30 Day Use

	5	- 0		5	
Grade	Group	2006	2007	2008	2009
6	county	4.9	5.4	6.3	8.0
	state	6.1	5.9	7.3	7.2
8	county	15.3	13.2	13.6	15.4
	state	12.7	12.2	14.6	14.0
10	county	23.9	10.9	18.7	23.2
	state	19.6	17.1	20.0	21.2
12	county	19.7	16.4	26.4	25.4
	state	22.6	20.6	23.2	23.9
Combined	county	18.2	10.9	15.8	17.8
	state	14.8	13.2	15.5	15.8

Table 38: Binge Drinking

		0.		5	
Grade	Group	2006	2007	2008	2009
6	county	2.0	3.3	2.7	1.3
	state	4.3	3.5	3.3	1.7
8	county	15.3	12.5	8.1	7.4
	state	11.4	10.3	10.4	7.4
10	county	25.0	17.4	19.2	19.1
	state	20.9	19.3	17.7	17.2
12	county	25.1	25.3	26.6	27.1
	state	27.8	26.0	25.2	25.2
Combined	county	20.2	13.2	13.7	13.2
	state	15.4	13.6	13.1	11.7

Table 39:	Pack of	Cigarettes
-----------	---------	------------

Group county	2006 0.5	2007	2008	2009
county	በፍ	0.0		
	0.5	0.0	0.1	0.1
state	0.2	0.1	0.1	0.1
county	0.5	0.6	0.2	0.5
state	1.0	0.7	0.7	0.6
county	2.5	1.9	2.0	1.9
state	2.4	1.8	1.7	1.5
county	2.5	4.9	3.4	2.0
state	3.6	3.1	2.8	2.5
county	2.0	1.5	1.4	1.1
state	1.7	1.3	1.2	1.0
	county state county state county state	county 0.5 state 1.0 county 2.5 state 2.4 county 2.5 state 3.6 county 2.0	county 0.5 0.6 state 1.0 0.7 county 2.5 1.9 state 2.4 1.8 county 2.5 4.9 state 3.6 3.1 county 2.0 1.5	county 0.5 0.6 0.2 state 1.0 0.7 0.7 county 2.5 1.9 2.0 state 2.4 1.8 1.7 county 2.5 4.9 3.4 state 3.6 3.1 2.8 county 2.0 1.5 1.4

Table 40: Suspended from School

Grade	Group	2006	2007	2008	2009
6	county	7.8	5.1	7.7	6.0
	state	9.9	11.1	10.5	11.2
8	county	4.9	7.1	14.0	11.5
	state	15.9	16.6	16.6	16.3
10	county	13.4	8.1	10.9	14.2
	state	14.9	14.8	15.1	15.2
12	county	9.1	8.6	8.4	7.3
	state	11.4	10.6	10.6	10.9
Combined	county	9.7	7.0	10.3	9.9
	state	13.1	13.4	13.3	13.6

Table 41:	Drunk or	High	at S	chool
Tuble II.	Drunk or	1 11611	ut J	Chioon

Grade	Group	2006	2007	2008	2009
6	county	2.0	2.4	2.3	1.6
	state	2.6	2.0	2.0	2.2
8	county	10.9	8.3	7.4	7.4
	state	9.3	8.3	8.2	7.8
10	county	19.8	7.7	14.6	16.8
	state	18.1	15.0	15.0	16.2
12	county	15.5	17.2	20.6	19.2
	state	20.8	18.7	18.2	18.5
Combined	county	14.2	8.1	10.7	11.0
	state	12.2	10.1	10.0	10.3

	Table 42: Sold Illegal Drugs				
Grade	Group	2006	2007	2008	2009
6	county	1.0	1.1	0.2	0.1
	state	0.7	0.4	0.4	0.3
8	county	3.8	1.7	2.1	2.0
	state	3.2	2.6	2.1	2.0
10	county	7.8	5.3	7.3	7.8
	state	7.9	6.4	6.6	6.6
12	county	6.7	10.0	9.9	8.2
	state	10.0	8.7	8.6	8.4
Combined	county	5.8	3.8	4.6	4.4
	state	5.2	4.1	4.0	3.9

Grade	Group	2006	2007	2008	2009
6	county	1.0	1.6	0.7	0.9
	state	1.7	1.3	1.3	1.2
8	county	4.9	6.6	1.4	2.2
	state	3.5	2.7	2.3	2.2
10	county	4.1	2.6	2.8	2.5
	state	4.5	3.4	3.5	3.1
12	county	2.5	4.3	2.2	1.9
	state	3.3	2.2	2.0	2.2
Combined	county	3.1	3.8	1.7	1.9
	state	3.2	2.4	2.2	2.1

Table 44: Been Arrested

Grade	Group	2006	2007	2008	2009
6	county	1.0	1.1	2.1	1.4
	state	2.4	2.2	1.9	2.1
8	county	7.1	7.4	7.3	5.3
	state	6.2	5.7	5.7	5.0
10	county	10.9	6.3	8.9	9.4
	state	8.9	7.4	8.2	7.4
12	county	6.8	9.9	8.4	7.3
	state	8.2	7.1	7.2	7.1
Combined	county	7.3	5.7	6.5	5.8
	state	6.3	5.4	5.5	5.2

Table 45: Attacked to Harm	Table	45:	Attacked	to	Harm
----------------------------	-------	-----	----------	----	------

Grade	Group	2006	2007	2008	2009
6	county	11.8	11.0	10.5	11.8
	state	12.8	13.1	13.5	13.9
8	county	20.1	15.3	17.9	18.5
	state	17.9	18.1	18.6	18.4
10	county	18.0	13.3	18.4	18.2
	state	19.2	18.0	18.3	18.8
12	county	14.2	15.9	13.7	15.1
	state	16.2	14.6	14.5	15.2
Combined	county	15.9	13.7	15.1	16.1
	state	16.5	16.0	16.3	16.6

Table	46:	Carried	а	Handgun

			0		
Grade	Group	2006	2007	2008	2009
6	county	5.9	4.5	2.8	3.9
	state	4.7	4.0	4.2	4.1
8	county	7.6	5.5	6.9	6.3
	state	6.0	5.3	5.7	5.2
10	county	5.5	5.5	4.5	7.1
	state	7.0	6.0	6.4	6.3
12	county	5.2	4.7	5.9	6.0
	state	6.8	5.7	6.3	6.1
Combined	county	5.7	5.1	5.0	5.9
	state	6.1	5.1	5.6	5.3

	Table 47:	Table 47: Handgun to School				
Grade	Group	2006	2007	2008	2009	
6	county	0.5	0.3	0.5	0.0	
	state	0.7	0.4	0.4	0.3	
8	county	1.6	0.3	0.7	0.9	
	state	1.2	0.8	0.8	0.6	
10	county	1.1	0.7	0.8	0.6	
	state	1.7	0.9	1.1	0.9	
12	county	1.6	0.9	1.0	0.6	
	state	1.4	0.9	1.1	1.0	
Combined	county	1.3	0.5	0.7	0.5	
	state	1.2	0.7	0.8	0.7	

. .

_ . .

Table 48: Community Risk - Low Neighborhood Attachment

Grade	Group	2006	2007	2008	2009
6	county	35.1	42.2	41.0	38.4
	state	44.3	44.3	44.1	44.7
8	county	32.5	31.6	36.6	36.2
	state	35.8	36.2	35.3	35.5
10	county	41.3	36.8	41.0	42.9
	state	42.2	41.6	41.5	42.5
12	county	38.8	45.5	40.4	46.5
	state	44.1	45.3	44.2	44.9
Combined	county	38.2	38.6	39.8	40.7
	state	41.4	41.6	41.1	41.6

Table 49: Community Risk - High Community Disorganization

	5	0		5	0
Grade	Group	2006	2007	2008	2009
6	county	35.0	26.6	30.5	29.0
	state	39.4	37.2	37.2	38.4
8	county	25.2	22.3	28.3	29.5
	state	34.3	32.8	33.9	34.5
10	county	40.4	33.7	35.2	39.7
	state	48.3	45.2	45.1	46.6
12	county	43.5	40.7	32.6	38.2
	state	45.7	43.3	42.7	45.5
Combined	county	38.8	29.7	31.6	33.9
	state	41.7	39.2	39.3	40.8

Table 50: Community Risk - Transitions and Mobility

Grade	Group	2006	2007	2008	2009
6	county	41.8	42.9	45.5	50.3
	state	40.0	52.6	52.1	51.1
8	county	52.1	70.2	63.1	61.7
	state	47.8	56.6	55.5	53.1
10	county	61.5	76.8	61.7	64.9
	state	52.5	60.5	61.1	59.9
12	county	45.8	50.7	52.6	54.7
	state	46.0	49.6	50.4	51.1
Combined	county	51.3	60.1	56.0	58.0
	state	46.7	55.0	55.0	53.8

Table 51: Community Risk - Laws and Norms Favorable to Drug Use

	5				
Grade	Group	2006	2007	2008	2009
6	county	69.3	45.3	40.7	35.6
	state	71.8	41.0	40.1	39.2
8	county	21.0	38.0	32.6	32.3
	state	28.4	34.9	33.5	33.7
10	county	17.9	39.8	38.0	38.1
	state	19.6	40.9	40.1	41.3
12	county	10.2	39.0	33.5	31.7
	state	10.3	33.6	33.8	33.7
Combined	county	23.1	40.7	36.2	34.4
	state	33.3	37.8	37.0	37.1

Table 52: Community Risk - Perceived Availability of Drugs

Grade	Group	2006	2007	2008	2009
6	county	25.3	21.6	23.1	21.2
	state	24.4	22.4	23.7	22.7
8	county	29.0	28.0	25.4	25.1
	state	29.0	27.6	26.9	25.7
10	county	49.2	43.6	40.6	40.3
	state	42.9	38.9	37.5	36.3
12	county	45.1	53.0	50.6	46.9
	state	48.9	45.8	44.3	42.5
Combined	county	41.3	34.4	34.7	33.0
	state	35.7	32.6	32.2	30.9

Table 53: Community Risk - Perceived Availability of Handguns

Grade	Group	2006	2007	2008	2009
6	county	32.6	32.5	25.9	22.2
	state	28.2	25.7	26.0	24.6
8	county	50.9	41.8	39.6	39.5
	state	40.9	39.3	39.4	37.3
10	county	39.9	36.7	29.3	31.0
	state	35.4	33.1	31.8	31.7
12	county	38.3	38.4	36.5	32.8
	state	40.9	38.7	39.1	36.6
Combined	county	39.6	37.3	32.8	31.6
	state	36.3	33.9	33.8	32.3

Table 54: Family Risk - Poor Family Management

	,		5	0	
Grade	Group	2006	2007	2008	2009
6	county	28.0	37.2	34.1	38.1
	state	36.4	35.9	37.8	38.2
8	county	40.1	37.9	40.1	37.2
	state	38.0	38.2	40.3	39.7
10	county	41.4	32.2	39.4	37.7
	state	39.5	37.5	38.1	38.1
12	county	37.1	48.6	45.1	37.5
	state	40.1	39.6	41.0	39.7
Combined	county	37.6	38.4	39.6	37.6
	state	38.5	37.7	39.2	38.9

Table 55: Family Risk - Family Conflict

		5	,		
Grade	Group	2006	2007	2008	2009
6	county	41.3	36.3	34.9	39.3
	state	40.2	36.2	39.2	40.5
8	county	57.3	45.8	48.1	51.7
	state	49.2	47.6	49.5	49.1
10	county	45.4	37.1	40.6	40.9
	state	41.3	39.4	39.3	40.8
12	county	42.2	36.9	34.2	40.7
	state	37.7	35.4	36.7	38.6
Combined	county	45.0	39.3	39.6	43.4
	state	42.4	40.0	41.5	42.6

Table 56: Family Risk - Family History of Antisocial Behavior

Grade	Group	2006	2007	2008	2009
6	county	19.2	33.6	29.2	30.3
	state	22.4	34.9	35.8	35.3
8	county	20.0	31.2	34.7	29.9
	state	19.0	37.1	37.1	35.4
10	county	16.7	32.8	34.6	37.6
	state	18.5	40.8	40.4	40.4
12	county	9.0	36.0	35.5	37.1
	state	11.2	37.7	37.9	39.1
Combined	county	14.3	33.2	33.6	33.7
	state	17.9	37.6	37.7	37.4

Table 57: Family Risk - Parental Attitudes Favorable to ATOD

Grade	Group	2006	2007	2008	2009
6	county	11.5	16.9	14.3	15.5
	state	14.2	13.3	13.6	14.5
8	county	31.1	26.4	27.1	27.3
	state	27.0	27.0	27.0	27.0
10	county	42.8	43.5	41.4	43.0
	state	42.3	41.7	41.1	41.5
12	county	43.4	47.5	43.5	43.2
	state	41.0	41.4	41.0	40.6
Combined	county	36.7	31.5	31.6	32.0
	state	30.8	29.7	29.6	29.9

Table 58: Family Risk - Parental Attitudes Favorable to ASB

Grade	Group	2006	2007	2008	2009
6	county	27.4	32.4	29.8	33.2
	state	34.1	32.7	33.1	33.3
8	county	46.1	45.2	47.1	44.1
	state	44.9	45.3	45.2	45.8
10	county	54.6	52.7	51.0	54.3
	state	51.8	50.1	50.1	50.5
12	county	30.8	54.3	52.5	49.9
	state	30.8	48.4	49.3	48.0
Combined	county	40.1	44.9	45.2	45.3
	state	40.9	43.6	43.9	44.0

Table 59: School Risk - Academic Failure

Grade	Group	2006	2007	2008	2009
6	county	36.6	37.0	36.1	38.0
	state	39.0	44.2	42.9	42.6
8	county	44.1	44.4	40.8	43.5
	state	45.1	47.0	44.9	44.6
10	county	44.7	38.2	45.6	46.1
	state	47.6	48.5	47.5	46.4
12	county	39.5	39.8	40.8	36.9
	state	42.2	41.3	41.2	39.6
Combined	county	41.4	40.0	40.8	41.4
	state	43.6	45.5	44.2	43.5

Table 60: School Risk - Low Commitment to School

Grade	Group	2006	2007	2008	2009
6	county	85.3	49.6	44.8	41.0
	state	84.6	42.0	42.9	42.0
8	county	61.4	41.0	41.0	42.3
	state	57.0	35.3	35.4	35.1
10	county	54.7	38.4	42.2	40.4
	state	53.0	39.5	38.1	38.7
12	county	59.8	50.2	46.3	38.5
	state	59.6	42.2	42.2	40.6
Combined	county	62.1	44.8	43.5	40.6
	state	63.5	39.6	39.5	39.0

Table 61: Peer Risk - Rebelliousness

Grade	Group	2006	2007	2008	2009
6	county	44.6	47.1	41.0	40.3
	state	48.3	46.8	47.4	44.6
8	county	39.2	37.2	38.4	36.2
	state	37.8	38.1	38.7	36.8
10	county	49.5	43.7	42.8	42.5
	state	47.0	44.6	44.7	44.5
12	county	49.1	50.7	40.2	40.5
	state	43.3	43.0	43.3	41.5
Combined	county	47.3	44.1	40.6	39.8
	state	44.0	43.1	43.6	41.8

Table 62: Peer Risk - Early Initiation of Drug Use

		-		-	-
Grade	Group	2006	2007	2008	2009
6	county	13.7	26.7	22.9	22.8
	state	16.4	25.4	26.4	25.8
8	county	14.3	27.8	24.8	24.2
	state	10.6	28.7	28.1	26.7
10	county	35.6	23.7	26.6	27.8
	state	30.3	32.4	30.9	30.8
12	county	46.1	29.1	31.5	30.1
	state	51.9	33.0	31.4	30.8
Combined	county	33.4	26.8	26.2	26.1
	state	25.8	29.5	28.9	28.3

Table 63: Peer Risk - Early Initiation of ASB

Grade	Group	2006	2007	2008	2009
6	county	23.9	17.7	19.0	21.9
	state	24.9	25.9	25.8	26.8
8	county	31.3	27.9	35.7	34.7
	state	35.7	37.3	37.4	37.8
10	county	38.7	28.8	34.2	37.6
	state	41.0	40.6	41.3	41.7
12	county	30.9	32.3	35.5	34.5
	state	39.8	39.1	40.0	40.6
Combined	county	32.4	25.9	30.8	32.3
	state	35.1	35.2	35.5	36.2

Table 64: Peer Risk - Peer Favorable Attitudes to ASB

Grade	Group	2006	2007	2008	2009
6	county	30.2	42.9	36.6	37.9
	state	37.1	37.5	38.9	39.2
8	county	31.5	37.2	36.0	37.3
	state	32.7	33.3	33.3	34.3
10	county	46.5	40.0	45.8	46.3
	state	43.1	41.7	41.5	42.3
12	county	41.2	48.7	44.7	41.2
	state	40.0	39.0	39.8	39.3
Combined	county	40.0	41.7	40.5	40.6
	state	38.0	37.7	38.2	38.6

Table 65: Peer Risk - Peer Favorable Attitudes to Drug Use

Grade	Group	2006	2007	2008	2009
6	county	16.1	17.5	15.3	16.6
	state	19.2	17.9	18.0	18.0
8	county	27.9	28.0	22.7	20.9
	state	23.7	22.8	22.5	23.0
10	county	37.9	32.7	32.4	36.6
	state	35.5	33.1	32.8	34.1
12	county	33.3	41.9	37.8	36.9
	state	33.3	32.9	32.9	32.6
Combined	county	31.4	28.5	26.5	27.3
	state	27.5	25.8	25.7	26.1

Table 66: Peer Risk - Intentions to Use

Group	2006	2007	2008	2009
county	40.0	37.1	36.9	41.9
state	36.2	35.3	37.4	37.7
county	25.7	30.8	25.8	26.8
state	26.7	26.4	27.2	27.7
county	40.5	38.1	38.9	42.9
state	40.2	38.3	38.3	40.1
county	26.3	30.8	34.3	31.2
state	28.7	28.7	29.4	29.9
county	33.0	34.3	33.9	35.5
state	33.1	32.3	33.2	34.0
	county state county state county state county state county	county 40.0 state 36.2 county 25.7 state 26.7 county 40.5 state 40.2 county 26.3 state 28.7 county 33.0	county 40.0 37.1 state 36.2 35.3 county 25.7 30.8 state 26.7 26.4 county 40.5 38.1 state 40.2 38.3 county 26.3 30.8 state 28.7 28.7 county 33.0 34.3	county 40.0 37.1 36.9 state 36.2 35.3 37.4 county 25.7 30.8 25.8 state 26.7 26.4 27.2 county 40.5 38.1 38.9 state 40.2 38.3 38.3 county 26.3 30.8 34.3 state 28.7 28.7 29.4 county 33.0 34.3 33.9

Table 67: Peer Risk - Peer Perceived Risk of Drug Use

<u> </u>		0000	0007	0000	0000
Grade	Group	2006	2007	2008	2009
6	county	26.3	26.5	30.0	25.1
	state	31.7	32.6	32.2	33.1
8	county	34.9	31.1	35.1	31.2
	state	36.1	36.4	36.3	37.7
10	county	37.2	27.9	31.2	36.9
	state	36.1	34.6	35.2	37.2
12	county	39.6	48.0	44.6	45.4
	state	40.7	41.6	41.2	43.1
Combined	county	36.2	32.2	34.9	34.3
	state	35.9	35.9	35.9	37.3

Table 68: Peer Risk - Interaction with Antisocial Peers

Grade	Group	2006	2007	2008	2009
6	county	33.5	30.3	30.2	30.3
	state	40.7	38.9	38.7	40.1
8	county	42.7	47.1	48.4	47.6
	state	51.7	50.6	51.5	51.7
10	county	54.2	40.5	49.2	52.7
	state	54.8	52.1	52.6	52.2
12	county	43.8	48.9	49.5	44.3
	state	50.7	49.4	50.4	49.2
Combined	county	45.6	41.0	44.0	44.0
	state	49.5	47.4	47.9	48.0

Table 69: Peer Risk - Friends' Use of Drugs

Grade	Group	2006	2007	2008	2009
6	county	26.8	20.7	19.5	17.3
	state	21.9	20.6	21.3	21.2
8	county	36.7	35.6	31.6	28.8
	state	32.1	30.8	31.2	30.7
10	county	34.5	27.1	34.2	33.9
	state	33.4	33.1	33.3	33.9
12	county	22.8	38.7	36.8	33.9
	state	25.6	31.0	31.1	30.5
Combined	county	29.1	29.9	30.2	28.5
	state	28.4	28.5	28.9	28.8

Table 70: Peer Risk - Sensation Seeking

	10. 1 ссі		chisation	Seeking	
Grade	Group	2006	2007	2008	2009
6	county	57.2	54.0	52.2	54.7
	state	54.6	50.6	49.3	48.9
8	county	50.8	49.6	52.8	50.5
	state	43.7	49.6	50.1	50.0
10	county	53.4	51.7	49.2	51.4
	state	46.0	48.4	48.3	48.6
12	county	53.2	62.8	55.5	51.4
	state	46.9	50.5	51.3	49.1
Combined	county	53.6	53.8	52.4	52.0
	state	47.8	49.8	49.7	49.2

Grade 2006 2007 2008 2009 Group 22.2 6 18.0 27.0 25.9 county 23.7 23.7 23.4 22.1 state 38.5 8 45.5 40.4 39.2 county 37.6 37.4 38.6 38.6 state 10 52.1 44.1 42.4 county 41.5 42.5 41.3 40.2 41.6 state 12 56.6 62.4 63.8 59.3 county state 54.8 54.8 55.0 54.5 Combined 47.8 41.5 41.7 40.2 county 38.8 37.4 38.2 state 38.0

Table 71: Peer Risk - Peer Rewards for Antisocial Involvement

Table 72: Peer Risk - Depressive Symptoms

	2. 1 661 14			5 1	
Grade	Group	2006	2007	2008	2009
6	county	40.0	34.0	32.9	36.9
	state	42.1	39.5	39.6	39.1
8	county	42.7	41.3	43.8	45.0
	state	44.7	44.1	43.6	43.1
10	county	45.1	40.3	40.5	45.6
	state	46.7	46.2	45.1	45.6
12	county	41.4	33.2	40.2	41.1
	state	41.5	40.4	40.2	40.9
Combined	county	42.6	37.4	39.3	42.4
	state	43.9	42.6	42.1	42.2

Table 73: Peer Risk - Gang Involvement

			0		
Grade	Group	2006	2007	2008	2009
6	county	17.7	15.1	16.3	14.9
	state	22.8	20.2	20.6	19.9
8	county	11.7	18.6	24.5	19.1
	state	16.6	21.5	22.7	21.0
10	county	25.2	17.0	25.1	25.2
	state	27.4	25.7	26.3	26.7
12	county	16.9	28.4	19.1	18.6
	state	24.1	22.7	23.0	23.8
Combined	county	19.0	19.0	21.2	19.5
	state	22.6	22.4	23.0	22.6

Table 74: Community Protective - Opportunities for Prosocial Involvement

Grade	Group	2006	2007	2008	2009
6	county	71.7	54.0	45.9	47.7
_	state	62.9	44.7	43.6	42.8
8	county	81.8	54.0	54.2	52.0
	state	75.9	50.5	50.8	49.7
10	county	84.0	52.3	53.3	50.4
	state	75.7	48.4	49.2	47.7
12	county	83.5	51.1	55.2	52.5
	state	77.1	48.4	48.8	47.7
Combined	county	81.7	53.1	52.1	50.7
	state	72.9	48.0	48.0	46.9

Table 75: Community Protective - Rewards for Prosocial Involvement

Grade	Group	2006	2007	2008	2009
6	county	55.6	49.0	52.4	50.2
	state	53.1	51.7	51.8	49.9
8	county	47.3	41.0	40.6	40.5
	state	44.9	43.3	43.8	43.0
10	county	44.5	45.2	48.8	48.3
	state	49.6	49.3	49.8	49.0
12	county	48.4	36.0	45.3	45.2
	state	50.1	48.4	49.1	47.7
Combined	county	48.1	43.4	46.8	45.9
	state	49.3	48.1	48.6	47.3

Table 76: Family Protective - Family Attachment

Tuble For	Tunny T	01001110	ranny	nent	
Grade	Group	2006	2007	2008	2009
6	county	70.2	60.2	62.9	55.4
	state	57.6	57.0	57.6	54.4
8	county	55.0	61.6	51.4	52.9
	state	53.1	52.6	53.3	52.2
10	county	47.5	51.4	47.7	46.0
	state	45.0	45.3	45.7	44.0
12	county	60.1	58.1	57.2	56.9
	state	55.8	56.2	55.7	54.6
Combined	county	56.7	58.2	54.5	52.7
	state	52.7	52.7	53.1	51.2

Table 77: Family Protective - Family Opportunities for PSI

Grade	Group	2006	2007	2008	2009
6	county	66.7	61.3	66.1	60.0
	state	61.9	62.1	61.8	59.2
8	county	65.1	69.0	60.0	62.1
	state	63.4	63.9	62.9	62.4
10	county	51.7	61.3	55.3	53.3
	state	54.7	55.1	55.7	54.5
12	county	57.5	51.4	54.7	56.2
	state	54.9	55.6	55.1	54.1
Combined	county	57.9	61.6	58.9	58.0
	state	58.9	59.5	59.2	57.9

Table 78: Family Protective - Family Rewards for PSI

Grade	Group	2006	2007	2008	2009
6	county	67.7	55.8	60.6	55.3
	state	55.7	55.8	56.3	53.5
8	county	64.2	67.2	60.8	63.9
	state	64.3	64.2	63.8	63.4
10	county	53.4	57.9	57.1	52.3
	state	54.5	54.7	55.2	54.1
12	county	54.2	55.3	54.5	52.8
	state	53.6	54.4	54.6	52.9
Combined	county	57.1	59.4	58.3	56.3
	state	57.2	57.5	57.7	56.2

Table 79: School Protective - School Opportunities for PSI

Grade	Group	2006	2007	2008	2009
6	county	62.9	49.2	44.9	41.5
	state	47.2	49.2	48.1	48.3
8	county	63.5	71.4	65.6	66.3
	state	64.6	66.5	67.3	67.3
10	county	61.2	68.9	65.4	65.0
	state	61.2	65.3	65.4	64.6
12	county	63.4	50.0	64.2	69.0
	state	62.6	65.2	65.1	66.1
Combined	county	62.6	60.1	59.7	60.6
	state	58.8	61.0	60.9	61.0

Table 80: School Protective - School Rewards for PSI

Grade	Group	2006	2007	2008	2009
6	county	63.3	59.9	53.5	52.7
	state	59.6	58.9	58.5	56.1
8	county	48.3	53.8	57.0	51.2
	state	57.1	56.1	57.1	56.1
10	county	67.6	70.7	68.3	68.4
	state	64.0	64.5	64.9	64.5
12	county	59.2	44.5	47.5	52.2
	state	50.2	50.0	49.6	49.4
Combined	county	61.1	57.6	56.8	56.2
	state	58.1	57.8	57.9	56.9

Table 81: Peer Protective - Religiosity

Grade	Group	2006	2007	2008	2009
6	county	72.9	62.8	67.7	64.6
	state	66.9	63.7	63.0	60.9
8	county	77.6	74.3	73.1	72.2
	state	68.6	68.0	67.5	66.6
10	county	72.9	69.1	69.6	66.6
	state	65.5	64.9	66.1	65.3
12	county	90.3	81.6	86.5	86.5
	state	86.7	86.1	85.7	86.0
Combined	county	80.2	71.1	73.8	72.1
	state	71.1	69.6	69.5	68.5

Table 82: Peer Protective - Social Skills

Grade	Group	2006	2007	2008	2009
6	county	77.6	73.8	77.0	75.1
	state	71.2	71.0	70.5	69.0
8	county	66.5	69.4	65.2	69.9
	state	67.0	66.9	66.6	66.7
10	county	51.3	58.4	59.6	60.0
	state	55.5	57.4	58.6	57.9
12	county	68.4	59.4	67.0	69.3
	state	66.6	67.4	67.6	68.5
Combined	county	64.0	66.4	67.3	68.5
	state	65.1	65.9	66.0	65.5

Table 83: Peer Protective - Belief in a Moral Order

Grade	Group	2006	2007	2008	2009
6	county	79.1	67.7	69.4	68.5
	state	65.7	65.0	63.9	61.3
8	county	69.6	63.8	63.4	66.5
	state	65.8	64.4	64.1	63.9
10	county	63.6	71.3	68.8	65.2
	state	64.4	66.5	66.9	65.7
12	county	52.7	41.4	50.0	54.2
	state	51.5	51.4	50.8	51.1
Combined	county	62.2	62.4	63.4	63.9
	state	62.3	62.6	62.1	61.1

Table 84: Peer Protective - Prosocial Involvement

Grade	Group	2006	2007	2008	2009
6	county	49.0	36.2	39.3	41.5
	state	45.4	43.2	43.8	43.0
8	county	57.1	49.5	50.3	49.6
	state	49.3	47.6	48.0	47.3
10	county	47.8	51.7	47.6	51.0
	state	48.5	49.1	48.9	49.4
12	county	41.7	30.5	46.6	47.4
	state	42.8	43.5	43.2	44.3
Combined	county	46.9	42.4	45.8	47.5
	state	46.7	45.9	46.1	46.0

Table 85: Peer Protective - Peer Rewards for Prosocial Involvement

Grade	Group	2006	2007	2008	2009
6	county	71.5	56.9	58.6	64.1
	state	65.6	63.2	61.9	62.0
8	county	63.8	70.9	69.0	69.8
	state	69.8	69.8	68.5	69.4
10	county	55.8	59.6	63.4	71.1
	state	63.5	64.1	65.8	66.6
12	county	49.4	39.7	53.7	59.6
	state	54.6	53.9	54.4	56.1
Combined	county	56.8	58.3	61.4	66.5
	state	63.9	63.4	63.2	64.1

Table 86: Peer Protective - Interaction with Prosocial Peers

Grade	Group	2006	2007	2008	2009
6	county	84.5	53.5	57.5	56.3
	state	83.1	56.7	56.1	55.8
8	county	88.4	68.6	68.7	65.7
	state	86.0	65.3	65.2	64.6
10	county	86.6	70.3	63.9	64.0
	state	86.6	63.3	63.9	62.4
12	county	85.6	56.1	59.1	61.1
	state	86.5	60.5	61.0	60.7
Combined	county	86.1	62.1	62.3	62.0
	state	85.5	61.5	61.5	60.8

Table 87: Sources of Alcohol

		Bought It Myself WITH a Fake ID	Bought It Myself WITHOUT a Fake ID	Someone I Know Age 21 or Older	Someone I Know Under Age 21	My Brother or Sister	Home WITH Parents' Permission	Home WITHOUT Parents' Permission	Another Relative	A Stranger Bought It For Me	Took It From a Store or Shop	Other
6	county	1.2	1.2	9.9	3.7	1.2	22.2	4.9	8.6	2.5	0.0	44.4
	state	1.0	0.6	13.6	4.4	2.9	17.1	9.8	8.9	0.6	0.6	40.4
8	county	0.4	0.8	17.2	10.9	3.1	23.4	13.7	6.6	1.2	0.4	22.3
	state	0.8	0.8	20.9	10.4	4.5	15.2	12.8	10.3	1.1	0.4	22.9
10	county	0.7	0.2	27.4	18.2	4.3	15.2	11.7	6.1	0.9	0.7	14.8
	state	0.7	1.2	31.9	15.5	4.2	11.9	7.4	7.5	1.6	0.4	17.7
12	county	0.8	3.2	42.2	21.8	3.2	9.1	1.4	4.4	2.6	0.2	10.9
	state	1.2	2.7	46.1	13.9	3.2	8.8	2.4	4.8	2.1	0.2	14.7
Combined	county	0.7	1.6	30.0	17.2	3.4	14.9	7.7	5.7	1.7	0.4	16.7
	state	0.9	1.6	32.7	12.8	3.8	12.0	7.1	7.3	1.6	0.3	19.9

Table 88: Location of Alcohol Use

			Someone	Open Area Like a	Sporting Event or	Restaurant, Bar, or a	Empty Building or			
		My Home	Else's Home	Park, etc.	Concert	Nightclub	Site	Hotel/Motel	In a Car	At School
6	county	57.1	17.5	11.1	3.2	4.8	3.2	0.0	3.2	0.0
	state	49.3	26.5	11.2	1.3	3.2	1.9	1.9	2.7	2.1
8	county	44.4	38.7	7.4	0.8	2.9	2.1	0.4	2.1	1.2
	state	39.0	41.3	10.6	1.3	1.5	1.2	1.4	1.7	1.8
10	county	31.9	50.5	9.3	0.9	1.4	0.0	2.8	2.1	1.2
	state	27.8	53.2	10.5	1.3	1.9	0.7	1.3	2.0	1.3
12	county	18.9	65.7	7.2	1.6	1.2	0.6	1.4	2.7	0.6
	state	20.8	60.2	10.2	1.1	2.3	0.4	1.8	2.3	0.9
Combined	county	30.5	52.5	8.2	1.3	1.8	0.8	1.6	2.4	0.9
	state	29.3	51.1	10.5	1.2	2.1	0.8	1.6	2.1	1.4

Table 89: I feel safe at my school.

		NO!	no	yes	YES!
6	county	5.4	7.8	39.0	47.9
	state	6.4	9.6	38.3	45.7
8	county	4.9	14.0	57.4	23.6
	state	7.6	14.1	50.7	27.7
10	county	5.1	10.0	61.4	23.4
	state	9.1	14.9	54.7	21.3
12	county	4.4	9.1	60.5	26.0
	state	7.5	12.1	55.9	24.5
Combined	county	5.0	10.4	54.6	30.0
	state	7.6	12.6	49.1	30.6

Table 90: How often have you taken a handgun to school.

		Never	1-2 times	3-5 times	6-9 times	10-19 times	20-29 times	30-39 times	40+ times
6	county	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	state	99.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0
8	county	99.1	0.4	0.2	0.3	0.0	0.0	0.1	0.0
	state	99.4	0.3	0.1	0.1	0.0	0.0	0.0	0.1
10	county	99.4	0.4	0.1	0.0	0.0	0.0	0.0	0.1
	state	99.1	0.5	0.1	0.1	0.1	0.0	0.0	0.2
12	county	99.4	0.1	0.1	0.1	0.1	0.0	0.0	0.1
	state	99.0	0.3	0.2	0.1	0.1	0.0	0.0	0.2
Combined	county	99.5	0.2	0.1	0.1	0.0	0.0	0.0	0.1
	state	99.3	0.3	0.1	0.1	0.0	0.0	0.0	0.1

		Very Wrong	Wrong	A Little Bit Wrong	Not Wrong at All
6	county	93.4	5.6	0.8	0.2
	state	92.2	5.9	1.3	0.5
8	county	84.2	12.0	2.4	1.4
	state	85.6	10.8	2.7	0.9
10	county	84.8	12.0	2.6	0.7
	state	86.0	10.0	2.9	1.2
12	county	90.4	6.7	2.5	0.3
	state	89.3	7.3	2.4	1.0
Combined	county	88.0	9.3	2.1	0.7
	state	88.3	8.5	2.3	0.9

Table 91: How wrong do you think it is for someone your age to take a gun to school.

Table 92: Have any of your brothers/sisters ever taken a gun to school.

				l don't have any brothers or
		No	Yes	sisters
6	county	94.5	0.7	4.8
	state	95.0	0.9	4.1
8	county	93.9	0.5	5.6
	state	94.0	1.5	4.5
10	county	93.8	1.7	4.5
	state	93.0	2.1	4.9
12	county	92.0	2.2	5.8
	state	92.8	2.2	5.1
Combined	county	93.6	1.2	5.2
	state	93.8	1.6	4.6

5 NO CHILD LEFT BEHIND PROFILE

The No Child Left Behind Profile looks specifically at student responses to the questions "How old were you when you first ...". The questions cover both first incidences of drug use (marijuana, cigarettes, alcohol, and regular use of alcohol) and first incidences of antisocial behaviors (suspension, arrest, carrying a gun, attacking someone and belonging to a gang). Possible responses to these questions range from age 10 to age 17 or the student can respond to the question with Never. The average age figures are based only on those students who responded to the question with an answer other than Never.

Table 93: Avg Age of First Marijuana

	· · · · · · · · · · · · · · · · · · ·			ingaana	
Grade	Group	2006	2007	2008	2009
6	county	10.0	10.7	11.0	10.7
	state	10.0	10.8	10.8	10.8
8	county	10.4	11.8	12.2	12.2
	state	10.3	12.0	12.1	12.1
10	county	11.3	12.9	13.6	13.5
	state	11.2	13.3	13.4	13.4
12	county	11.6	14.6	14.7	14.7
	state	12.0	14.5	14.6	14.5
Combined	county	11.1	13.5	13.9	13.9
	state	10.8	13.6	13.7	13.6

Table 9	94: Avg	Age	of Fi	rst Cigarettes

Grade	Group	2006	2007	2008	2009
6	county	10.2	10.3	10.5	10.3
	state	10.2	10.4	10.4	10.4
8	county	10.7	11.2	11.5	11.4
	state	10.7	11.2	11.3	11.3
10	county	11.6	12.4	12.6	12.4
	state	11.5	12.1	12.2	12.3
12	county	12.1	13.7	13.8	13.5
	state	12.2	13.2	13.3	13.3
Combined	county	11.4	12.3	12.7	12.4
	state	11.1	12.0	12.1	12.1

Grade	Group	2006	2007	2008	2009
6	county	10.4	10.4	10.4	10.4
	state	10.4	10.5	10.5	10.5
8	county	11.3	11.6	11.7	11.6
	state	11.2	11.6	11.6	11.6
10	county	12.7	13.2	13.1	12.9
	state	12.6	12.9	12.9	12.9
12	county	13.7	14.3	14.2	14.1
	state	13.7	14.0	14.1	14.1
Combined	county	12.5	12.6	12.8	12.7
	state	11.8	12.6	12.6	12.6

Table 95: Avg Age of First Alcohol

Table 96: Avg Age of First Regular Alcohol Use

Table 50: Avg Age of Thist Regular Alcohol Ose						
Grade	Group	2006	2007	2008	2009	
6	county	10.0	10.8	11.1	10.6	
	state	10.1	11.0	10.9	10.8	
8	county	10.6	12.4	12.5	12.4	
	state	10.4	12.3	12.3	12.3	
10	county	11.7	14.2	14.2	14.0	
	state	11.4	14.0	14.0	14.0	
12	county	12.3	15.5	15.5	15.4	
	state	12.5	15.3	15.3	15.3	
Combined	county	11.5	14.2	14.5	14.3	
	state	11.0	14.1	14.1	14.1	

Table 97: Avg Age of First School Suspension

Grade	Group	2006	2007	2008	2009
6	county	10.2	10.7	10.6	10.5
	state	10.2	10.5	10.5	10.5
8	county	10.2	11.8	11.6	11.5
	state	10.6	11.6	11.6	11.5
10	county	10.8	12.7	12.6	12.8
	state	11.0	12.5	12.5	12.4
12	county	10.6	13.8	13.3	13.3
	state	11.1	13.4	13.3	13.2
Combined	county	10.6	12.3	12.1	12.2
	state	10.7	12.0	12.0	12.0

Table 98: Avg Age of First Been Arrested

Grade	Group	2006	2007	2008	2009
6	county	10.0	11.0	10.9	10.3
	state	10.0	10.9	10.9	10.9
8	county	10.2	12.3	12.5	12.5
	state	10.2	12.3	12.3	12.3
10	county	10.7	13.6	13.8	13.9
	state	10.5	13.6	13.7	13.7
12	county	10.6	15.0	14.8	15.1
	state	10.7	15.0	15.0	15.0
Combined	county	10.5	13.4	13.7	13.8
	state	10.4	13.5	13.5	13.5

Table 99: Avg Age of First Carried a Gun


Grade	Group	2006	2007	2008	2009	
6	county	10.1	10.6	10.4	10.5	
	state	10.1	10.8	10.7	10.7	
8	county	10.2	11.8	11.8	11.6	
	state	10.2	11.7	11.7	11.7	
10	county	10.2	13.5	13.4	13.1	
	state	10.3	12.8	12.9	12.8	
12	county	10.3	12.8	14.2	14.1	
	state	10.4	14.1	14.1	13.9	
Combined	county	10.2	12.1	12.6	12.4	
	state	10.2	12.4	12.4	12.3	

Table 100: Avg Age of First Attacked to Harm

Grade	Group	2006	2007	2008	2009
6	county	10.2	10.8	10.6	10.5
	state	10.2	10.7	10.6	10.6
8	county	10.5	11.6	11.6	11.7
	state	10.6	11.7	11.8	11.8
10	county	10.9	13.2	12.8	12.8
	state	10.9	12.8	12.8	12.7
12	county	10.9	13.7	13.5	13.7
	state	11.0	13.7	13.7	13.6
Combined	county	10.8	12.3	12.2	12.3
	state	10.7	12.2	12.2	12.2


Table 101: Avg Age of First Belonged to a Gang

Grade	Group	2006	2007	2008	2009
6	county	10.1	10.4	11.1	10.9
	state	10.1	11.0	10.9	10.9
8	county	10.2	11.7	12.2	11.9
	state	10.3	12.2	12.2	12.1
10	county	10.2	13.6	13.3	13.0
	state	10.3	13.1	13.1	12.9
12	county	10.1	14.9	13.6	13.9
	state	10.3	13.7	13.7	13.4
Combined	county	10.2	12.6	12.7	12.6
	state	10.2	12.4	12.5	12.3




No Child Left Behind Profile - Grade 6 Faulkner County

Figure 25: No Child Left Behind Profile - Grade 6




No Child Left Behind Profile - Grade 8 Faulkner County

Figure 26: No Child Left Behind Profile - Grade 8



No Child Left Behind Profile - Grade 10 Faulkner County

Figure 27: No Child Left Behind Profile - Grade 10



No Child Left Behind Profile - Grade 12 Faulkner County

Figure 28: No Child Left Behind Profile - Grade 12

6 STUDENT TOBACCO USE, EXPERIENCES AND PREVENTION SERVICES

Tobacco use is the leading preventable cause of death in the United States. The 2009 survey added four new tobacco-related questions (Q86-Q89) to the already existing items (Q82-Q85) to explore this topic.

Arkansas youth typically have higher rates of tobacco use, including both cigarettes and smokeless tobacco, than the national average. Higher tobacco prevalence rates are common across the Southeast United States. This is due to a variety of cultural and economic factors that have traditionally supported greater tobacco use. The following table shows the results of the lifetime and past 30 day use of cigarettes and chewing tobacco.

	NC 102. CI	Barettes	Enetin	10 030	
Grade	Group	2006	2007	2008	2009
6	county	9.9	7.7	8.9	7.3
	state	13.0	10.8	10.4	10.3
8	county	25.5	22.5	21.2	21.7
	state	29.4	26.8	25.2	23.9
10	county	44.3	34.3	38.5	33.7
	state	43.8	40.0	38.8	38.0
12	county	47.4	51.6	49.2	45.6
	state	52.0	49.7	48.2	46.0
Combined	county	37.7	26.1	28.8	26.6
	state	33.5	30.0	28.9	27.9

Table 102: Cigarettes - Lifetime Use

Table 103:	Chewing	Tobacco -	Lifetime Use	2

Grade	Group	2006	2007	2008	2009
6	county	7.0	10.0	5.4	4.2
	state	7.5	6.1	5.9	5.7
8	county	26.4	20.2	13.4	14.2
	state	14.7	13.5	12.9	12.3
10	county	34.1	29.8	23.0	20.6
	state	22.4	19.6	19.2	19.6
12	county	30.4	30.2	27.3	24.0
	state	25.4	23.2	23.2	22.4
Combined	county	27.5	21.1	16.9	15.6
	state	17.0	14.8	14.5	14.2

Table 104: Cigarettes - Past 30 Day Use							
Grade	Group	2006	2007	2008	2009		
6	county	2.0	1.7	1.7	1.8		
	state	2.4	1.9	1.8	1.8		
8	county	7.1	9.3	4.5	6.4		
	state	9.0	8.1	7.5	6.8		
10	county	21.6	14.0	16.4	15.2		
	state	17.2	15.3	14.6	14.6		
12	county	22.1	28.1	27.1	21.8		
	state	24.0	23.5	22.7	21.3		
Combined	county	16.8	11.6	11.9	10.9		
	state	12.5	11.1	10.6	10.2		

Table 104: Cigarettee Past 30 Day Use

Table 105: Chewing Tobacco - Past 30 Day Use

	9	,		Ş	
Grade	Group	2006	2007	2008	2009
6	county	3.5	1.7	2.0	1.2
	state	2.3	1.7	1.6	1.5
8	county	12.6	11.1	5.6	5.7
	state	5.9	5.5	5.3	5.2
10	county	18.3	16.2	10.4	11.2
	state	11.1	9.5	8.6	9.4
12	county	14.8	14.8	11.8	11.0
	state	11.9	10.8	10.7	10.7
Combined	county	14.0	10.1	7.3	7.2
	state	7.5	6.5	6.1	6.3

The new tobacco-related items, Q86-Q87, explore rules regarding smoking at the student's home, and Q88-Q89 assess the availability of tobacco prevention programming within school settings. The following tables show the results for these four items.

Table 106: Which statement best describes rules about smoking inside your home?

		Smoking is not allowed anywhere inside your home	Smoking is allowed in some places and at some times	Smoking is allowed anywhere inside the home	There are no rules about smoking inside the home	l don't know
6	county	74.3	5.4	2.7	4.4	13.2
	state	68.1	7.0	3.6	5.5	15.8
8	county	74.7	5.6	2.6	6.0	11.1
	state	67.8	6.6	3.9	7.7	14.1
10	county	75.1	5.5	4.2	6.2	9.1
	state	68.2	6.7	4.5	9.3	11.3
12	county	74.9	6.2	5.0	7.1	6.8
	state	69.7	7.3	5.2	9.4	8.4
Combined	county	74.8	5.6	3.6	5.9	10.1
	state	68.3	6.9	4.2	7.8	12.8

Table 107: Which statement best describes rules about smoking in your family cars?

		Smoking is never allowed in any car	Smoking is allowed sometimes or in some cars	Smoking is allowed in any car anytime	There are no rules about smoking in the car	We do not have a family car	l don't know
6	county	67.4	9.5	4.3	5.9	1.2	11.7
	state	61.5	11.1	4.4	7.3	1.1	14.7
8	county	64.4	11.6	4.5	8.5	0.6	10.4
	state	58.6	11.3	5.2	10.1	0.8	13.9
10	county	64.0	11.2	6.3	9.1	0.5	8.9
	state	57.8	12.2	6.1	11.3	1.1	11.5
12	county	60.1	14.4	7.0	9.9	1.6	7.0
	state	58.2	13.8	6.1	11.3	1.9	8.7
Combined	county	64.1	11.6	5.5	8.3	0.9	9.6
	state	59.1	11.9	5.4	9.8	1.2	12.5

		Strongly			Strongly	l don't
		agree	Agree	Disagree	disagree	know
6	county	49.6	21.8	6.5	3.7	18.4
	state	51.4	22.0	5.3	4.3	17.1
8	county	37.5	31.1	7.7	5.8	17.8
	state	35.2	29.3	9.4	6.9	19.2
10	county	24.5	30.7	18.0	11.6	15.3
	state	21.7	29.7	15.8	11.8	21.0
12	county	13.5	28.6	23.4	18.9	15.6
	state	15.8	27.1	19.8	18.7	18.5
Combined	county	31.7	28.2	13.5	9.7	16.8
	state	32.6	26.9	11.9	9.7	18.9

Table 108: During this school year, were you taught in any of your classes about the dangers of tobacco use?

Table 109: During the past 12 months, have you participated in any community activities to discourage people your age from using cigarettes, chewing tobacco, snuff, dip or cigars?

		Strongly			Strongly	l don't
		agree	Agree	Disagree	disagree	know
6	county	25.2	15.6	13.8	16.2	29.2
	state	24.8	16.8	13.7	15.5	29.2
8	county	15.4	20.4	20.9	16.0	27.3
	state	17.2	18.7	19.7	17.7	26.8
10	county	10.8	18.1	28.6	22.6	20.0
	state	11.7	17.5	24.8	22.3	23.7
12	county	8.9	14.6	28.8	33.3	14.4
	state	10.2	15.8	26.5	28.7	18.8
Combined	county	15.1	17.4	22.9	21.6	23.0
	state	16.5	17.3	20.7	20.4	25.1

7 DRUG-FREE COMMUNITIES SUPPORT PROGRAM CORE MEASURES

The Drug-Free Communities Support Program, administered by the Center for Substance Abuse Prevention, requests specific data which is typically referred to as the Core Measures. The drug categories measured are tobacco, alcohol and marijuana and the table is broken down by grade level. For each drug, and at each grade level, the percentage of students who responded positively to the question and the number of students who responded to the question are reported. For *Age of Onset*, the average age of first use for those students who reported using is reported.

- **Past 30-Day Use** The question *On how many occasions have you used ... in the past 30 days?* is used to measure this statistic by reporting the percentage of students who report any use in the past 30 days.
- **Perception of Risk** The question *How much do you think people risk harming themselves if they ...?* is used to measure this statistic by reporting the percentage of students who report that using the drug is a *Moderate Risk* or a *Great Risk* to their health.
- **Perception of Parental Disapproval** The question *How wrong do your parents feel it would be for you to ...?* is used to measure this statistic by reporting the percentage of students who report that parents would feel it is *Wrong* or *Very Wrong* to use tobacco, alcohol and marijuana.
- **Age of Onset** The question *How old were you when you first...?* is used to measure this statistic. The possible responses to this question range from *10 or Under* to *17 or Older*. The table shows the average age of onset of use of those students who answered the question with a response other than *Never Used*.

Table 110: Core Measure by Grade for Past 30 Day Use

	Alcohol		Ciga	Cigarettes		Marijuana	
Grade	pct	n	pct	n	pct	n	
Grade 6	4.2	957	1.8	939	0.3	953	
Grade 8	13.7	1106	6.4	1085	4.5	1112	
Grade 10	29.3	985	15.2	972	12.4	986	
Grade 12	38.4	867	21.8	861	18.1	868	
Combined	20.8	3915	10.9	3857	8.5	3919	

Table 111: Core Measure by Grade for Perception of Risk

	Alcohol		Cigarettes		Marijuana	
Grade	pct	n	pct	n	pct	n
Grade 6	69.6	950	88.1	948	75.4	945
Grade 8	69.2	1106	89.2	1111	67.7	1106
Grade 10	62.2	992	91.6	990	48.6	987
Grade 12	63.2	865	89.6	869	36.6	868
Combined	66.2	3913	89.6	3918	57.9	3906

Table 112: Core Measure by Grade for Parental Disapproval

	Alcohol		Ciga	Cigarettes		Marijuana	
Grade	pct	n	pct	n	pct	n	
Grade 6	95.4	888	98.1	889	99.4	886	
Grade 8	88.9	994	95.0	991	96.3	981	
Grade 10	82.4	909	91.3	911	94.2	908	
Grade 12	75.4	826	82.2	824	91.0	823	
Combined	85.8	3617	91.9	3615	95.3	3598	

		Alcoho		C	igarette	es	N	1arijuar	a
Grade	pct	n	age	pct	n	age	pct	n	age
Grade 6	21.7	973	10.4	8.6	972	10.3	0.6	973	10.7
Grade 8	44.2	1119	11.6	24.6	1121	11.4	8.1	1121	12.2
Grade 10	63.3	1007	12.9	37.3	1012	12.4	25.2	1011	13.5
Grade 12	72.9	877	14.1	48.7	875	13.5	38.1	879	14.7
Combined	49.8	3976	12.7	29.2	3980	12.4	17.2	3984	13.9

	Core n		29 000		, E	,
	Alc	ohol	Ciga	rettes	Mari	juana
Sex	pct	n	pct	n	pct	n
Male	22.8	1859	11.1	1818	10.3	1856
Female	19.1	1975	10.9	1957	6.9	1980
Combined	20.9	3834	11.0	3775	8.6	3836

Table 114: Core Measure by Sex for Past 30 Day Use

Table 115: Core Measure by Sex for Perception of Risk

	Alc	ohol	Ciga	rettes	Mari	juana
Sex	pct	n	pct	n	pct	n
Male	62.8	1856	88.6	1856	53.7	1850
Female	69.4	1977	90.6	1982	61.4	1978
Combined	66.2	3833	89.7	3838	57.7	3828

Table 116: Core Measure by Sex for Parental Disapproval

	Alc	ohol	Ciga	rettes	Mari	juana
Sex	pct	n	pct	n	pct	n
Male	85.8	1695	92.2	1693	95.3	1686
Female	85.9	1847	91.6	1847	95.4	1838
Combined	85.9	3542	91.9	3540	95.3	3524

Table 117: Core Measure by Sex for Age of Onset

		Alcoho		C	igarette	es	N	1arijuan	a
Sex	pct	n	age	pct	n	age	pct	n	age
Male	51.2	1898	12.5	30.9	1903	12.3	19.7	1902	13.7
Female	48.4	1993	13.0	27.7	1992	12.5	15.0	1997	14.2
Combined	49.8	3891	12.7	29.2	3895	12.4	17.3	3899	13.9

8 CROSSTABULATION OF QUESTIONNAIRE VARIABLES BY GRADE LEVEL

This section of the report was generated from data collected on the 2009 Arkansas Prevention Needs Assessment Student Survey. This section contains basic frequency tables of all data collected and graphs on the selected demographic variables of grade, gender and age.

The demographics charts will be followed by a series of tables which contain frequency distribution detailing how your students responded to the questions on the survey with one table for each question. The tables appear in the same order as the questions on the survey. The tables include breakdowns by grade level as well as overall percentages. The *N* of *Valid* row is a frequency count of the number of valid responses to each question for each grade and overall. The *N* of *Miss* row is a frequency count of the number of invalid (marked more than one response) or missing (i.e. did not respond) responses to each question for each grade and overall.

For the questions that allowed a student to mark more than one response (i.e. origin, live with, etc.) each response becomes a separate table. If a student did not mark the response, that was counted as a NO response, and if they did mark the response, that was counted as a YES response. Since a non response is a valid response for these questions, the *N of Miss* will always be zero for these questions.

Ethnic origin is one of the questions that students have historically been allowed to mark more than one response to and requires some additional explanation. The ethnic origin table presented in the introduction of this report was calculated in the same manner as in all previous years' reports and uses a method that incorporates the fact that a student may have marked more than one Ethnic Origin category in order to calculate a percentage figure. The tables that follow that deal with ethnic origin only report on each specific ethnic category and do not take into account the fact that students may have marked more than one ethnic category and therefore will not usually provide the same percentage figure as the historically used method. This is not an error, but rather a different way of looking at the same question.

Grade Chart





Figure 29: Grade Chart

Gender Chart






Figure 30: Gender Chart

Age Chart

19+ (0.3)




Figure 31: Age Chart

	Tab	le	11	8:	Sex
--	-----	----	----	----	-----

Response	6	8	10	12	Total
Male	48.1	50.7	49.0	47.0	48.8
Female	51.9	49.3	51.0	53.0	51.2
N of Valid	955	1100	1002	869	3926
N of Miss	26	31	14	14	85

Table 119: Age

Response	6	8	10	12	Total	
10 or younger	0.3	0.0	0.0	0.0	0.1	
11 6	64.3	0.0	0.0	0.0	15.7	
12 3	33.2	0.1	0.0	0.0	8.1	
13	2.2	65.7	0.0	0.0	19.1	
14	0.0	32.4	0.2	0.0	9.2	
15	0.0	1.7	63.5	0.0	16.6	
16	0.0	0.2	33.9	0.6	8.8	
17	0.0	0.0	2.4	66.6	15.3	
18	0.0	0.0	0.0	31.5	6.9	
19 or older	0.0	0.0	0.0	1.4	0.3	
N of Valid 9	973	1125	1012	879	3989	
N of Miss	8	6	4	4	22	

Table 120: Are you Hispanic or Latino?

Response	6	8	10	12	Total
No	94.6	93.8	94.0	94.2	94.1
Yes	5.4	6.2	6.0	5.8	5.
N of Valid	929	1113	992	868	3
N of Miss	52	18	24	15	

Table 121: What is your race? Black or African American

Response	6	8	10	12	Total
No	84.6	85.5	84.7	85.8	85.2
Yes	15.4	14.5	15.3	14.2	14.8
N of Valid	981	1131	1016	883	4011
N of Miss	0	0	0	0	0

Table 122: What is your race? Asian

Response	6	8	10	12	Total
No	99.3	98.9	98.7	98.5	98.9
Yes	0.7	1.1	1.3	1.5	1.
N of Valid	981	1131	1016	883	40
N of Miss	0	0	0	0	

Table 123: What is your race? American Indian

Response	6	8	10	12	Total
No	95.5	96.3	96.2	97.5	96.3
Yes	4.5	3.7	3.8	2.5	3
N of Valid	981	1131	1016	883	
N of Miss	0	0	0	0	

Table 124: What is your race? Alaska Native

Response	6	8	10	12	Total
No	99.8	99.8	99.4	99.8	99.
Yes	0.2	0.2	0.6	0.2	
N of Valid	981	1131	1016	883	ſ
N of Miss	0	0	0	0	

Table 125: Wha	at is your	race?	White
----------------	------------	-------	-------

Response	6	8	10	12	Total
No	22.9	20.5	21.4	20.2	21.2
Yes	77.1	79.5	78.6	79.8	78.8
N of Valid	981	1131	1016	883	4011
N of Miss	0	0	0	0	0

Table 126: What is your race? Native Hawaiian or Other Pacific Islander

Response	6	8	10	12	Total
No	99.6	99.6	99.1	99.7	99.5
Yes	0.4	0.4	0.9	0.3	0.5
N of Valid	981	1131	1016	883	4011
N of Miss	0	0	0	0	0

Table 127: What is your race? Other

Response	6	8	10	12	Total
No	94.2	94.9	95.6	95.1	94.9
Yes	5.8	5.1	4.4	4.9	5.1
N of Valid	981	1131	1016	883	401
N of Miss	0	0	0	0	

Response	6	8	10	12	Total	
Completed grade school or less	1.4	1.7	1.2	1.0	1.4	
Some high school	3.9	4.9	7.4	8.8	6.2	
Completed high school	11.1	15.3	17.3	20.6	16.0	
Some college	14.5	17.3	19.1	19.3	17.5	
Completed college	29.3	29.9	28.6	32.6	30.0	
Graduate or professional school after col-	13.4	14.2	13.3	12.1	13.3	
lege						
Don't know	25.8	15.5	12.3	4.5	14.7	
Does not apply	0.7	1.2	0.8	1.2	1.0	
N of Valid	947	1101	1004	866	3918	
N of Miss	21	13	5	5	44	

Table 128: What is the highest level of schooling completed by your mother or father?

Table 129: Think of where you live most of the time. Which of the following people live there with you? Mother

Response	6	8	10	12	Total
No	10.2	11.0	15.3	13.0	12.3
Yes	89.8	89.0	84.7	87.0	87.7
N of Valid	981	1131	1016	883	4011
N of Miss	0	0	0	0	0

Table 130: Think of where you live most of the time. Which of the following people live there with you? Stepmother

Response	6	8	10	12	Total
No	95.6	93.5	93.0	93.0	93.8
Yes	4.4	6.5	7.0	7.0	6.2
N of Valid	981	1131	1016	883	4011
N of Miss	0	0	0	0	0

Table 131: Think of where you live most of the time. Which of the following people live there with you? Foster Mother

Response	6	8	10	12	Total
No	99.6	99.7	99.4	99.9	99.7
Yes	0.4	0.3	0.6	0.1	0.3
N of Valid	981	1131	1016	883	401
N of Miss	0	0	0	0	

Table 132: Think of where you live most of the time. Which of the following people live there with you? Grandmother

Response	6	8	10	12	Total
No	90.0	92.9	90.8	93.7	91.8
Yes	10.0	7.1	9.2	6.3	8.2
N of Valid	981	1131	1016	883	4011
N of Miss	0	0	0	0	0

Table 133: Think of where you live most of the time. Which of the following people live there with you? Aunt

Response	6	8	10	12	Total
No	97.0	96.9	97.5	97.6	97.3
Yes	3.0	3.1	2.5	2.4	2.7
N of Valid	981	1131	1016	883	40
N of Miss	0	0	0	0	

Table 134: Think of where you live most of the time. Which of the following people live there with you? Father

Response	6	8	10	12	Total
No	35.3	39.0	40.9	40.7	38.9
Yes	64.7	61.0	59.1	59.3	61.1
N of Valid	981	1131	1016	883	4011
N of Miss	0	0	0	0	0

Table 135: Think of where you live most of the time. Which of the following people live there with you? Stepfather

Response	6	8	10	12	Total	
No	84.3	83.3	84.7	83.1	83.9	
Yes	15.7	16.7	15.3	16.9	16.1	
N of Valid	981	1131	1016	883	4011	
N of Miss	0	0	0	0	0	

Table 136: Think of where you live most of the time. Which of the following people live there with you? Foster Father

Response	6	8	10	12	Total
No	99.8	99.6	99.4	99.9	99.7
Yes	0.2	0.4	0.6	0.1	0.3
N of Valid	981	1131	1016	883	40
N of Miss	0	0	0	0	

Table 137: Think of where you live most of the time. Which of the following people live there with you? Grandfather

Response	6	8	10	12	Total
No	94.8	96.5	95.4	96.9	95.9
Yes	5.2	3.5	4.6	3.1	4.
N of Valid	981	1131	1016	883	40
N of Miss	0	0	0	0	

Table 138: Think of where you live most of the time. Which of the following people live there with you? Uncle

Response	6	8	10	12	Total
No	96.7	96.1	97.4	98.4	97.1
Yes	3.3	3.9	2.6	1.6	2.9
N of Valid	981	1131	1016	883	401
N of Miss	0	0	0	0	

Table 139: Think of where you live most of the time. Which of the following people live there with you? Other Adults

Response	6	8	10	12	Total	
No	98.0	97.3	97.9	97.7	97.7	
Yes	2.0	2.7	2.1	2.3	2.3	
N of Valid	981	1131	1016	883	4011	
N of Miss	0	0	0	0	0	

Table 140: Think of where you live most of the time. Which of the following people live there with you? Brother(s)

Response	6	8	10	12	Total
No	54.5	54.3	59.4	61.2	57.2
Yes	45.5	45.7	40.6	38.8	42.8
N of Valid	981	1131	1016	883	4011
N of Miss	0	0	0	0	0

Table 141: Think of where you live most of the time. Which of the following people live there with you? Stepbrother(s)

Response	6	8	10	12	Total
No	95.0	95.0	96.3	96.4	95.6
Yes	5.0	5.0	3.7	3.6	4.4
N of Valid	981	1131	1016	883	401
N of Miss	0	0	0	0	

Table 142: Think of where you live most of the time. Which of the following people live there with you? Sister(s)

Response	6	8	10	12	Total
No	54.6	53.5	58.6	58.9	56.2
Yes	45.4	46.5	41.4	41.1	43.8
N of Valid	981	1131	1016	883	4011
N of Miss	0	0	0	0	0

Response	6	8	10	12	Total
No	95.5	95.8	96.9	97.2	96.3
Yes	4.5	4.2	3.1	2.8	
N of Valid	981	1131	1016	883	
N of Miss	0	0	0	0	

Table 143: Think of where you live most of the time. Which of the following people live there with you? Stepsister(s)

Table 144: Think of where you live most of the time. Which of the following people live there with you? Other Children

Response	6	8	10	12	Total
No	96.0	95.8	95.2	94.5	95.4
Yes	4.0	4.2	4.8	5.5	4
N of Valid	981	1131	1016	883	4
N of Miss	0	0	0	0	

Table 145: In my school, students have lots of chances to help decide things like class activities and rules.

Response	6	8	10	12	Total		
NO!	16.0	13.2	14.4	18.1	15.3		
no	47.2	40.2	40.0	38.9	41.6		
yes	31.5	40.2	38.4	35.4	36.6		
YES!	5.3	6.3	7.1	7.6	6.6		
N of Valid	957	1119	1012	879	3967		
N of Miss	24	11	4	3	42		

Table 146: Teachers ask me to work on special classroom projects.

Response	6	8	10	12	Total
NO!	11.0	9.4	9.3	7.6	9.4
no	37.5	42.5	46.5	39.7	41.7
yes	40.7	40.2	38.3	45.4	41.0
YES!	10.9	7.8	5.9	7.3	7.9
N of Valid	958	1114	1014	879	3965
N of Miss	23	16	2	4	45

Table 147: My teacher(s) notices when I am doing a good job and lets me know about it.

Response	6	8	10	12	Total	
NO!	3.6	5.5	5.3	6.2	5.1	
no	13.7	22.8	23.7	20.5	20.3	
yes	53.4	49.0	56.3	59.1	54.1	
YES!	29.4	22.7	14.8	14.3	20.5	
N of Valid	967	1117	1009	877	3970	
N of Miss	13	13	7	5	38	

Table 148: There are lots of chances for students in my school to get involved in sports, clubs, and other school activities outside of class.

Response	6	8	10	12	Total	
NO! 5	5.4	1.2	0.6	1.6	2.1	
no 16	ô.2	4.3	4.3	4.4	7.2	
yes 41	L.8	40.0	38.8	39.1	39.9	
YES! 36	5.6	54.6	56.2	54.9	50.7	
N of Valid 9	67 1	1118	1012	882	3979	
N of Miss	13	12	4	1	30	

Response	6	8	10	12	Total	
NO!	3.7	3.5	3.6	3.1	3.5	
no	17.5	22.3	23.3	15.1	19.8	
yes	48.8	52.1	53.8	55.9	52.5	
YES!	30.0	22.2	19.4	25.9	24.2	
N of Valid	962	1118	1010	880	3970	
N of Miss	19	12	6	2	39	

Table 149: There are lots of chances for students in my school to talk with a teacher one-on-one.

Table 150: I feel safe at my school.

Response	6	8	10	12	Total	
NO!	5.4	4.9	5.1	4.4	5.0	
no	7.8	14.0	10.0	9.1	10.4	
yes	39.0	57.4	61.4	60.5	54.6	
YES!	47.9	23.6	23.4	26.0	30.0	
N of Valid	967	1113	1011	880	3971	
N of Miss	12	15	4	3	34	

Table 151: The school lets my parents know when I have done something well.

Response	6	8	10	12	Total	
NO!	11.2	15.4	19.3	21.7	16.8	
no	33.4	50.2	49.4	50.3	45.9	
yes	37.5	27.5	26.6	22.9	28.7	
YES!	18.0	6.8	4.8	5.1	8.6	
N of Valid	958	1111	1009	879	3957	
N of Miss	22	17	6	3	48	

Table 152: My teachers praise me when I work hard in school.

Response	6	8	10	12	Total
NO!	12.4	13.2	12.0	9.4	11.8
no	34.2	42.1	42.8	39.8	39.9
yes	39.5	37.3	37.7	44.1	39.4
YES!	13.9	7.4	7.5	6.7	8.8
N of Valid	959	1108	1011	880	3958
N of Miss	22	23	5	3	53

Table 153: Are your school grades better than the grades of most students in your class?

Response	6	8	10	12	Total	
NO! 7	7.2	7.9	7.7	4.2	6.9	
no 28	8.4	31.7	33.2	27.8	30.4	
yes 48	8.2	45.7	44.7	50.9	47.2	
YES! 16	6.2	14.7	14.5	17.1	15.5	
N of Valid 9	940	1110	1010	881	3941	
N of Miss	36	17	4	2	59	

Table 154: I have lots of chances to be part of class discussions or activities.

Response	6	8	10	12	Total		
NO!	3.6	2.3	1.7	1.7	2.3		
no	15.1	15.0	12.5	10.0	13.3		
yes	50.3	59.9	63.4	64.5	59.5		
YES!	31.1	22.8	22.4	23.8	24.9		
N of Valid	955	1109	1007	879	3950		
N of Miss	26	21	9	4	60		

Response	6	8	10	12	Total	
Never	5.7	7.9	7.9	6.3	7.0	
Seldom	6.3	13.3	14.7	14.5	12.2	
Sometimes	38.7	41.7	40.0	40.6	40.3	
Often	26.4	24.9	27.7	30.2	27.2	
Almost always	22.9	12.1	9.7	8.4	13.3	
N of Valid	969	1120	1013	880	3982	
N of Miss	11	9	1	2	23	

Table 155: Now thinking back over the past year in school, how often did you: enjoy being in school?

Table 156: Now thinking back over the past year in school, how often did you: hate being in school?

Response	6	8	10	12	Total
Never	17.3	8.5	4.0	4.8	8.7
Seldom	25.4	25.2	25.4	27.4	25.8
Sometimes	36.1	33.9	36.2	34.8	35.2
Often	12.1	20.9	21.8	23.4	19.5
Almost always	9.2	11.5	12.7	9.6	10.8
N of Valid	961	1117	1011	876	3965
N of Miss	16	12	3	6	37

Table 157: Now thinking back over the past year in school, how often did you: try to do your best work in school?

Response	6	8	10	12	Total
Never	0.1	0.6	0.3	0.7	0.4
Seldom	0.8	2.4	3.8	2.6	2.4
Sometimes	5.6	12.8	18.9	19.2	14.0
Often	18.0	29.8	36.7	40.2	31.0
Almost always	75.5	54.4	40.3	37.3	52.1
N of Valid	962	1113	1013	880	3968
N of Miss	18	17	3	3	41

Response	6	8	10	12	Total
Never	4.9	8.1	7.1	5.8	6.6
Seldom	8.7	17.9	22.9	22.2	17.9
Sometimes	23.4	35.9	37.9	40.1	34.3
Often	32.0	23.3	23.7	24.6	25.8
Almost always	31.0	14.8	8.4	7.3	15.4
N of Valid	965	1111	1010	878	3964
N of Miss	16	18	6	5	45

Table 158: How often do you feel that the school work you are assigned is meaningful and important?

Table 159: Putting them all together, what were your grades like last year?

Response	6	8	10	12	Total		
Mostly F's	0.9	1.2	1.1	0.2	0.9		
Mostly D's	2.8	3.8	6.3	1.5	3.7		
Mostly C's	10.0	17.6	21.7	18.3	17.0		
Mostly B's	32.5	40.8	37.1	44.1	38.6		
Mostly A's	53.8	36.7	33.8	35.9	39.9		
N of Valid	931	1094	995	869	3889		
N of Miss	12	10	2	3	27		

Table 160: How important do you think the things you are learning in school are going to be for your later life?

Response	6	8	10	12	Total
Very important	55.9	33.4	22.0	15.9	32.1
Quite important	26.5	26.7	28.7	29.5	27.8
Fairly important	12.6	25.8	31.0	37.1	26.4
Slightly important	3.9	11.9	15.7	15.4	11.7
Not at all important	1.0	2.3	2.7	2.1	2.0
N of Valid	967	1118	1011	878	3974
N of Miss	11	12	5	4	32

Table 161: How interesting are most of your courses to you?

Response	6	8	10	12	Total
Very interesting and stimulating	14.6	8.6	5.5	8.3	9.2
Quite interesting	38.8	23.7	22.9	26.0	27.6
Fairly interesting	33.9	38.7	40.6	42.9	39.0
Slightly dull	9.3	21.0	23.8	16.0	17.8
Very dull	3.4	8.0	7.1	6.8	6.4
N of Valid	946	1115	1011	877	3949
N of Miss	33	14	4	6	57

Table 162: During the LAST FOUR WEEKS how many whole days of school have you missed because you skipped or 'cut'?

Response	6	8	10	12	Total
None	77.8	78.0	75.6	70.3	75.6
1	9.6	10.6	12.6	12.9	11.4
2	4.6	4.4	4.7	6.6	5.0
3	3.2	3.5	3.6	3.8	3.5
4-5	2.9	2.4	2.4	3.2	2.7
6-10	1.4	0.5	0.5	1.8	1.0
11 or more	0.4	0.6	0.6	1.4	0.7
N of Valid	927	1096	1005	869	3897
N of Miss	54	33	11	14	112

Table 163: Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: participated in clubs, organizations or activities at school?

Response	6	8	10	12	Total	
0 22.0	6 10	3	9.1	9.3	12.7	
1 14.0	0 11	3	11.5	10.1	11.7	
2 21.4	4 17	6	19.0	19.4	19.3	
3 14.2	1 15	8	17.1	17.7	16.2	
4 27.8	8 45	0	43.3	43.6	40.2	
N of Valid 934	4 111	.2	1007	872	3925	
N of Miss 46	61	.8	9	10	83	

Response	6	8	10	12	Total		
0	92.2	72.7	50.6	42.0	65.0		
1	4.3	11.6	18.3	18.8	13.2		
2	2.1	7.7	10.7	13.3	8.3		
3	0.4	3.3	8.9	10.3	5.6		
4	0.9	4.7	11.6	15.6	8.0		
N of Valid	950	1111	1004	872	3937		
N of Miss	30	20	11	11	72		

Table 164: Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: smoked cigarettes?

Table 165: Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: tried beer, wine or hard liquor (for example, vodka, whiskey, or gin) when their parents didn't know about it?

Response	6	8	10	12	Total		
0	85.2	55.3	32.8	21.3	49.3		
1	8.5	16.8	15.6	14.4	14.0		
2	2.7	9.0	15.2	13.6	10.1		
3	1.5	5.9	11.9	14.5	8.3		
4	2.1	13.0	24.5	36.3	18.5		
N of Valid	951	1114	1004	870	3939		
N of Miss	28	17	12	11	68		

Table 166: Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: made a commitment to stay drug-free?

Response	6	8	10	12	Total	
0	10.5	20.8	25.7	31.3	21.9	
1	6.7	9.3	17.7	19.6	13.1	
2	6.7	10.5	12.8	15.0	11.2	
3	9.0	10.9	11.2	10.0	10.4	
4	67.0	48.5	32.6	24.0	43.5	
N of Valid	940	1110	997	866	3913	
N of Miss	39	21	18	15	93	

Response	6	8	10	12	Total		
0	96.6	80.8	52.1	44.1	69.2		
1	2.1	7.3	15.9	15.7	10.1		
2	0.3	5.1	10.6	12.9	7.1		
3	0.3	2.3	9.9	13.0	6.1		
4	0.6	4.5	11.5	14.3	7.5		
N of Valid	946	1107	1001	868	3922		
N of Miss	30	22	15	14	81		

Table 167: Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: used marijuana?

Table 168: Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: tried to do well in school?

Response	6	8	10	12	Total		
0	2.7	4.0	2.2	2.9	3.0		
1	2.3	5.1	4.5	4.0	4.1		
2	6.6	10.5	14.0	13.9	11.2		
3	16.1	20.4	23.4	24.2	21.0		
4	72.3	60.1	55.9	55.0	60.8		
N of Valid	939	1109	1007	868	3923		
N of Miss	39	21	9	13	82		

Table 169: Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: used LSD, cocaine, amphetamines, or other illegal drugs?

Response	6	8	10	12	Total
0	97.1	88.5	80.6	78.9	86.5
1	2.2	6.5	10.5	10.0	7.3
2	0.3	2.7	4.6	5.6	3.
3	0.2	0.9	1.5	2.4	1.
4	0.1	1.4	2.8	3.0	1
N of Valid	947	1105	1002	869	39
N of Miss	33	26	14	13	

Response	6	8	10	12	Total
0	74.8	59.4	61.2	77.5	67.6
1	13.4	19.3	17.9	11.4	15.8
2	6.5	10.3	8.9	6.7	8.2
3	2.8	4.3	6.2	2.9	4.1
4	2.4	6.8	5.8	1.6	4.3
N of Valid	948	1111	1006	870	3935
N of Miss	32	20	10	13	75

Table 170: Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: been suspended from school?

Table 171: Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: liked school?

Response	6	8	10	12	Total	
0	15.2	26.8	28.7	24.1	23.9	
1	11.3	13.5	16.2	14.6	13.9	
2	20.7	23.7	23.3	27.7	23.7	
3	22.6	18.7	15.8	17.7	18.7	
4	30.2	17.2	16.0	15.9	19.8	
N of Valid	953	1110	1006	870	3939	
N of Miss	25	20	10	13	68	

Table 172: Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: carried a handgun?

Response	6	8	10	12	Total
0	94.0	91.4	88.6	89.1	90.8
1	3.6	4.4	6.5	5.2	4.9
2	0.8	1.4	2.2	2.4	1.7
3	1.2	0.9	1.1	0.7	1
4	0.4	1.9	1.6	2.6	
N of Valid	952	1114	1003	869	
N of Miss	29	16	12	14	

Response	6	8	10	12	Total
0	98.8	91.2	77.8	78.3	86.8
1	0.6	5.1	12.6	10.7	7.2
2	0.2	1.7	4.8	5.8	
3	0.1	0.3	2.1	2.0	
4	0.2	1.7	2.7	3.3	
N of Valid	941	1106	1001	869	
N of Miss	39	25	15	14	

Table 173: Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: sold illegal drugs?

Table 174: Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: regularly attended religious services?

Response	6	8	10	12	Total	
0	22.0	11.8	12.5	14.2	14.9	
1	8.6	10.6	14.2	16.4	12.3	
2	12.5	18.4	21.7	23.4	19.0	
3	17.5	21.6	20.7	21.0	20.2	
4	39.5	37.6	30.8	25.1	33.5	
N of Valid	922	1109	1004	868	3903	
N of Miss	57	22	12	15	106	

Table 175: Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: stolen or tried to steal a motor vehicle such as a car or motorcycle?

Response	6	8	10	12	Total
0	96.8	92.9	91.1	95.3	93.9
1	1.6	4.4	5.4	1.8	3.4
2	0.4	1.3	2.1	2.3	1
3	0.3	0.7	0.4	0.0	
4	0.8	0.7	1.0	0.6	
N of Valid	950	1112	1005	870	ľ
N of Miss	29	19	11	12	

Response	6	8	10	12	Total	
0	91.1	79.5	70.8	74.0	78.9	
1	5.6	11.4	15.5	14.7	11.8	
2	2.2	4.7	7.4	6.7	5.2	
3	0.5	2.2	3.7	3.1	2.4	
4	0.6	2.2	2.6	1.5	1.8	
N of Valid	952	1112	1004	870	3938	
N of Miss	29	19	12	13	73	

Table 176: Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: been arrested?

Table 177: Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: dropped out of school?

Response	6	8	10	12	Total
0	95.7	95.5	90.3	83.2	91.5
1	2.9	2.7	7.0	11.0	5.
2	0.7	0.8	1.5	3.6	
3	0.3	0.6	0.6	0.9	
4	0.3	0.4	0.6	1.3	
N of Valid	952	1114	1002	870	
N of Miss	29	17	13	13	

Table 178: Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have: been members of a gang?

Response	6	8	10	12	Total
0	90.0	82.6	80.5	90.2	85.6
1	4.5	7.9	8.8	3.4	6.3
2	2.1	3.6	3.7	2.3	3.
3	1.4	1.5	1.9	1.4	
4	2.0	4.3	5.2	2.6	
N of Valid	953	1111	1005	871	I
N of Miss	28	20	11	12	

Response	6	8	10	12	Total
No or very little chance	88.8	70.9	60.3	56.2	69.2
Little chance	6.4	15.9	21.7	22.5	16.6
Some chance	2.9	8.1	11.6	14.0	9.1
Pretty good chance	0.8	2.8	4.4	4.9	3.2
Very good chance	1.2	2.3	2.0	2.3	2.0
N of Valid	944	1112	1007	870	393
N of Miss	30	15	9	13	67

Table 179: What are the chances you would be seen as cool if you: smoked cigarettes?

Table 180: What are the chances you would be seen as cool if you: worked hard at school?

Response	6	8	10	12	Total	
No or very little chance	6.8	11.4	12.0	10.2	10.2	
Little chance	8.8	16.9	16.2	19.0	15.2	
Some chance	16.3	25.2	32.1	32.8	26.5	
Pretty good chance	24.5	23.1	24.5	24.3	24.0	
Very good chance	43.7	23.3	15.2	13.8	24.0	
N of Valid	947	1110	1008	870	3935	
N of Miss	33	18	7	12	70	

Table 181: What are the chances you would be seen as cool if you: began drinking alcoholic beverages regularly, that is, at least once or twice a month?

Response	6	8	10	12	Total
No or very little chance	86.2	58.7	38.7	28.7	53.5
Little chance	8.1	17.3	19.3	17.7	15.7
Some chance	3.3	11.8	19.9	22.7	14.2
Pretty good chance	1.5	7.9	15.0	20.1	10.9
Very good chance	1.0	4.2	7.2	10.9	5.7
N of Valid	946	1108	1006	872	3932
N of Miss	34	21	10	10	75

Response	6	8	10	12	Total	
No or very little chance	16.7	11.7	7.7	9.2	11.3	
Little chance	7.2	12.4	11.9	13.3	11.2	
Some chance	17.3	22.1	26.0	28.3	23.3	
Pretty good chance	22.5	26.1	30.3	29.0	26.9	
Very good chance	36.3	27.7	24.1	20.2	27.2	
N of Valid	946	1112	1008	870	3936	
N of Miss	34	17	8	13	72	

Table 182: What are the chances you would be seen as cool if you: defended someone who was being verbally abused at school?

Table 183: What are the chances you would be seen as cool if you: smoked marijuana?

Response	6	8	10	12	Total		
No or very little chance	93.6	75.6	52.4	44.8	67.2		
Little chance	3.1	11.3	15.0	20.0	12.2		
Some chance	0.8	4.9	14.7	17.7	9.3		
Pretty good chance	0.8	3.8	9.2	9.5	5.7		
Very good chance	1.7	4.4	8.7	8.0	5.6		
N of Valid	946	1111	1005	871	3933		
N of Miss	35	20	11	12	78		

Table 184: What are the chances you would be seen as cool if you: carried a handgun?

Response	6	8	10	12	Total
No or very little chance	86.7	77.3	76.3	77.2	79.3
Little chance	7.1	11.1	10.3	12.6	10.3
Some chance	3.3	4.7	7.0	5.6	5.1
Pretty good chance	1.5	3.6	3.5	2.1	2.7
Very good chance	1.5	3.3	3.0	2.5	2.6
N of Valid	945	1111	1007	872	3935
N of Miss	34	18	8	11	71

Response	6	8	10	12	Total		
No or very little chance	21.2	29.0	26.2	22.5	25.0		
Little chance	13.1	22.5	24.3	22.9	20.8		
Some chance	22.3	23.3	25.3	27.2	24.4		
Pretty good chance	17.8	13.3	14.6	17.0	15.5		
Very good chance	25.6	11.8	9.5	10.4	14.2		
N of Valid	942	1110	1007	872	3931		
N of Miss	37	19	9	11	76		

Table 185: What are the chances you would be seen as cool if you: regularly volunteered to do community service?

Response	6	8	10	12	Total
Never	99.4	91.9	74.8	61.9	82.8
10 or younger	0.2	1.0	1.8	1.5	1.1
11	0.4	0.9	1.9	1.3	1.1
12	0.0	2.7	2.9	2.4	2.0
13	0.0	2.8	4.3	4.2	2.8
14	0.0	0.7	5.4	5.5	2.8
15	0.0	0.1	7.3	8.0	3.6
16	0.0	0.0	1.7	8.8	2.4
17 or older	0.0	0.0	0.0	6.6	1.5
N of Valid	973	1121	1011	879	3984
N of Miss	8	8	4	3	23

Table 186: How old were you when you first: smoked marijuana?

Response	6	8	10	12	Total
Never	91.4	75.4	62.7	51.3	70.8
10 or younger	6.4	9.8	11.2	10.4	9.4
11	2.0	3.8	3.3	2.7	3.0
12	0.2	4.3	3.8	4.9	3.3
13	0.1	5.6	5.2	5.1	4.1
14	0.0	1.1	7.2	5.4	3.3
15	0.0	0.0	5.9	7.7	3.2
16	0.0	0.0	0.7	7.0	1.7
17 or older	0.0	0.0	0.0	5.5	1.2
N of Valid	972	1121	1012	875	3980
N of Miss	8	9	4	7	28

Table 187: How old were you when you first: smoked a cigarette, even just a puff?

Table 188: How old were you when you first: had more than a sip or two of beer, wine or hard liquor (for example, vodka, whiskey, or gin)?

Response	6	8	10	12	Total	
Never	78.3	55.8	36.7	27.1	50.2	
10 or younger	14.8	12.3	12.3	8.4	12.1	
11	4.9	6.7	4.2	3.2	4.9	
12	1.6	11.6	6.0	5.8	6.5	
13	0.2	12.1	11.2	7.3	7.9	
14	0.0	1.5	14.4	10.3	6.3	
15	0.0	0.0	13.2	13.5	6.3	
16	0.1	0.0	1.9	14.1	3.6	
17 or older	0.0	0.0	0.1	10.3	2.3	
N of Valid	973	1119	1007	877	3976	
N of Miss	7	9	7	5	28	

Response	6	8	10	12	Total
Never	97.1	91.2	74.6	61.9	82.0
10 or younger	1.5	0.7	1.1	0.9	1.1
11	0.9	1.2	1.4	0.3	1.0
12	0.4	2.4	1.2	1.1	1.3
13	0.0	3.6	3.4	2.5	2.4
14	0.0	0.8	5.7	3.3	2.4
15	0.0	0.1	10.2	6.7	4.1
16	0.0	0.1	2.4	12.1	3.3
17 or older	0.0	0.0	0.1	11.1	2.5
N of Valid	975	1123	1007	877	3982
N of Miss	6	8	7	6	27

Table 189: How old were you when you first: began drinking alcoholic beverages regularly, that is, at least once or twice a month?

Response	6	8	10	12	Total
Never	100.0	100.0	100.0	100.0	100.0
10 or younger	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0
17 or older	0.0	0.0	0.0	0.0	0.0
N of Valid	937	1117	1010	875	3939
N of Miss	44	13	4	6	67

Table 190: How old were you when you first: used phenoxydine (pox, px, breeze)?

Response	6	8	10	12	Total
Never	90.8	81.3	76.8	81.6	82.5
10 or younger	5.6	5.6	4.5	3.1	4.7
11	2.6	4.0	2.5	1.6	2.
12	0.9	3.6	2.1	1.9	2.2
13	0.1	4.7	4.2	3.2	3.
14	0.0	0.7	4.7	2.3	1.
15	0.0	0.2	4.4	2.9	1
16	0.0	0.0	1.0	2.3	0
17 or older	0.0	0.0	0.0	1.1	
N of Valid	966	1116	1011	873	
N of Miss	13	6	4	8	

Table 191: How old were you when you first: got suspended from school?

Response	6	8	10	12	Total
Never	98.5	93.7	87.4	89.0	92.2
10 or younger	1.0	0.3	0.3	0.1	0.4
11	0.5	0.8	0.5	0.3	0.6
12	0.0	1.6	1.2	0.5	0.9
13	0.0	2.8	2.1	1.4	1.6

1.3

1.4

1.0

0.6

30

3975

1.1

1.7

3.4

2.4

875

6

3.5

3.9

1.1

0.1

1009

6

0.0

0.0

0.0

0.0

971

9

0.7

0.2

0.0

0.0

9

1120

15

16

17 or older

N of Valid

N of Miss

Table 192: How old were you when you first: got arrested?

Response	6	8	10	12	Total
Never	95.5	93.5	93.2	94.3	94.1
10 or younger	2.5	2.1	1.3	1.0	1.8
11	1.8	1.0	0.4	0.1	0.9
12	0.2	1.1	0.7	0.2	0.6
13	0.0	1.9	1.2	0.5	0.9
14	0.0	0.4	1.2	0.9	0.6
15	0.0	0.0	1.2	0.9	0.5
16	0.0	0.0	0.9	1.0	0.5
17 or older	0.0	0.0	0.0	1.0	0.2
N of Valid	973	1120	1008	878	3979
N of Miss	8	10	7	5	30

Table 193: How old were you when you first: carried a handgun?

Table 194: How old were you when you first:	attacked someone with the idea of seriously hurting them?
---	---

Response	6	8	10	12	Total
Never	86.5	78.9	76.5	80.6	80.5
10 or younger	8.0	6.0	5.0	3.5	5.7
11	4.5	3.5	1.5	1.3	2.7
12	0.7	4.6	3.2	1.9	2.7
13	0.3	4.9	4.5	1.9	3.0
14	0.0	2.0	3.8	1.9	1.9
15	0.0	0.1	4.1	2.3	1.6
16	0.0	0.0	1.5	4.0	1.3
17 or older	0.0	0.0	0.1	2.5	0.6
N of Valid	961	1124	1009	875	3969
N of Miss	15	6	7	6	34

Response	6	8	10	12	Total
Never	97.5	94.1	92.2	96.2	94.9
10 or younger	1.2	1.1	1.2	0.7	1.1
11	0.3	0.8	0.5	0.2	0.5
12	0.9	1.8	1.1	0.2	1.1
13	0.0	2.0	2.2	0.2	1.2
14	0.0	0.1	0.8	0.6	0.4
15	0.0	0.1	1.4	0.3	0.5
16	0.0	0.0	0.6	0.9	0.4
17 or older	0.0	0.0	0.1	0.6	0.2
N of Valid	971	1124	1010	877	3982
N of Miss	9	5	5	6	25

Table 195: How old were you when you first: belonged to a gang?

Table 196: How wrong do you think it is for someone your age to: take a handgun to school?

Response	6	8	10	12	Total
Very wrong	93.4	84.2	84.8	90.4	88.0
Wrong	5.6	12.0	12.0	6.7	9.3
A little bit wrong	0.8	2.4	2.6	2.5	2
Not wrong at all	0.2	1.4	0.7	0.3	
N of Valid	972	1124	1012	878	
N of Miss	8	6	4	4	

Table 197: How wrong do you think it is for someone your age to: steal anything worth more than \$5?

Response	6	8	10	12	Total	
Very wrong 69.	2 5	1.4	47.8	60.2	56.8	
Wrong 23.	8 3	5.0	35.0	29.1	31.0	
A little bit wrong 6.	0 1	1.3	14.0	9.8	10.4	
Not wrong at all 1.	0 2	2.2	3.2	0.9	1.9	
N of Valid 96	7 11	122	1010	876	3975	
N of Miss 1	2	8	5	7	32	

Response	6	8	10	12	Total
Very wrong	55.5	34.4	28.3	32.9	37.7
Wrong	29.8	34.3	35.9	37.3	34.3
A little bit wrong	11.1	23.7	28.5	24.8	22.1
Not wrong at all	3.5	7.5	7.2	5.0	5.9
N of Valid	969	1116	1007	875	3967
N of Miss	12	15	9	8	44

Table 198: How wrong do you think it is for someone your age to: pick a fight with someone?

Table 199: How wrong do you think it is for someone your age to: attack someone with the idea of seriously hurting them?

Response	6	8	10	12	Total
Very wrong	82.6	60.1	56.6	61.9	65.1
Wrong	11.5	24.8	27.6	25.7	22.4
A little bit wrong	4.1	11.0	10.8	9.1	8.9
Not wrong at all	1.8	4.1	5.0	3.2	3.6
N of Valid	971	1115	1008	875	3969
N of Miss	10	14	7	7	38

Table 200: How wrong do you think it is for someone your age to: stay away from school all day when their parents think they are at school?

Response	6	8	10	12	Total
Very wrong	81.3	57.6	39.9	34.5	53.9
Wrong	15.0	28.5	34.5	35.3	28.2
A little bit wrong	3.2	11.3	20.8	23.1	14.3
Not wrong at all	0.5	2.6	4.8	7.0	3.6
N of Valid	975	1121	1009	877	3982
N of Miss	6	10	6	6	28

Table 201: How wrong do you think it is for someone your age to: drink beer, wine or hard liquor (for example, vodka, whiskey, or gin) regularly?

Response	6	8	10	12	Total	
Very wrong	87.4	62.5	39.0	30.9	55.7	
Wrong	8.2	20.5	24.3	24.8	19.4	
A little bit wrong	3.1	12.0	23.0	27.2	16.0	
Not wrong at all	1.3	5.0	13.7	17.1	9.0	
N of Valid	974	1121	1008	878	3981	
N of Miss	7	9	8	4	28	

Table 202: How wrong do you think it is for someone your age to: smoke cigarettes?

Response	6	8	10	12	Total			
Very wrong	89.6	71.8	52.9	36.2	63.5			
Wrong	8.0	17.3	21.4	24.5	17.7			
A little bit wrong	1.4	7.0	14.6	20.5	10.6			
Not wrong at all	0.9	3.8	11.1	18.7	8.2			
N of Valid	974	1122	1008	876	3980			
N of Miss	7	9	7	7	30			

Table 203: How wrong do you think it is for someone your age to: smoke marijuana?

Response	6	8	10	12	Total
Very wrong	95.5	82.5	58.5	48.5	72.1
Wrong	3.5	9.5	17.6	19.8	12.3
A little bit wrong	0.4	4.4	12.1	18.0	8.4
Not wrong at all	0.6	3.7	11.8	13.7	7.2
N of Valid	973	1120	1007	878	3978
N of Miss	8	11	9	5	33

Response	6	8	10	12	Total
Very wrong	97.1	91.6	86.0	84.9	90.1
Wrong	2.5	5.9	9.9	9.8	6.9
A little bit wrong	0.2	1.6	2.7	2.9	1.8
Not wrong at all	0.2	0.9	1.4	2.4	1
N of Valid	973	1120	1010	875	
N of Miss	8	10	6	7	

Table 204: How wrong do you think it is for someone your age to: use LSD, cocaine, amphetamines or another illegal drug?

Table 205: At school during the past 12 months, did you receive help from the resource teacher, speech therapist or other special education teacher?

Response	6	8	10	12	Total	
No	85.5	88.0	90.1	89.7	88.3	
Yes	14.5	12.0	9.9	10.3	11.7	
N of Valid	806	971	880	799	3456	
N of Miss	174	160	136	84	554	

Table 206: How many times have you done the following things? done what feels good no matter what.

Response	6	8	10	12	Total	
Never	33.9	30.6	24.6	21.1	27.8	
I've done it, but not in the past year	17.2	17.1	12.2	11.9	14.7	
Less than once a month	7.9	12.3	13.6	14.5	12.1	
About once a month	6.5	8.2	11.2	12.1	9.4	
2 or 3 times a month	9.1	11.4	14.0	14.3	12.2	
Once a week or more	25.4	20.3	24.2	26.2	23.8	
N of Valid	937	1097	998	868	3900	
N of Miss	43	29	18	14	104	

Response	6	8	10	12	Total	
Never	66.5	46.8	40.1	39.7	48.3	
I've done it, but not in the past year	19.9	24.4	25.4	27.3	24.2	
Less than once a month	5.1	10.5	13.1	15.4	10.9	
About once a month	3.0	6.3	8.3	8.9	6.6	
2 or 3 times a month	2.4	6.5	8.3	5.3	5.7	
Once a week or more	3.1	5.5	4.8	3.4	4.3	
N of Valid	968	1115	1009	875	3967	
N of Miss	13	16	7	8	44	

Table 207: How many times have you done the following things? done something dangerous because someone dared you to do it.

Table 208: How many times have you done the following things? done crazy things even if they are a little dangerous.

Response	6	8	10	12	Total	
Never	53.6	29.2	22.3	23.5	32.1	
I've done it, but not in the past year	24.6	25.5	22.4	22.9	23.9	
Less than once a month	5.8	12.9	15.0	16.7	12.6	
About once a month	4.2	9.3	12.4	14.4	10.0	
2 or 3 times a month	4.5	9.1	15.0	11.3	10.0	
Once a week or more	7.3	14.0	13.0	11.2	11.5	
N of Valid	962	1114	1010	874	3960	
N of Miss	17	15	6	9	47	

Response	6	8	10	12	Total
Never	94.0	88.5	85.8	92.7	90.1
1 to 2 times	4.9	9.2	10.8	5.2	7.7
3 to 5 times	0.7	1.7	2.0	1.2	1.4
6 to 9 times	0.1	0.4	0.8	0.6	0.5
10 to 19 times	0.1	0.1	0.4	0.0	0.2
20 to 29 times	0.0	0.1	0.1	0.1	0.
30 to 39 times	0.0	0.0	0.0	0.1	0.0
40+ times	0.1	0.1	0.1	0.0	0.1
N of Valid	973	1124	1010	881	398
N of Miss	7	6	6	2	2

Table 209: How many times in the past year (12 months) have you: been suspended from school?

Response	6	8	10	12	Total
Never	96.1	93.7	92.9	94.0	94.1
1 to 2 times	2.3	2.6	3.6	1.8	2.6
3 to 5 times	0.5	1.0	0.8	1.8	1.0
6 to 9 times	0.6	0.7	0.9	0.5	C
10 to 19 times	0.3	0.6	0.5	0.3	
20 to 29 times	0.1	0.4	0.3	0.2	
30 to 39 times	0.0	0.2	0.1	0.1	
40+ times	0.1	0.8	1.0	1.3	
N of Valid	972	1124	1010	880	
N of Miss	9	7	6	3	

Table 210: How many times in the past year (12 months) have you: carried a handgun?

Response	6	8	10	12	Total
Never	99.9	98.0	92.2	91.8	95.6
1 to 2 times	0.0	1.1	2.8	2.4	1.5
3 to 5 times	0.1	0.2	1.6	1.5	0.8
6 to 9 times	0.0	0.1	1.5	1.5	0.7
10 to 19 times	0.0	0.1	0.5	0.7	0.3
20 to 29 times	0.0	0.2	0.3	0.7	0.3
30 to 39 times	0.0	0.0	0.2	0.2	0.1
40+ times	0.0	0.4	0.9	1.3	0.6
N of Valid	964	1116	1006	876	3962
N of Miss	17	15	10	7	49

Table 211: How many times in the past year (12 months) have you: sold illegal drugs?

Table 212: How many times in the past year (12 months) have you: stolen or tried to steal a motor vehicle such a	as a car or motorcycle?
--	-------------------------

Response	6	8	10	12	Total
Never	99.1	97.8	97.5	98.1	98.1
1 to 2 times	0.7	1.8	2.1	1.5	1.5
3 to 5 times	0.1	0.2	0.3	0.2	0.2
6 to 9 times	0.0	0.1	0.0	0.0	0.0
10 to 19 times	0.1	0.2	0.1	0.1	0.1
20 to 29 times	0.0	0.0	0.0	0.1	0.0
30 to 39 times	0.0	0.0	0.0	0.0	0.0
40+ times	0.0	0.0	0.0	0.0	0.
N of Valid	971	1122	1008	880	398
N of Miss	10	9	8	3	30

Response	i i	1) 12	Total	
Never 28.0) 19.3	19.	7 16.8	20.9	
1 to 2 times 30.7	23.	. 17.	5 15.2	21.8	
3 to 5 times 16.0) 14.	13.	5 12.5	14.2	
6 to 9 times 8.3	10.3	9.	9.6	9.3	
10 to 19 times 5.0	6.	8.	3 10.8	7.6	
20 to 29 times 4.0	4.8	5.0	6.4	5.2	
30 to 39 times 1.7	3.	3.	3 4.0	3.3	
40+ times 6.4	18.	. 21.	3 24.7	17.7	
N of Valid 965	111	100	8 879	3967	
N of Miss 16	i 14		3 4	42	

Table 213: How many times in the past year (12 months) have you: participated in clubs, organizations or activities at school?

Response	6	8	10	12	Total
Never	98.6	94.7	90.6	92.7	94.2
1 to 2 times	1.0	4.5	8.7	6.0	5.1
3 to 5 times	0.3	0.4	0.4	1.0	
6 to 9 times	0.1	0.4	0.2	0.2	
10 to 19 times	0.0	0.0	0.0	0.0	
20 to 29 times	0.0	0.1	0.1	0.0	
30 to 39 times	0.0	0.0	0.0	0.0	
40+ times	0.0	0.0	0.0	0.0	
N of Valid	969	1121	1006	877	
N of Miss	10	9	9	6	

Table 214: How many times in the past year (12 months) have you: been arrested?

Response	6	8	10	12	Total	
Never 2	9.1	35.2	29.6	24.7	30.0	
1 to 2 times 2	9.1	23.2	24.6	19.4	24.1	
3 to 5 times 1	5.5	14.2	15.8	17.2	15.6	
6 to 9 times	7.9	8.9	9.5	11.6	9.4	
10 to 19 times	7.1	7.2	8.6	9.9	8.2	
20 to 29 times	2.2	3.5	5.0	5.8	4.1	
30 to 39 times	1.3	1.6	2.4	2.7	2.0	
40+ times	7.8	6.2	4.6	8.6	6.7	
N of Valid 9	966	1118	1002	877	3963	
N of Miss	14	12	14	6	46	

Table 215: How many times in the past year (12 months) have you: done extra work on your own for school?

Table 216: How many times in the past year (12 months) have you: attacked someone with the idea of seriously hurting them?

Response	6	8	10	12	Total
Never	88.2	81.5	81.8	84.9	83.9
1 to 2 times	8.2	12.4	10.6	10.5	10.5
3 to 5 times	1.5	3.3	3.4	2.7	2.7
6 to 9 times	0.5	1.2	1.8	0.9	1.1
10 to 19 times	0.7	0.4	0.7	0.3	0.6
20 to 29 times	0.2	0.4	0.4	0.3	0.3
30 to 39 times	0.0	0.2	0.6	0.1	0.2
40+ times	0.7	0.6	0.8	0.1	0.6
N of Valid	964	1124	1003	876	3967
N of Miss	16	7	12	7	42

Response	6	8	10	12	Total
Never	98.4	92.6	83.2	80.8	89.0
1 to 2 times	1.0	3.6	8.2	7.4	5.0
3 to 5 times	0.3	1.2	3.1	3.9	2.1
6 to 9 times	0.0	1.1	2.0	1.6	1.2
10 to 19 times	0.0	0.6	0.8	1.8	0.8
20 to 29 times	0.1	0.3	1.2	1.0	0.6
30 to 39 times	0.0	0.2	0.3	0.2	0.2
40+ times	0.1	0.4	1.3	3.2	1.2
N of Valid	966	1121	1004	876	3967
N of Miss	13	9	11	6	39

Table 217: How many times in the past year (12 months) have you: been drunk or high at school?

Table 218: How many t	times in the past year	(12 months) have you:	volunteered to do community service	?

Response	6	8	10	12	Total
Never	46.8	54.1	42.9	34.5	45.2
1 to 2 times	27.3	22.2	20.2	18.6	22.1
3 to 5 times	11.0	11.7	14.8	13.6	12.7
6 to 9 times	5.8	4.9	7.8	11.5	7.3
10 to 19 times	3.9	2.7	6.7	8.7	5.3
20 to 29 times	1.6	1.2	3.0	5.7	2.7
30 to 39 times	0.9	0.6	1.6	2.5	1.4
40+ times	2.7	2.6	3.0	4.9	3.2
N of Valid	964	1123	1004	877	3968
N of Miss	14	8	10	6	38

Response	6	8	10	12	Total
Never	100.0	99.1	99.4	99.4	99.5
1 to 2 times	0.0	0.4	0.4	0.1	0.2
3 to 5 times	0.0	0.2	0.1	0.1	0.1
6 to 9 times	0.0	0.3	0.0	0.1	0.1
10 to 19 times	0.0	0.0	0.0	0.1	0.0
20 to 29 times	0.0	0.0	0.0	0.0	0.0
30 to 39 times	0.0	0.1	0.0	0.0	0.0
40+ times	0.0	0.0	0.1	0.1	0.1
N of Valid	972	1122	1007	878	3979
N of Miss	9	9	9	5	32

Table 219: How many times in the past year (12 months) have you: taken a handgun to school?

Table 220: Are you currently on probation, or assigned a probation officer with Juvenile Court?

Response	6	8	10	12	Total
No	98.3	95.8	95.5	95.8	96.3
Yes	1.7	4.2	4.5	4.2	
N of Valid	963	1124	1004	880	
N of Miss	18	6	12	3	

Table 221: Have you ever belonged to a gang?

Response	6	8	10	12	Total
No	95.0	91.3	89.4	93.3	92.2
No, but would like to	1.1	1.2	1.5	1.3	1.3
Yes, in the past	2.0	4.3	4.2	2.7	3.
Yes, belong now	1.6	2.8	4.3	2.6	2
Yes, but would like to get out	0.3	0.5	0.7	0.1	
N of Valid	967	1125	1006	878	
N of Miss	14	6	9	5	

Table 222: If you have ever belonged to a gang, did that gang have a name?

Response	6	8	10	12	Total
No	5.0	5.3	5.1	8.1	5.8
Yes	4.0	7.5	9.1	5.1	6.5
I have never belonged to a gang	91.0	87.2	85.7	86.9	87.7
N of Valid	958	1116	995	869	393
N of Miss	19	7	13	7	4

Table 223: You're looking at CD's in a music store with a friend. You look up and see her slip a CD under her coat. She smiles and says 'Which one do you want? Go ahead, take it while nobody's around.' There is nobody in sight, no employees and no other customers. What would you do now?

Response	6	8	10	12	Total
Ignore her	10.5	14.2	18.8	22.9	16.4
Grab a CD and leave the store	3.3	7.8	12.9	9.5	8.4
Tell her to put the CD back	67.7	43.8	34.3	35.1	45.3
Act like it is a joke, and ask her to put	18.5	34.2	34.0	32.5	30.0
the CD back					
N of Valid	964	1123	1002	873	3962
N of Miss	10	7	13	8	38

Table 224: You are visiting another part of town, and you don't know any of the people your age there. You are walking down the street, and some teenager you don't know is walking toward you. He is about your size, and as he is about to pass you, he deliberately bumps into you and you almost lose your balance. What would you say or do?

Response	6	8	10	12	Total	
Push the person back	10.1	16.3	16.5	14.2	14.4	
Say 'Excuse me' and keep on walking	60.7	40.9	45.2	48.7	48.5	
Say 'Watch where you are going' and	24.0	32.3	24.1	23.4	26.2	
keep on walking						
Swear at the person and walk away	5.3	10.6	14.1	13.7	10.9	
N of Valid	964	1116	999	871	3950	
N of Miss	13	8	14	9	44	

Table 225: You are at a party at someone's house, and one of your friends offers you a drink containing alcohol. What would you say or do?

Response	6	8	10	12	Total
Drink it	4.5	19.0	36.9	45.1	25.7
Tell your friend, 'No thanks, I don't drink'	50.8	36.3	26.2	22.2	34.2
and suggest that you and your friend go					
and do something else					
Just say, 'No thanks' and walk away	29.5	29.7	28.9	26.6	28.8
Make up a good excuse, tell your friend	15.2	15.0	7.9	6.1	11.3
you had something else to do, and leave					
N of Valid	966	1116	999	872	3953
N of Miss	12	10	15	10	47

Table 226: It's 8:00 on a weeknight and you are about to go over to a friend's home when your mother asks you where you are going. You say 'Oh, just going to go hang out with some friends.' She says, 'No, you'll just get into trouble if you go out. Stay home tonight.' What would you do now?

Response	6	8	10	12	Total	
Leave the house anyway	3.5	5.7	5.3	7.8	5.5	
Explain what you are going to do with	54.6	65.9	72.9	75.3	67.0	
your friends, tell her when you will get						
home, and ask if you can go out						
Not say anything and start watching TV	36.8	19.7	11.6	9.1	19.5	
Get into an argument with her	5.1	8.7	10.1	7.8	8.0	
N of Valid	960	1109	996	870	3935	
N of Miss	16	9	16	13	54	

Table 227: How often do you attend religious services or activities?

Response	6	8	10	12	Total		
Never	14.5	8.9	10.1	13.5	11.6		
Rarely	20.9	18.9	23.2	23.3	21.4		
1-2 Times a Month	10.7	13.3	13.9	15.4	13.3		
About Once a Week or More	53.9	58.9	52.7	47.8	53.7		
N of Valid	952	1119	998	872	3941		
N of Miss	29	11	17	10	67		

10 12 Total 6 8 Response Very False 53.8 36.1 35.8 41.4 41.5 30.5 Somewhat False 31.9 31.2 30.2 26.8 Somewhat True 16.7 28.4 30.3 25.7 25.4 Very True 2.7 3.6 2.7 2.4 2.9 N of Valid 1119 997 870 3952 966 N of Miss 10 14 17 12 53

Table 228: I do the opposite of what people tell me, just to get them mad.

Table 229: I like to see how much I can get away with.

Response	6	8	10	12	Total
Very False	63.7	40.1	31.6	34.6	42.5
Somewhat False	19.8	27.5	27.9	28.1	25.9
Somewhat True	11.5	26.0	31.0	28.8	24.4
Very True	5.0	6.5	9.4	8.5	7.3
N of Valid	958	1113	996	871	3938
N of Miss	23	18	20	12	73

Table 230: I ignore rules that get in my way.

Response	6	8	10	12	Total
Very False	70.3	47.3	36.6	36.9	47.9
Somewhat False	18.4	27.0	30.5	30.7	26.6
Somewhat True	9.1	20.1	26.5	26.8	20.5
Very True	2.3	5.5	6.4	5.7	5.0
N of Valid	959	1113	993	871	3936
N of Miss	22	17	23	12	74

Table 231: I think sometimes it's okay to cheat at school.

Response	6	8	10	12	Total	
NO! 70	.3 38	3.3	19.5	18.1	36.9	
no 23	.4 39	9.2	36.6	36.3	34.1	
yes 5	.4 19	9.7	37.0	38.8	24.8	
YES! 0	.8 2	2.7	6.8	6.9	4.2	
N of Valid 90	61 11	14	996	874	3945	
N of Miss	17	15	20	9	61	

Table 232: It is important to think before you act.

Response	6	8	10	12	Total
NO!	1.8	1.4	0.6	0.5	1.1
no	4.4	5.3	3.5	3.6	4.2
yes	27.7	43.1	44.8	40.2	39.1
YES!	66.2	50.2	51.1	55.8	55.5
N of Valid	961	1114	997	873	394
N of Miss	18	15	18	9	6

Table 233: Sometimes I think that life is not worth it.

Response	6	8	10	12	Total
NO! 55.	7 44	4.1	41.7	45.4	46.6
no 22.	1 24	4.8	25.7	27.3	24.9
yes 15.	6 21	1.2	23.2	21.1	20.3
YES! 6.	7 9	9.9	9.4	6.1	8.2
N of Valid 94	5 11	07	996	867	3915
N of Miss 3	6	19	20	15	90

Table 234: At times I think I am no good at all.

Response	6	8	10	12	Total
NO!	34.6	29.4	29.0	31.1	31.0
no	25.3	25.8	28.5	30.8	27.5
yes	28.8	34.8	30.4	30.4	31.2
YES!	11.3	9.9	12.1	7.7	10.3
N of Valid	959	1107	993	871	3930
N of Miss	22	24	21	12	79

Table 235: All in all, I am inclined to think that I am a failure.

Response	6	8	10	12	Total
NO!	57.2	45.2	47.0	46.8	48.9
no	27.6	35.9	34.5	36.1	33.6
yes	11.8	12.9	13.0	12.2	12.5
YES!	3.4	6.0	5.5	4.8	5.0
N of Valid	941	1100	989	867	3897
N of Miss	38	30	25	16	109

Table 236: In the past year, have you felt depressed or sad MOST days, even if you felt okay sometimes?

Response	6	8	10	12	Total	
NO! 32.	9 27	.7	28.0	30.3	29.6	
no 28.	0 29	.3	28.6	30.6	29.1	
yes 26.	1 25	.9	26.4	24.3	25.7	
YES! 13.	1 17	.2	17.0	14.8	15.6	
N of Valid 94	8 11	13	996	869	3926	
N of Miss 3	3	17	20	14	84	

Table 237: It is all right to beat up people if they start the fight.

Response	6	8	10	12	Total	
NO!	55.3	26.6	21.1	24.8	31.8	
no	19.4	24.7	23.4	24.0	22.9	
yes	14.6	26.8	28.3	28.1	24.5	
YES!	10.7	22.0	27.1	23.1	20.8	
N of Valid	954	1110	995	871	3930	
N of Miss	25	18	21	11	75	

Table 238: I think it is okay to take something without asking if you can get away with it.

Response	6	8	10	12	Total
NO!	77.7	57.2	46.7	56.0	59.2
no	18.9	35.5	41.3	36.4	33.2
yes	2.8	5.8	9.9	5.8	6.1
YES!	0.5	1.5	2.1	1.8	1.
N of Valid	951	1109	994	872	3
N of Miss	30	20	21	11	

Table 239: Sometimes we don't know what we will do as adults, but we may have an idea. Please answer how true these statements may be for you. WHEN I AM AN ADULT I WILL: smoke cigarettes.

Response	6	8	10	12	Total
NO!	85.0	76.4	70.0	68.0	75.0
no	12.2	18.2	18.8	18.9	17.1
yes	2.3	3.7	9.1	9.2	5.9
YES!	0.4	1.6	2.1	3.9	2.0
N of Valid	956	1107	990	872	3925
N of Miss	23	20	25	11	79

Table 240: Sometimes we don't know what we will do as adults, but we may have an idea. Please answer how true these statements may be for you. WHEN I AM AN ADULT I WILL: drink beer, wine, or liquor.

Response	6	8	10	12	Total	
NO!	59.6	37.9	24.3	22.2	36.2	
no	21.5	23.7	17.9	17.2	20.3	
yes	16.9	30.5	43.7	41.2	32.9	
YES!	2.0	7.9	14.1	19.4	10.6	
N of Valid	950	1112	988	873	3923	
N of Miss	28	17	27	10	82	

Table 241: Sometimes we don't know what we will do as adults, but we may have an idea. Please answer how true these statements may be for you. WHEN I AM AN ADULT I WILL: smoke marijuana.

Response	6	8	10	12	Total
NO!	92.4	82.1	66.8	66.6	77.3
no	6.4	12.7	18.1	18.9	13.9
yes	0.8	3.0	10.1	8.8	5.6
YES!	0.3	2.2	5.0	5.6	3.2
N of Valid	953	1107	988	872	3920
N of Miss	27	22	27	11	87

Table 242: Sometimes we don't know what we will do as adults, but we may have an idea. Please answer how true these statements may be for you. WHEN I AM AN ADULT I WILL: use LSD, cocaine, amphetamines or another illegal drug.

Response	6	8	10	12	Total
NO!	94.2	89.9	88.7	91.2	90.9
no	5.5	9.0	10.2	6.9	8.0
yes	0.2	0.8	0.6	1.1	0.
YES!	0.1	0.3	0.5	0.8	
N of Valid	954	1112	992	873	
N of Miss	26	18	24	10	

Table 243: How much do you think people risk harming themselves (physically or in other ways) if they: smoked one or more packs of cigarettes per day?

Response	6	8	10	12	Total		
No risk	7.2	4.4	2.4	3.3	4.3		
Slight risk	4.7	6.4	6.0	7.0	6.0		
Moderate risk	16.0	18.5	20.7	19.7	18.7		
Great risk	72.0	70.7	70.9	70.0	70.9		
N of Valid	948	1111	990	869	3918		
N of Miss	29	18	23	14	84		

Table 244: How much do you think people risk harming themselves (physically or in other ways) if they: try marijuana once or twice?

Response	6	8	10	12	Total
No risk	8.0	9.6	22.6	31.6	17.4
Slight risk	16.5	22.7	28.8	31.8	24.8
Moderate risk	29.7	28.8	22.1	18.0	24.9
Great risk	45.7	39.0	26.5	18.7	32.9
N of Valid	945	1106	987	868	3906
N of Miss	36	22	28	14	100

Table 245: How much do you think people risk harming themselves (physically or in other ways) if they: smoke marijuana regularly?

Response	6	8	10	12	Total		
No risk	7.6	6.4	8.6	10.6	8.2		
Slight risk	2.0	5.5	14.7	18.6	9.9		
Moderate risk	9.3	12.0	18.2	25.5	15.9		
Great risk	81.1	76.0	58.6	45.3	66.0		
N of Valid	922	1073	968	848	3811		
N of Miss	58	56	45	34	193		

Table 246: How much do you think people risk harming themselves (physically or in other ways) if they: take one or two drinks of an alcoholic beverage (beer, wine, liquor) nearly every day?

Response	6	8	10	12	Total	
No risk	10.1	8.0	11.6	9.6	9.8	
Slight risk	20.3	22.8	26.2	27.2	24.0	
Moderate risk	28.6	33.6	30.7	34.9	32.0	
Great risk	40.9	35.5	31.5	28.3	34.2	
N of Valid	950	1106	992	865	3913	
N of Miss	31	25	24	18	98	

Table 247: How much do you think people risk harming themselves (physically or in other ways) if they: have five or more drinks once or twice each weekend?

Response	6	8	10	12	Total
No risk	8.5	7.0	6.8	7.6	7.4
Slight risk	8.8	11.7	13.9	17.6	12.9
Moderate risk	23.7	24.1	28.6	31.8	26.9
Great risk	58.9	57.3	50.7	43.0	52.8
N of Valid	950	1107	992	868	3917
N of Miss	30	22	23	14	89

Table 248: On how many occasions have you had alcoholic beverages (beer, wine or hard liquor) to drink in your lifetime - more than just a few sips?

Response	6	8	10	12	Total	
0 83.	7 61	6	40.6	28.3	54.3	
1-2 10.	0 16	ö.1	17.4	13.4	14.3	
3-5 3.	1 9	9.1	11.1	11.8	8.7	
6-9 1.	0 4	1.7	6.9	9.4	5.4	
10-19 1.	5 3	8.5	7.6	10.4	5.5	
20-39 0.	2 2	2.3	6.8	8.2	4.2	
40+ 0.	4 2	2.7	9.8	18.5	7.4	
N of Valid 95	7 11	12	991	868	3928	
N of Miss 2	3	19	24	14	80	

Response	6	8	10	12	Total
0	95.8	86.3	70.7	61.6	79.2
1-2	2.9	9.1	14.5	17.6	10
3-5	0.7	2.5	8.0	9.2	
6-9	0.2	0.9	2.5	5.7	
10-19	0.2	0.5	2.6	3.7	
20-39	0.0	0.3	0.8	1.0	
40+	0.1	0.4	0.8	1.2	
N of Valid	957	1106	985	867	
N of Miss	24	24	29	15	

Table 249: On how many occasions have you had beer, wine or hard liquor to drink during the past 30 days?

Response	6	8	10	12	Total
0	98.8	91.7	75.1	62.8	82.9
1-2	0.7	3.5	5.3	8.3	4.
3-5	0.1	1.6	3.7	4.8	2.
6-9	0.0	0.5	3.0	3.5	1
10-19	0.0	0.7	3.3	3.4	
20-39	0.1	0.7	2.9	3.0	
40+	0.2	1.2	6.6	14.3	
N of Valid	955	1105	988	863	
N of Miss	26	25	27	20	

Table 250: On how many occasions have you used marijuana (grass, pot) or hashish (hash, hash oil) in your lifetime?

Response	6	8	10	12	Total
0	99.7	95.5	87.6	81.9	91.5
1-2	0.2	2.5	4.0	6.6	3.2
3-5	0.0	0.5	2.6	3.2	1.5
6-9	0.0	0.4	1.7	2.1	1.0
10-19	0.1	0.7	1.2	1.3	0.8
20-39	0.0	0.2	1.5	2.1	0.9
40+	0.0	0.2	1.3	2.9	1.0
N of Valid	953	1112	986	868	3919
N of Miss	28	19	29	15	91

Table 251: On how many occasions have you used marijuana (grass, pot) or hashish (hash, hash oil) during the past 30 days?

Table 252: On how	many occasions have you	used LSD or other p	sychedelics in your lifetime?
			• •

Response	6	8	10	12	Total	
0 1	0.00	99.5	97.2	96.3	98.3	
1-2	0.0	0.2	1.2	2.2	0.8	
3-5	0.0	0.1	1.0	0.8	0.5	
6-9	0.0	0.1	0.1	0.5	0.2	
10-19	0.0	0.0	0.3	0.1	0.1	
20-39	0.0	0.0	0.0	0.0	0.0	
40+	0.0	0.1	0.2	0.1	0.1	
N of Valid	951	1110	989	867	3917	
N of Miss	30	20	27	16	93	

Response	6	8	10	12	Total
0	100.0	99.8	99.3	99.1	99.6
1-2	0.0	0.2	0.4	0.8	0.3
3-5	0.0	0.0	0.2	0.1	0.
6-9	0.0	0.0	0.1	0.0	0.
10-19	0.0	0.0	0.0	0.0	
20-39	0.0	0.0	0.0	0.0	
40+	0.0	0.0	0.0	0.0	
N of Valid	948	1110	988	868	
N of Miss	33	20	28	15	

Table 253: On how many occasions have you used LSD or other psychedelics during the past 30 days?

Table 254: On how many occasions have you used cocaine or crack in your lifetime?

Response	6	8	10	12	Total
0	99.6	98.9	97.6	97.0	98.3
1-2	0.3	0.8	1.2	2.1	1.1
3-5	0.0	0.1	0.7	0.1	0.2
6-9	0.0	0.0	0.0	0.0	0.0
10-19	0.0	0.1	0.2	0.2	0.1
20-39	0.0	0.1	0.2	0.3	0.2
40+	0.1	0.0	0.1	0.2	0.
N of Valid	957	1107	988	868	392
N of Miss	24	23	28	14	8

Response	6	8	10	12	Total
0	99.7	99.5	99.7	99.2	99.5
1-2	0.1	0.4	0.2	0.5	0.3
3-5	0.0	0.1	0.1	0.1	0.1
6-9	0.1	0.0	0.0	0.1	0.1
10-19	0.0	0.0	0.0	0.0	0.0
20-39	0.0	0.0	0.0	0.0	0.0
40+	0.1	0.0	0.0	0.1	0.1
N of Valid	957	1106	985	866	391
N of Miss	24	24	31	17	9

Table 255: On how many occasions have you used cocaine or crack during the past 30 days?

Table 256: On how many occasions have you sniffed glue, breathed the contents of an aerosol spray can, or inhaled other gases or sprays, in order to get high in your lifetime?

Response	6	8	10	12	Total
0	92.5	86.2	84.6	87.1	87.5
1-2	3.8	6.9	7.4	6.6	6.2
3-5	1.4	2.5	3.6	3.2	2.7
6-9	0.7	1.4	1.7	1.7	1.4
10-19	0.7	1.3	0.9	0.3	0.
20-39	0.4	0.5	0.8	0.2	(
40+	0.5	1.3	0.9	0.8	
N of Valid	954	1106	990	869	
N of Miss	27	23	26	14	

Response 6	8	10	12	Total	
0 95.9	94.2	96.0	97.4	95.8	
1-2 2.7	4.1	2.4	1.7	2.8	
3-5 0.7	0.8	0.8	0.3	0.7	
6-9 0.3	0.2	0.5	0.6	0.4	
10-19 0.1	0.2	0.2	0.0	0.1	
20-39 0.0	0.4	0.1	0.0	0.1	
40+ 0.2	0.1	0.0	0.0	0.1	
N of Valid 954	1109	989	868	3920	
N of Miss 27	21	27	14	89	

Table 257: On how many occasions have you sniffed glue, breathed the contents of an aerosol spray can, or inhaled other gases or sprays, in order to get high during the past 30 days?

Table 258: On how many occasions have you used phenoxydine (pox, px, breeze) in your lifetime?

Response	6	8	10	12	Total
0	100.0	100.0	100.0	100.0	100.0
1-2	0.0	0.0	0.0	0.0	0.0
3-5	0.0	0.0	0.0	0.0	0.
6-9	0.0	0.0	0.0	0.0	0.
10-19	0.0	0.0	0.0	0.0	0.
20-39	0.0	0.0	0.0	0.0	(
40+	0.0	0.0	0.0	0.0	
N of Valid	940	1110	988	865	(·)
N of Miss	41	21	28	18	

Response	6	8	10	12	Total
0	100.0	100.0	100.0	100.0	100.0
1-2	0.0	0.0	0.0	0.0	0.0
3-5	0.0	0.0	0.0	0.0	0.0
6-9	0.0	0.0	0.0	0.0	0.0
10-19	0.0	0.0	0.0	0.0	0.0
20-39	0.0	0.0	0.0	0.0	0.0
40+	0.0	0.0	0.0	0.0	0
N of Valid	936	1108	986	867	3
N of Miss	45	22	30	15	

Table 259: On how many occasions have you used phenoxydine (pox, px, breeze) during the past 30 days?

Table 260: On how many occasions have you used sedatives (tranquilizers, such as Valium or Xanax, barbiturates, or sleeping pills) without a doctor telling you to take them, in your lifetime?

Response	6	8	10	12	Total
0	93.1	88.2	81.8	82.6	86.5
1-2	4.0	5.3	6.5	5.4	5.
3-5	1.3	2.6	3.6	3.7	2.
6-9	0.5	1.0	2.7	2.8	1
10-19	0.6	0.7	2.7	1.8	
20-39	0.1	0.8	0.7	2.0	
40+	0.3	1.4	1.9	1.7	
N of Valid	948	1107	988	867	I
N of Miss	33	24	27	16	

Response	6	8	10	12	Total	
0	97.6	94.9	92.3	93.4	94.6	
1-2	1.5	3.4	3.8	3.2	3.0	
3-5	0.3	0.5	2.5	2.3	1.4	
6-9	0.2	0.5	0.3	0.3	0.4	
10-19	0.2	0.3	0.7	0.3	0.4	
20-39	0.2	0.3	0.2	0.1	0.2	
40+	0.0	0.1	0.1	0.2	0.1	
N of Valid	948	1107	989	867	3911	
N of Miss	33	24	27	15	99	

Table 261: On how many occasions have you used sedatives (tranquilizers, such as Valium or Xanax, barbiturates, or sleeping pills) without a doctor telling you to take them, during the past 30 days?

Response	6	8	10	12	Total	
0	99.8	99.3	98.3	97.9	98.8	
1-2	0.0	0.5	0.9	1.0	0.6	
3-5	0.0	0.2	0.3	0.6	0.3	
6-9	0.1	0.0	0.2	0.2	0.1	
10-19	0.0	0.1	0.1	0.1	0.1	
20-39	0.0	0.0	0.0	0.0	0.0	
40+	0.1	0.0	0.2	0.1	0.1	
N of Valid	945	1106	988	866	3905	
N of Miss	36	25	28	16	105	

Table 262: On how many occasions have you used methamphetamines (meth, speed, crank, crystal meth) in your lifetime?

Response	6	8	10	12	Total
0 99	9.8	99.8	99.6	99.3	99.6
1-2	0.0	0.1	0.3	0.5	0.2
3-5 0	0.0	0.1	0.0	0.1	0.1
6-9	0.2	0.0	0.0	0.0	0.1
10-19	0.0	0.0	0.0	0.1	0.0
20-39	0.0	0.0	0.0	0.0	0.0
40+ 0	0.0	0.0	0.1	0.0	0.0
N of Valid 9	946	1104	989	866	3905
N of Miss	35	27	27	16	105

Table 263: On how many occasions have you used methamphetamines (meth, speed, crank, crystal meth) in the past 30 days?

Table 264: On how many occasions have you used stimulants, other than methamphetamines (such as amphetamines, Ritalin or Dexedrine) without a doctor telling you to take them, in your lifetime?

Response	6	8	10	12	Total
0	99.6	98.8	94.5	92.1	96.4
1-2	0.3	0.8	2.4	3.6	1
3-5	0.1	0.1	1.2	1.5	
6-9	0.0	0.1	0.9	0.9	
10-19	0.0	0.0	0.5	0.6	
20-39	0.0	0.0	0.0	0.5	
40+	0.0	0.2	0.4	0.8	
N of Valid	947	1105	989	864	
N of Miss	34	26	27	18	

Response	6	8	10	12	Total		
0	99.7	99.6	98.9	98.0	99.1		
1-2	0.1	0.1	0.8	0.9	0.5		
3-5	0.1	0.1	0.2	0.6	0.2		
6-9	0.1	0.0	0.1	0.1	0.1		
10-19	0.0	0.1	0.0	0.0	0.0		
20-39	0.0	0.0	0.0	0.3	0.1		
40+	0.0	0.1	0.0	0.0	0.0		
N of Valid	944	1104	989	865	3902		
N of Miss	37	27	27	17	108		

Table 265: On how many occasions have you used stimulants, other than methamphetamines (such as amphetamines, Ritalin or Dexedrine) without a doctor telling you to take them, during the past 30 days?

Table 266: On how many occasions have you used heroin or other opiates in your lifetime?

Response	6	8	10	12	Total
0	99.8	99.2	98.7	98.4	99.0
1-2	0.0	0.5	0.6	0.7	0.5
3-5	0.1	0.1	0.2	0.1	0.1
6-9	0.0	0.0	0.2	0.0	0.1
10-19	0.1	0.1	0.1	0.0	0.1
20-39	0.0	0.0	0.1	0.0	0.
40+	0.0	0.1	0.1	0.8	0
N of Valid	940	1104	989	865	38
N of Miss	41	27	27	17	1

Response	6	8	10	12	Total
0	99.8	99.9	99.6	99.1	99.6
1-2	0.1	0.0	0.3	0.5	0.2
3-5	0.0	0.0	0.0	0.1	0.0
6-9	0.0	0.1	0.0	0.0	0.0
10-19	0.1	0.0	0.0	0.2	0.1
20-39	0.0	0.0	0.0	0.0	0.
40+	0.0	0.0	0.1	0.1	C
N of Valid	941	1102	987	866	3
N of Miss	40	29	27	16	1

Table 267: On how many occasions have you used heroin or other opiates during the past 30 days?

Response 6 12 Total 8 10 95.9 93.4 100.0 98.8 97.1 3.6 1.4 0.0 0.6 1.8

0

1-2

Table 268: On how many occasions have you used MDMA ('X', 'E', or ecstasy) in your lifetime?

N of Miss	44	29	27	18	118
		20	07	10	110
N of Valid	937	1102	989	865	3893
40+	0.0	0.0	0.1	0.5	0.1
20-39	0.0	0.2	0.1	0.2	0.1
10-19	0.0	0.1	0.0	0.3	0.1
6-9	0.0	0.1	0.8	0.7	0.4
3-5	0.0	0.2	1.3	1.3	0.7

Response	6	8	10	12	Total
0	100.0	99.5	98.6	98.4	99.2
1-2	0.0	0.5	1.0	1.5	
3-5	0.0	0.0	0.2	0.1	
6-9	0.0	0.0	0.1	0.0	
10-19	0.0	0.0	0.0	0.0	
20-39	0.0	0.0	0.0	0.0	
40+	0.0	0.0	0.1	0.0	
N of Valid	934	1104	987	862	
N of Miss	47	27	29	21	

Table 269: On how many occasions have you used MDMA ('X', 'E', or ecstasy) during the past 30 days?

Table 270: On how many occasions have you taken prescription drugs (such as Valium, Xanax, Ritalin, Adderall, OxyContin, Darvocet, or sleeping pills) on your own-that is, without a doctor telling you to take them in your lifetime?

Response	6	8	10	12	Total
0	95.1	90.0	78.2	76.5	85.3
1-2	3.1	4.1	8.7	7.9	Ę
3-5	0.5	2.3	4.1	5.5	
6-9	0.4	1.3	2.5	2.5	
10-19	0.1	0.5	3.0	2.7	
20-39	0.0	0.5	0.9	1.8	
40+	0.7	1.3	2.4	3.0	
N of Valid	947	1105	988	865	
N of Miss	34	26	27	18	

Response	6	8	10	12	Total	
0	97.7	95.4	91.7	90.8	94.0	
1-2	1.3	2.9	4.8	5.4	3.5	
3-5	0.3	1.0	1.7	2.5	1.4	
6-9	0.2	0.2	1.3	0.8	0.6	
10-19	0.1	0.2	0.1	0.0	0.1	
20-39	0.1	0.1	0.2	0.2	0.2	
40+	0.3	0.3	0.2	0.2	0.3	
N of Valid	945	1102	988	865	3900	
N of Miss	36	29	27	18	110	

Table 271: On how many occasions have you taken prescription drugs (such as Valium, Xanax, Ritalin, Adderall, OxyContin, Darvocet, or sleeping pills) on your own-that is, without a doctor telling you to take them during the past 30 days?

Table 272: On how many occasions have you taken non-prescription medicines such as diet pills (for example, Dietac, Dexatrim or Prolamine), stay-awake pills (for example No-Doz, Vivarin, or Wake), or cough or cold medicines (robos, DXM, etc.) to get high in your lifetime?

Response	6	8	10	12	Total
0	97.7	94.7	90.3	89.9	93.2
1-2	1.1	1.9	3.2	3.1	2
3-5	0.5	1.3	1.9	2.4	
6-9	0.4	0.5	1.4	1.5	
10-19	0.1	0.5	0.8	0.8	
20-39	0.1	0.4	1.1	0.6	
40+	0.1	0.7	1.2	1.6	
N of Valid	943	1103	985	863	
N of Miss	38	28	30	19	

Response	6	8	10	12	Total	
0	98.6	96.7	95.3	95.6	96.6	
1-2	0.9	2.0	2.9	2.8	2.1	
3-5	0.5	0.6	0.5	0.7	0.6	
6-9	0.0	0.6	0.8	0.9	0.6	
10-19	0.0	0.0	0.1	0.0	0.0	_
20-39	0.0	0.0	0.1	0.0	0.0	
40+	0.0	0.0	0.2	0.0	0.1	
N of Valid	940	1105	986	864	3895	
N of Miss	41	26	30	18	115	

Table 273: On how many occasions have you taken non-prescription medicines such as diet pills (for example, Dietac, Dexatrim or Prolamine), stay-awake pills (for example No-Doz, Vivarin, or Wake), or cough or cold medicines (robos, DXM, etc.) to get high during the past 30 days?

Response	6	8	10	12	Total	
0	98.7	92.6	80.9	72.9	86.8	
1-2	0.8	4.8	9.7	13.1	6.9	
3-5	0.3	1.5	5.3	5.1	3.0	
6-9	0.1	0.2	1.9	4.6	1.6	
10-19	0.0	0.5	0.9	2.6	0.9	
20-39	0.0	0.3	0.5	0.9	0.4	
40+	0.0	0.2	0.7	0.8	0.4	
N of Valid	946	1100	979	856	3881	
N of Miss	35	29	37	27	128	

Table 274: On how many occasions have you been drunk or very high from drinking alcoholic beverages during the past 30 days?

Response	6	8	10	12	Total
0	92.1	74.5	54.6	43.1	66.8
1-2	4.7	11.7	12.7	13.7	10.7
3-5	1.3	5.7	12.1	10.6	7.3
6-9	1.4	3.1	6.6	8.4	4.7
10-19	0.3	2.5	5.3	10.3	4.4
20-39	0.0	1.0	2.9	5.6	2.3
40+	0.3	1.5	5.8	8.4	3.8
N of Valid	944	1102	984	861	3891
N of Miss	36	28	31	20	115

Table 275: On how many occasions have you drunk flavored alcoholic beverages, sometimes called 'alcopops' (like Mike's Hard Lemonade, Smirnoff Ice, Bacardi Breezers, etc.) in your lifetime?

Table 276: On how many occasions have you drunk flavored alcoholic beverages, sometimes called 'alcopops' (like Mike's Hard Lemonade, Smirnoff Ice, Bacardi Breezers, etc.) during the past 30 days?

Response	6	8	10	12	Total
0	97.4	90.6	79.2	77.7	86.5
1-2	1.9	6.2	12.1	11.0	7
3-5	0.3	1.7	5.8	7.3	
6-9	0.3	0.8	1.3	2.0	
10-19	0.0	0.5	0.5	1.4	
20-39	0.0	0.1	0.8	0.5	
40+	0.1	0.1	0.3	0.2	
N of Valid	948	1103	986	866	
N of Miss	33	28	30	17	

Response	6	8	10	12	Total
None	97.6	92.1	82.3	76.2	87.4
Once	1.2	4.3	8.4	7.3	5.2
Twice	0.8	1.5	4.1	7.5	3.3
3-5 times	0.2	1.3	2.7	5.1	2.2
6-9 times	0.2	0.2	0.9	1.4	0.6
10 or more times	0.0	0.6	1.5	2.4	1.1
N of Valid	944	1089	974	861	3868
N of Miss	37	42	41	22	142

Table 277: Think back over the last two weeks. How many times have you had five or more alcoholic drinks in a row?

Table 278: Have you ever used smokeless tobacco (chew, snuff, plug, dipping tobacco, or chewing tobacco)?

Response	6	8	10	12	Total
Never	95.8	85.8	79.4	76.0	84.4
Once or Twice	3.1	7.4	8.8	10.5	7.4
Once in a while but not regularly	0.6	2.6	5.1	4.9	3
Regularly in the past	0.4	1.7	3.0	2.9	
Regularly now	0.0	2.5	3.6	5.8	
N of Valid	935	1087	972	861	
N of Miss	46	44	41	22	

Table 279: How often have you taken smokeless tobacco during the past 30 days?

Response	6	8	10	12	Total
Not at all	98.8	94.3	88.8	89.0	92.8
Once or twice	1.0	2.4	5.3	3.3	3.
Once or twice per week	0.2	0.5	1.3	1.0	0
Three to five times per week	0.0	0.5	0.7	0.8	
About once a day	0.0	0.7	1.2	1.3	
More than once a day	0.0	1.7	2.7	4.7	
N of Valid	937	1088	971	860	
N of Miss	44	43	45	23	

Table 280: Have you ever smoked cigarettes?

Response	6	8	10	12	Total
Never	92.7	78.3	66.3	54.4	73.4
Once or Twice	5.2	13.4	14.4	16.2	12.3
Once in a while but not regularly	1.2	4.0	8.2	13.4	6.5
Regularly in the past	0.6	2.4	4.0	6.5	3.3
Regularly now	0.2	1.9	7.1	9.5	4
N of Valid	936	1083	973	859	38
N of Miss	44	48	43	24	1

Table 281: How frequ	ently have you smoke	ed cigarettes durin	g the past 30 days?

Response	6	8	10	12	Total
Not at all	98.2	93.6	84.8	78.2	89.1
Less than one cigarette per day	1.6	4.0	6.3	9.4	5.2
One to five cigarettes per day	0.1	1.3	5.1	7.7	3.4
About one-half pack per day	0.0	0.6	2.0	2.8	1.3
About one pack per day	0.0	0.0	1.3	0.9	0.5
About one and one-half packs per day	0.1	0.0	0.4	1.0	0.4
Two packs or more per day	0.0	0.5	0.1	0.0	0.2
N of Valid	939	1085	972	861	3857
N of Miss	42	46	43	22	153

Response	6	8	10	12	Total
Smoking is not allowed anywhere inside your home	74.3	74.7	75.1	74.9	74.8
Smoking is allowed in some places and at some times	5.4	5.6	5.5	6.2	5.6
Smoking is allowed anywhere inside the home	2.7	2.6	4.2	5.0	3.6
There are no rules about smoking inside the home	4.4	6.0	6.2	7.1	5.9
l don't know	13.2	11.1	9.1	6.8	10.1
N of Valid	931	1084	971	857	3843
N of Miss	50	45	43	25	163

Table 282: Which statement best describes rules about smoking inside your home?

Response	6	8	10	12	Total
Smoking is never allowed in any car	67.4	64.4	64.0	60.1	64.1
Smoking is allowed sometimes or in some	9.5	11.6	11.2	14.4	11.6
cars					
Smoking is allowed in any car anytime	4.3	4.5	6.3	7.0	5.5
There are no rules about smoking in the	5.9	8.5	9.1	9.9	8.3
car					
We do not have a family car	1.2	0.6	0.5	1.6	0.9
l don't know	11.7	10.4	8.9	7.0	9.6
N of Valid	933	1079	970	857	3839
N of Miss	47	50	44	26	167

Table 283: Which statement best describes rules about smoking in your family cars?

Response	6	8	10	12	Total	
Strongly agree 49	9.6	37.5	24.5	13.5	31.7	
Agree 21	.8	31.1	30.7	28.6	28.2	
Disagree 6	5.5	7.7	18.0	23.4	13.5	
Strongly disagree 3	8.7	5.8	11.6	18.9	9.7	
I don't know 18	3.4	17.8	15.3	15.6	16.8	
N of Valid 9	12	1071	968	851	3802	
N of Miss	68	59	46	31	204	

Table 284: During this school year, were you taught in any of your classes about the dangers of tobacco use?

Table 285: During the past 12 months, have you participated in any community activities to discourage people your age from using cigarettes, chewing tobacco, snuff, dip or cigars?

Response	6	8	10	12	Total	
Strongly agree 2	25.2	15.4	10.8	8.9	15.1	
Agree 1	5.6	20.4	18.1	14.6	17.4	
Disagree 1	3.8	20.9	28.6	28.8	22.9	
Strongly disagree 1	.6.2	16.0	22.6	33.3	21.6	
I don't know 2	29.2	27.3	20.0	14.4	23.0	
N of Valid 9	900	1064	966	850	3780	
N of Miss	80	64	50	33	227	

Table 286: During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

Response	6	8	10	12	Total
0 times	81.9	76.0	72.7	74.2	76.2
1 time	8.7	11.1	11.8	9.6	10.3
2 or 3 times	4.7	7.5	8.4	10.1	7.6
4 or 5 times	1.4	2.4	3.4	2.3	2.
6 or more times	3.3	3.1	3.7	3.9	3
N of Valid	932	1073	967	855	3
N of Miss	49	58	49	28	18

Response	6	8	10	12	Total	
I did not drive a car in the past 30 days	50.5	53.3	33.6	12.8	38.4	
0 times	48.1	43.6	60.4	76.0	56.3	
1 time	0.5	1.5	3.4	5.5	2.7	
2 or 3 times	0.6	1.1	1.6	3.4	1.6	
4 or 5 times	0.0	0.2	0.2	0.7	0.3	
6 or more times	0.3	0.4	0.8	1.5	0.8	
N of Valid	885	1042	951	851	3729	
N of Miss	64	60	53	31	208	

Table 287: During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

Table 288: If you drank alcohol (not just a sip or taste) in the past year, how did you usually get it?

Response	6	8	10	12	Total
I did not drink alcohol in the past year	91.1	75.4	52.2	40.8	65.6
I bought it myself with a fake ID	0.1	0.1	0.3	0.5	0.2
I bought it myself without a fake ID	0.1	0.2	0.1	1.9	0.5
I got it from someone I know age 21 or older	0.9	4.2	13.1	25.0	10.3
I got it from someone I know under age 21	0.3	2.7	8.7	12.9	5.9
I got it from my brother or sister	0.1	0.8	2.0	1.9	1.2
I got it from home with my parents' per- mission	2.0	5.8	7.3	5.4	5.1
I got it from home without my parents' permission	0.4	3.4	5.6	0.8	2.6
I got it from another relative	0.8	1.6	2.9	2.6	2.0
A stranger bought it for me	0.2	0.3	0.4	1.6	0.6
I took it from a store or shop	0.0	0.1	0.3	0.1	0.1
Other	4.0	5.5	7.1	6.5	5.7
N of Valid	906	1039	933	836	3714
N of Miss	73	78	63	31	245

Response	6	8	10	12	Total
I did not drink alcohol in the past year	93.0	76.5	53.1	41.3	66.8
at my home	4.0	10.4	15.0	11.1	10.1
at someone else's home	1.2	9.1	23.6	38.6	17.4
at an open area like a park, beach, field,	0.8	1.7	4.3	4.2	2.7
back road, woods, or a street corner					
at a sporting event or concert	0.2	0.2	0.4	1.0	0.4
at a restaurant, bar, or a nightclub	0.3	0.7	0.7	0.7	0.6
at an empty building or a construction	0.2	0.5	0.0	0.4	0.3
site					
at a hotel/motel	0.0	0.1	1.3	0.8	0.5
in a car	0.2	0.5	1.0	1.6	0.8
at school	0.0	0.3	0.5	0.4	0.3
N of Valid	899	1036	922	829	3686
N of Miss	79	83	69	34	265

Table 289: If you drank alcohol (not just a sip or taste) in the past year, where did you usually drink it?

Response	6	8	10	12	Total
None	98.5	94.0	86.0	80.3	90.0
Less than 1 a day	0.9	2.4	4.8	9.2	4.1
1 a day	0.2	0.8	3.0	2.5	1.6
2-3 a day	0.1	1.4	3.0	3.2	1.9
4-6 a day	0.2	0.7	1.7	2.9	1.3
7-10 a day	0.0	0.2	0.9	0.8	0.5
11 or more a day	0.1	0.6	0.4	1.1	0.5
N of Valid	925	1060	952	849	3786
N of Miss	56	71	64	34	225

Table 290: During the last month, about how many marijuana cigarettes, or the equivalent, did you smoke a day, on the average?

Response	6	8	10	12	Total
Very wrong	91.7	81.3	67.5	62.9	76.3
Wrong	5.6	12.2	17.2	21.5	13.9
A little bit wrong	1.4	4.6	10.4	11.4	6.8
Not wrong at all	1.3	1.9	4.9	4.3	3.0
N of Valid	918	1049	946	843	3756
N of Miss	62	81	69	37	249

Table 291: How wrong would most adults (over 21) in your neighborhood think it is for kids your age: to use marijuana?

Table 292: How wrong would most adults (over 21) in your neighborhood think it is for kids your age: to drink alcohol?

Response	6	8	10	12	Total
Very wrong	79.3	62.0	48.7	38.5	57.6
Wrong	11.4	18.6	25.5	27.9	20.7
A little bit wrong	6.2	14.4	18.1	25.0	15.7
Not wrong at all	3.2	5.0	7.7	8.6	6.0
N of Valid	916	1047	946	845	3754
N of Miss	64	83	70	38	255

Table 293: How wrong would most adults (over 21) in your neighborhood think it is for kids your age: to smoke cigarettes?

Response	6	8	10	12	Total		
Very wrong	82.0	67.3	53.3	37.0	60.5		
Wrong	11.1	16.9	25.8	28.1	20.3		
A little bit wrong	4.5	10.0	14.0	22.5	12.5		
Not wrong at all	2.4	5.7	6.9	12.4	6.7		
N of Valid	915	1046	942	844	3747		
N of Miss	66	84	74	39	263		

Response	6	8	10	12	Total
NO!	81.9	72.8	64.4	65.6	71.3
no	10.7	18.3	23.5	20.8	18.3
yes	4.6	6.2	8.5	9.2	7.1
YES!	2.7	2.7	3.6	4.4	3.3
N of Valid	914	1041	940	846	3741
N of Miss	66	90	75	37	268

Table 294: How much do each of the following statements describe your neighborhood? crime and/or drug selling

Table 295: How much do each of the following statements describe your neighborhood? fights

Response	6	8	10	12	Total
NO!	72.1	63.0	60.7	63.8	64.8
no	14.2	21.2	25.9	23.4	21.2
yes	9.0	11.9	10.4	9.3	10.2
YES!	4.7	3.9	3.0	3.6	3.8
N of Valid	910	1040	937	843	3730
N of Miss	68	90	76	39	273

Table 296: How much do each of the following statements describe your neighborhood? lots of empty or abandoned buildings

Response	6	8	10	12	Total
NO!	77.7	70.8	69.6	73.4	72.8
no	16.5	21.8	24.9	21.4	21.2
yes	4.5	5.9	4.3	4.3	4.8
YES!	1.2	1.5	1.2	0.9	1.2
N of Valid	907	1041	939	843	3730
N of Miss	74	89	76	40	279

Response	6	8	10	12	Total
NO!	84.5	77.6	75.7	79.8	79.3
no	12.0	19.2	22.0	17.8	17.9
yes	2.7	1.7	1.9	1.5	2.0
YES!	0.9	1.4	0.4	0.8	0.9
N of Valid	895	1040	941	843	3719
N of Miss	86	91	75	40	292

Table 297: How much do each of the following statements describe your neighborhood? lots of graffiti

Table 298: If I had to move, I would miss the neighborhood I now live in.

Response 6	8	10	12	Total	
NO! 9.4	12.4	14.9	14.4	12.8	
no 11.3	19.0	21.7	23.5	18.8	
yes 28.5	30.0	34.9	36.6	32.3	
YES! 50.8	38.6	28.5	25.5	36.1	
N of Valid 923	1048	944	847	3762	
N of Miss 56	79	70	36	241	

Table 299: My neighbors notice when I am doing a good job and let me know about it.

Response	6	8	10	12	Total
NO!	32.9	34.3	35.0	39.5	35.3
no	33.4	39.2	41.9	42.0	39.1
yes	20.9	18.8	17.7	14.7	18.1
YES!	12.7	7.7	5.4	3.8	7.5
N of Valid	918	1043	944	841	3746
N of Miss	60	87	72	42	261

Table 300: I like my neighborhood.

Response	6	8	10	12	Total	
NO!	6.8	9.9	10.8	10.5	9.5	
no	6.7	13.4	15.2	15.4	12.7	
yes	33.6	42.8	50.2	52.1	44.5	
YES!	52.9	33.8	23.9	22.1	33.3	
N of Valid	911	1041	943	839	3734	
N of Miss	69	87	73	42	271	

Table 301: There are lots of adults in my neighborhood I could talk to about something important.

Response	6	8	10	12	Total	
NO!	22.3	25.0	28.1	31.3	26.5	
no	27.2	32.5	37.1	35.8	33.1	
yes	28.1	25.0	23.6	24.5	25.3	
YES!	22.5	17.5	11.2	8.3	15.0	
N of Valid	898	1036	937	840	3711	
N of Miss	82	94	79	43	298	

Table 302: I'd like to get out of my neighborhood.

Response 6	8	10	12	Total
NO! 58.1	38.3	29.2	24.0	37.6
no 27.0	35.8	38.7	41.1	35.6
yes 8.6	15.4	19.2	22.0	16.2
YES! 6.3	10.4	12.8	12.8	10.6
N of Valid 908	1038	937	841	3724
N of Miss 71	89	78	42	280

Response	6	8	10	12	Total	
NO! 18	.7	22.5	24.0	25.6	22.7	
no 24	.7	32.5	31.6	33.0	30.5	
yes 33	.0	31.8	33.5	33.0	32.8	
YES! 23	.5	13.3	10.8	8.5	14.1	
N of Valid 90	02	1032	933	837	3704	
N of Miss	76	98	83	46	303	

Table 303: There are people in my neighborhood who are proud of me when I do something well.

Table 304: There are people in my neighborhood who encourage me to do my best.

Response	6	8	10	12	Total	
NO! 18	8.6	20.6	23.3	25.7	22.0	
no 18	8.8	29.3	31.8	31.8	27.9	
yes 34	4.2	32.9	32.8	33.6	33.4	
YES! 28	8.4	17.1	12.0	8.9	16.8	
N of Valid 9	909	1038	938	840	3725	
N of Miss	72	93	78	43	286	

Table 305: I feel safe in my neighborhood.

Response	6	8	10	12	Total
NO!	7.3	8.2	7.0	6.3	7.3
no	9.2	11.9	9.9	8.9	10.1
yes	32.9	41.7	49.9	53.3	44.2
YES!	50.6	38.2	33.1	31.5	38.4
N of Valid	917	1032	937	841	3727
N of Miss	63	96	79	41	279

Response	6	8	10	12	Total
No	10.6	11.7	11.1	11.8	11.3
Yes	89.4	88.3	88.9	88.2	88.7
N of Valid	915	1030	930	839	3714
N of Miss	66	100	86	44	296

Table 306: Which of the following activities for people your age are available in your community? sports teams?

Table 307: Which of the following activities for people your age are available in your community? scouting?

Response	6	8	10	12	Total	
No	33.7	43.4	42.7	37.6	39.5	
Yes	66.3	56.6	57.3	62.4	60.5	
N of Valid	895	1006	914	829	3644	
N of Miss	86	124	102	54	366	

Table 308: Which of the following activities for people your age are available in your community? boys and girls clubs?

Response	6	8	10	12	Total
No	26.6	28.5	28.5	26.6	27.6
Yes	73.4	71.5	71.5	73.4	72.4
N of Valid	907	1022	920	832	3681
N of Miss	74	109	96	50	329

Table 309: Which of the following activities for people your age are available in your community? 4-H clubs?

Response	6	8	10	12	Total
No	65.6	54.2	49.0	42.9	52.8
Yes	34.4	45.8	51.0	57.1	47.2
N of Valid	808	973	898	818	3497
N of Miss	172	157	117	65	511

Response	6	8	10	12	Total	
No	50.1	47.4	39.6	30.4	42.1	
Yes	49.9	52.6	60.4	69.6	57.9	
N of Valid	846	988	908	822	3564	
N of Miss	135	142	108	61	446	

Table 310: Which of the following activities for people your age are available in your community? service clubs?

Table 311: If a kid smoked marijuana in your neighborhood would he or she be caught by the police?

Response 6	6 8	10	12	Total
NO! 8.4	15.1	18.4	20.7	15.6
no 20.6	37.2	49.3	53.5	39.8
yes 31.5	27.3	22.4	18.4	25.1
YES! 39.5	20.4	9.9	7.4	19.5
N of Valid 906	i 1019	923	836	3684
N of Miss 72	2 110	90	45	317

Table 312: If a kid drank some beer, wine or hard liquor (for example, vodka, whiskey, or gin) in your neighborhood would he or she be caught by the police?

Response	6	8	10	12	Total		
NO!	11.8	20.1	24.5	25.6	20.4		
no	27.7	45.5	54.7	56.8	46.0		
yes	30.8	20.7	14.4	13.1	19.9		
YES!	29.8	13.7	6.4	4.5	13.7		
N of Valid	900	1015	922	837	3674		
N of Miss	76	112	92	45	325		

Response	6	8	10	12	Total	
NO!	9.0	13.9	16.8	16.7	14.1	
no	17.3	32.7	39.4	41.3	32.6	
yes	28.5	28.0	27.6	28.1	28.0	
YES!	45.3	25.4	16.2	13.9	25.4	
N of Valid	903	1019	921	837	3680	
N of Miss	75	109	93	45	322	

Table 313: If a kid carried a handgun in your neighborhood would he or she be caught by the police?

Table 314: If you wanted to get some cigarettes, how easy would it be for you to get some?

Response	6	8	10	12	Total
Very hard 73.	3 47	7.9	21.5	10.1	38.6
Sort of hard 9.	9 16	5.2	15.3	6.9	12.3
Sort of easy 9.	4 18	3.9	26.2	18.0	18.3
Very easy 7.	4 17	7.1	36.9	65.0	30.8
N of Valid 86	6 10	07	919	832	3624
N of Miss 11	3 1	24	97	50	384

Table 315: If you wanted to get some beer, wine or hard liquor (for example, vodka, whiskey, or gin), how easy would it be for you to get some?

Response	6	8	10	12	Total
Very hard 69	9.1 4	41.6	14.8	11.4	34.4
Sort of hard 11		14.6	17.0	10.2	13.5
Sort of easy 10).3 2	22.3	28.4	30.0	22.7
Very easy 8	3.9 2	21.6	39.8	48.4	29.3
N of Valid 86	66 1	1002	917	833	3618
N of Miss 11	14	128	99	50	391

Response	6	8	10	12	Total		
Very hard	92.8	79.9	57.9	43.4	69.1		
Sort of hard	3.6	10.6	20.5	26.4	15.1		
Sort of easy	1.3	4.9	11.8	18.0	8.8		
Very easy	2.3	4.6	9.7	12.2	7.1		
N of Valid	866	1000	913	828	3607		
N of Miss	115	131	103	55	404		

Table 316: If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?

Table 317: If you wanted to get a handgun, how easy would it be for you to get one?

Response	6	8	10	12	Total
Very hard	77.8	60.5	48.6	43.5	57.8
Sort of hard	10.9	15.1	20.4	23.6	17.4
Sort of easy	5.9	11.4	15.1	16.5	12.2
Very easy	5.4	13.0	15.9	16.3	12.7
N of Valid	866	1001	913	829	3609
N of Miss	114	130	103	54	401

Table 318: If you wanted to get some marijuana, how easy would it be for you to get some?

Response	6	8	10	12	Total	
Very hard	91.9	70.5	33.6	20.2	54.8	
Sort of hard	3.5	8.4	11.3	11.8	8.7	
Sort of easy	2.0	8.7	19.8	20.8	12.7	
Very easy	2.7	12.4	35.3	47.1	23.8	
N of Valid	867	1001	912	830	3610	
N of Miss	114	129	104	53	400	

Table 319: During the past 12 months, have you participated in any alcohol prevention programs or seen any alcohol prevention messages in your school or community? Yes, a school-based program focused on preventing underage drinking and/or drinking and driving.

Response	6	8	10	12	Total	
No	68.4	70.6	78.3	82.1	74.6	
Yes	31.6	29.4	21.7	17.9	25.4	
N of Valid	981	1131	1016	883	4011	
N of Miss	0	0	0	0	0	

Table 320: During the past 12 months, have you participated in any alcohol prevention programs or seen any alcohol prevention messages in your school or community? Yes, a community-based program focused on preventing underage drinking and/or drinking and driving (for example, through your church or temple or through youth groups like Boys and Girls Club or 4-H).

Response	6	8	10	12	Total
No	88.6	91.3	92.3	92.1	91.1
Yes	11.4	8.7	7.7	7.9	8.9
N of Valid	981	1131	1016	883	4011
N of Miss	0	0	0	0	0

Table 321: During the past 12 months, have you participated in any alcohol prevention programs or seen any alcohol prevention messages in your school or community? Yes, a media campaign addressing underage drinking and/or drinking and driving (for example, newspaper ads, posters, pamphlets, radio, TV).

Response	6	8	10	12	Total	
No	87.1	87.0	87.8	82.7	86.3	
Yes	12.9	13.0	12.2	17.3	13.7	
N of Valid	981	1131	1016	883	4011	
N of Miss	0	0	0	0	0	

Table 322: During the past 12 months, have you participated in any alcohol prevention programs or seen any alcohol prevention messages in your school or community? No

Response	6	8	10	12	Total	
No	51.8	48.6	42.6	39.5	45.9	
Yes	48.2	51.4	57.4	60.5	54.1	
N of Valid	981	1131	1016	883	4011	
N of Miss	0	0	0	0	0	

Table 323: How wrong do your parents feel it would be for YOU to: drink beer, wine or hard liquor (for example, vodka, whiskey or gin) regularly?

Response	6	8	10	12	Total
Very wrong	86.9	76.6	60.8	51.1	69.3
Wrong	8.4	12.4	21.6	24.3	16.5
A little bit wrong	4.1	8.8	13.3	19.5	11.2
Not wrong at all	0.6	2.3	4.3	5.1	3.0
N of Valid	888	994	909	826	3617
N of Miss	92	137	106	57	392

Table 324: How wrong do your parents feel it would be for YOU to: smoke cigarettes?

Response 6	8	10	12	Total
Very wrong 92.8	87.6	76.2	61.8	80.1
Wrong 5.3	7.4	15.1	20.4	11.8
A little bit wrong 1.1	3.5	6.0	12.1	5.5
Not wrong at all 0.8	1.5	2.6	5.7	2.6
N of Valid 889	991	911	824	3615
N of Miss 92	139	105	58	394

Response	6	8	10	12	Total
Very wrong	97.9	93.4	84.1	79.6	89.0
Wrong	1.6	3.0	10.0	11.4	6.3
A little bit wrong	0.3	2.3	3.7	4.7	2.8
Not wrong at all	0.2	1.3	2.1	4.3	1.9
N of Valid	886	981	908	823	3598
N of Miss	95	150	107	60	412

Table 325: How wrong do your parents feel it would be for YOU to: smoke marijuana?

Table 326: How wrong do your parents feel it would be for YOU to: steal something worth more than \$5?

Response	6	8	10	12	Total
Very wrong	88.6	85.2	80.1	84.0	84.5
Wrong	9.4	10.9	15.6	13.1	12.
A little bit wrong	1.7	2.6	2.9	2.3	
Not wrong at all	0.3	1.2	1.4	0.6	
N of Valid	883	988	909	824	
N of Miss	98	143	107	59	

Table 327: How wrong do your parents feel it would be for YOU to: draw graffiti, write things, or draw pictures on buildings or other property (without the owner's permission)?

Response	6	8	10	12	Total
Very wrong	91.1	84.4	80.4	77.7	83.5
Wrong	5.5	10.0	13.0	16.2	11.1
A little bit wrong	2.3	2.9	4.7	4.8	3.7
Not wrong at all	1.1	2.6	1.9	1.2	1
N of Valid	885	987	909	826	~ ,
N of Miss	96	142	107	57	4

Response	6	8	10	12	Total	
Very wrong	70.9	60.0	49.5	54.8	58.8	
Wrong	19.5	23.8	30.3	29.1	25.6	
A little bit wrong	7.6	12.6	15.4	13.7	12.3	
Not wrong at all	2.0	3.6	4.8	2.4	3.3	
N of Valid	884	988	909	825	3606	
N of Miss	96	142	107	58	403	

Table 328: How wrong do your parents feel it would be for YOU to: pick a fight with someone?

Table 329: During the past 12 months, have you talked with at least one of your parents about the dangers of underage drinking and/or drinking and driving? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians - whether or not they live with you.

Response	6	8	10	12	Total
No	50.8	56.8	55.4	50.7	53.6
Yes	49.2	43.2	44.6	49.3	46.4
N of Valid	861	968	902	813	3544
N of Miss	120	163	114	70	467

Table 330: Have any of your brothers or sisters ever: drunk beer, wine or hard liquor (for example, vodka, whiskey or gin)?

Response	6	8	10	12	Total
No	72.6	57.0	42.7	33.6	51.8
Yes	22.5	37.5	52.5	60.6	42.9
I don't have any brothers or sisters	4.9	5.5	4.8	5.8	5.3
N of Valid	883	979	909	824	3595
N of Miss	98	149	107	59	413

Table 331: Have any of your brothers or sisters ever: smoked marijuana?

Response	6	8	10	12	Total		
No	91.4	81.6	67.5	57.8	75.0		
Yes	3.8	12.8	28.0	36.2	19.8		
I don't have any brothers or sisters	4.9	5.6	4.4	6.0	5.2		
N of Valid	880	977	906	823	3586		
N of Miss	101	151	110	60	422		

Table 332: Have any of your brothers or sisters ever: smoked cigarettes?

Response	6	8	10	12	Total		
No	80.0	70.1	59.7	50.4	65.4		
Yes	15.1	24.1	35.7	43.8	29.3		
I don't have any brothers or sisters	4.9	5.7	4.7	5.8	5.3		
N of Valid	879	978	903	822	3582		
N of Miss	102	152	113	61	428		

Table 333: Have any of your brothers or sisters ever: taken a handgun to school?

Response	6	8	10	12	Total	
No	94.5	93.9	93.8	92.0	93.6	
Yes	0.7	0.5	1.7	2.2	1.2	
I don't have any brothers or sisters	4.8	5.6	4.5	5.8	5.2	
N of Valid	877	976	904	821	3578	
N of Miss	104	154	112	62	432	

Response	6	8	10	12	Total
No	81.5	74.9	70.5	73.0	75.0
Yes	13.5	19.5	25.1	21.0	19.8
I don't have any brothers or sisters	5.0	5.6	4.4	6.0	5.2
N of Valid	881	976	905	823	3585
N of Miss	100	153	110	60	423

Table 334: Have any of your brothers or sisters ever: been suspended or expelled from school?

Table 335: The rules in my family are clear.

Response	6	8	10	12	Total		
NO!	1.9	2.4	3.0	2.5	2.5		
no	6.3	8.4	9.8	9.2	8.4		
yes	32.0	40.8	44.9	49.4	41.6		
YES!	59.8	48.3	42.3	38.9	47.5		
N of Valid	901	989	898	828	3616		
N of Miss	80	142	118	55	395		

Table 336: People in my family often insult or yell at each other.

Response	6	8	10	12	Total
NO! 30.	.3 2	20.7	15.7	19.0	21.5
no 38.	.7 4	43.2	44.6	43.2	42.4
yes 24	.4 2	26.1	29.2	27.9	26.9
YES! 6.	.7	9.9	10.4	9.9	9.2
N of Valid 89	95	979	896	825	3595
N of Miss 8	86	149	120	58	413

Response	6	8	10	12	Total
NO!	2.8	3.0	2.5	3.4	2.9
no	3.1	7.3	8.9	12.5	7.8
yes	28.6	38.6	48.9	49.4	41.2
YES!	65.5	51.2	39.8	34.7	48.1
N of Valid	884	979	890	822	3575
N of Miss	94	152	126	60	432

Table 337: When I am not at home, one of my parents knows where I am and who I am with.

Table 338: We argue about the same things in my family over and over.

Response	6	8	10	12	Total
NO! 30	0.0	19.5	11.7	13.0	18.7
no 40	0.8	38.0	38.7	36.2	38.5
yes 20	0.3	30.3	33.9	38.5	30.6
YES!	8.9	12.3	15.7	12.3	12.3
N of Valid 8	380	971	888	821	3560
N of Miss	99	159	127	61	446

Table 339: If you drank some beer or wine or liquor (for example, vodka, whiskey, or gin) without your parents' permission, would you be caught by your parents?

Response	6	8	10	12	Total	
NO!	7.3	8.1	11.3	16.0	10.5	
no	7.1	23.0	38.9	46.7	28.5	
yes	16.6	25.1	24.9	21.6	22.2	
YES!	69.0	43.7	24.8	15.7	38.8	
N of Valid	877	972	886	820	3555	
N of Miss	103	157	129	63	452	

Table 340: My family has clear rules about alcohol and drug use.

Response	6	8	10	12	Total	
NO!	4.0	3.8	5.6	4.6	4.5	
no	5.1	11.0	14.5	14.0	11.1	
yes	17.5	25.4	32.8	39.4	28.5	1
YES!	73.4	59.7	47.1	42.0	55.8	
N of Valid	879	963	885	822	3549	
N of Miss	102	167	131	61	461	

Table 341: If you carried a handgun without your parents' permission, would you be caught by your parents?

Response	6	8	10	12	Total	
NO!	5.1	6.4	7.0	8.8	6.8	
no	4.6	10.6	15.5	19.7	12.5	
yes	14.8	22.2	28.5	27.9	23.3	
YES!	75.5	60.7	49.0	43.5	57.5	
N of Valid	871	962	876	816	3525	
N of Miss	109	169	140	67	485	

Table 342: If you skipped school would you be caught by your parents?

Response	6	8	10	12	Total	
NO!	4.6	5.3	6.6	9.3	6.4	
no	5.5	11.8	18.4	23.6	14.6	
yes	16.8	24.8	33.6	33.5	27.0	
YES!	73.2	58.2	41.4	33.5	52.0	
N of Valid	879	961	881	817	3538	
N of Miss	102	169	134	66	471	

Table 343: Do you feel very close to your mother?

Response	6	8	10	12	Total		
NO!	4.3	7.4	9.0	8.5	7.3		
no	6.2	10.7	14.6	12.9	11.1		
yes	18.5	29.8	33.0	35.5	29.1		
YES!	71.0	52.1	43.4	43.1	52.5		L
N of Valid	875	952	874	814	3515		
N of Miss	101	178	141	68	488		

Table 344: Do you share your thoughts and feelings with your mother?

Response	6	8	10	12	Total
NO!	10.8	12.5	12.7	11.2	11.8
no	17.0	26.6	26.6	25.6	24.0
yes	26.1	28.9	35.4	35.5	31.4
YES!	46.2	31.9	25.3	27.7	32.8
N of Valid	873	950	875	815	3513
N of Miss	105	177	141	67	490

Table 345: My parents ask me what I think before most family decisions affecting me are made.

Response	6	8	10	12	Total	
NO!	10.3	12.8	13.6	13.0	12.4	
no	18.4	24.4	27.4	25.5	23.9	
yes	35.2	36.2	40.6	40.9	38.2	
YES!	36.0	26.5	18.4	20.6	25.5	
N of Valid	863	950	876	815	3504	
N of Miss	115	177	140	68	500	

Table 346: Do you share your thoughts and feelings with your father?

Response	6	8	10	12	Total		
NO!	17.1	20.0	22.5	21.7	20.3		
no	22.2	29.4	30.6	30.6	28.2		
yes	26.6	26.6	31.6	32.6	29.2		
YES!	34.1	24.0	15.3	15.1	22.3		
N of Valid	868	951	873	810	3502		
N of Miss	109	179	142	72	502		

Table 347: Do you enjoy spending time with your mother?

Response	6	8	10	12	Total
NO!	2.9	6.1	7.2	6.4	5.7
no	3.2	8.0	11.1	9.0	7.8
yes	28.1	39.4	46.8	49.4	40.7
YES!	65.9	46.5	34.8	35.1	45.8
N of Valid	877	949	871	807	3504
N of Miss	103	180	142	74	499

Table 348: Do you enjoy spending time with your father?

Response	6	8	10	12	Total	
NO!	6.3	11.5	14.5	13.3	11.4	
no	4.7	9.4	12.8	12.7	9.9	
yes	23.7	36.7	41.7	43.6	36.3	
YES!	65.3	42.3	31.0	30.4	42.5	
N of Valid	864	947	865	803	3479	
N of Miss	113	183	150	79	525	

Table 349: If I had a personal problem, I could ask my mom or dad for help.

Response	6	8	10	12	Total
NO!	4.6	8.0	8.8	7.9	7.3
no	7.0	14.0	17.1	14.0	13.0
yes	24.2	35.3	38.6	39.8	34.4
YES!	64.3	42.6	35.4	38.3	45.2
N of Valid	876	948	872	809	3505
N of Miss	105	182	144	73	504

Table 350: Do you feel very close to your father?

Response 6	8	10	12	Total	
NO! 8.5	15.1	17.9	16.9	14.6	
no 10.0	13.6	20.3	20.0	15.9	
yes 21.5	30.7	31.4	34.6	29.5	
YES! 60.0	40.5	30.4	28.6	40.1	
N of Valid 867	940	862	801	3470	
N of Miss 112	188	154	81	535	

Table 351: My parents give me lots of chances to do fun things with them.

Response 6	8	10	12	Total
NO! 4.5	7.0	9.1	8.9	7.3
no 12.3	18.9	24.4	27.8	20.7
yes 29.2	38.6	39.7	39.8	36.8
YES! 54.0	35.4	26.7	23.5	35.1
N of Valid 865	945	868	807	3485
N of Miss 112	185	148	75	520

Table 352: My parents ask if I've gotten my homework done.

Response	6	8	10	12	Total		
NO!	1.9	5.2	6.9	10.6	6.1		
no	3.5	7.1	13.1	23.9	11.6		
yes	22.1	32.8	43.1	36.8	33.6		
YES!	72.4	54.8	36.8	28.8	48.8		
N of Valid	874	939	867	805	3485		
N of Miss	107	190	148	77	522		

Table 353: People in my family have serious arguments.

Response	6	8	10	12	Total	
NO!	33.3	24.3	18.5	21.3	24.4	
no	42.0	44.4	47.8	45.8	45.0	
yes	15.3	19.1	22.8	22.9	20.0	
YES!	9.4	12.2	10.8	10.0	10.6	
N of Valid	864	931	868	802	3465	
N of Miss	113	195	147	80	535	

Table 354: Would your parents know if you did not come home on time?

Response	6	8	10	12	Total
NO!	3.0	4.2	4.0	5.7	4.2
no	7.9	12.4	12.4	13.9	11.6
yes	27.4	34.6	42.8	43.7	37.0
YES!	61.7	48.8	40.8	36.6	47.2
N of Valid	869	928	866	805	3468
N of Miss	110	200	148	76	534

Response	6	8	10	12	Total	
NO!	1.5	4.4	5.3	4.7	4.0	
no	3.6	9.1	13.7	14.6	10.1	
yes 2	3.3	37.4	44.1	44.4	37.1	
YES! 7	1.7	49.1	36.8	36.3	48.8	
N of Valid 8	373	935	866	804	3478	
N of Miss	106	194	149	79	528	

Table 355: It is important to be honest with your parents, even if they become upset or you get punished.

Table 356: My parents notice when I am doing a good job and let me know about it.

Response	6	8	10	12	Total
Never or Almost Never	5.4	6.3	9.4	8.5	7.3
Sometimes	18.2	26.6	30.4	31.2	26.5
Often	29.3	30.6	31.2	32.8	31.0
All the time	47.0	36.5	29.0	27.6	35.2
N of Valid	846	891	830	780	3347
N of Miss	134	240	186	103	663

Table 357: How often do your parents tell you they're proud of you for something you've done?

Response	6	8	10	12	Total
Never or Almost Never	4.6	8.2	9.3	10.8	8.2
Sometimes	17.3	27.1	32.7	30.5	26.8
Often	33.6	30.9	33.8	33.9	33.0
All the time	44.6	33.8	24.2	24.8	32.1
N of Valid	875	938	859	799	3471
N of Miss	105	193	157	84	539

Response	6	8	10	12	Total	
0	35.4	34.8	33.1	35.2	34.6	
1	30.7	31.7	29.3	30.3	30.5	
2	16.8	16.1	17.5	17.5	17.0	
3	9.2	6.6	9.1	8.0	8.2	
4	3.2	5.1	5.5	4.0	4.5	
5	2.5	2.6	2.7	1.6	2.4	
6 or more	2.3	3.1	2.8	3.3	2.9	
N of Valid	857	925	857	798	3437	
N of Miss	123	205	158	85	571	

Table 358: How many brothers and sisters, including stepbrothers and stepsisters, do you have that are younger than you?

Table 359: How many brothers and sisters, including stepbrothers and stepsisters, do you have that are older than you?

Response	6	8	10	12	Total
0	33.3	33.9	35.1	33.6	34.0
1	29.6	28.9	26.7	27.8	28.2
2	17.0	19.0	18.4	17.6	18.0
3	8.1	8.0	9.1	8.9	8.5
4	5.8	4.0	5.0	6.9	5.4
5	2.7	3.4	3.0	2.4	2.9
6 or more	3.7	2.8	2.7	2.9	3.0
N of Valid	866	925	858	800	3449
N of Miss	112	205	158	83	558

Table 360: Have you changed homes in the past year (the last 12 months)?

Response	6	8	10	12	Total
No	71.7	72.8	75.5	78.2	74.4
Yes	28.3	27.2	24.5	21.8	25.6
N of Valid	862	922	852	797	3433
N of Miss	119	209	163	85	576

Response	6	8	10	12	Total	
Never	30.9	24.9	19.6	22.7	24.6	
1 or 2 times	35.6	33.4	33.5	32.6	33.8	
3 or 4 times	19.4	21.7	24.1	20.3	21.4	
5 or 6 times	6.6	9.9	11.2	11.3	9.7	
7 or more times	7.4	9.9	11.5	13.0	10.4	
N of Valid	850	915	845	797	3407	
N of Miss	131	215	171	86	603	

Table 361: How many times have you changed homes since kindergarten?

Table 362: Have you changed schools (including changing from elementary to middle and middle to high school) in the past year?

Response	6	8	10	12	Total
No	51.5	52.1	61.6	82.0	61.3
Yes	48.5	47.9	38.4	18.0	38.7
N of Valid	847	913	846	793	3399
N of Miss	132	217	170	89	608

Table 363: How many times have you changed schools since kindergarten (including changing from elementary to middle and middle to high school)?

Response	6	8	10	12	Total	
Never	16.8	13.5	12.2	13.3	13.9	
1 or 2 times	53.1	32.4	19.5	17.2	30.8	
3 or 4 times	18.8	35.2	38.1	39.8	32.9	
5 or 6 times	7.0	11.9	19.7	19.8	14.5	
7 or more times	4.3	7.0	10.5	9.8	7.9	
N of Valid	853	913	851	796	3413	
N of Miss	128	218	164	86	596	

Table 364: Has anyone in your family ever had severe alcohol or drug problems?

Response	6	8	10	12	Total	
No	75.6	67.8	59.2	55.7	64.8	
Yes	24.4	32.2	40.8	44.3	35.2	
N of Valid	845	907	851	793	3396	
N of Miss	136	224	165	90	615	

Table 365: About how many adults (over 21) have you known personally who in the past year have: used marijuana, crack, cocaine, or other drugs?

Response	6	8	10	12	Total		
0	81.6	65.9	49.4	43.9	60.6		
1	9.6	16.4	17.6	15.1	14.7		
2	4.7	7.7	11.2	12.1	8.8		
3-4	1.6	4.0	8.7	12.5	6.5		
5+	2.5	6.1	13.2	16.5	9.4		
N of Valid	853	908	849	795	3405		
N of Miss	128	221	167	87	603		

Table 366: About how many adults (over 21) have you known personally who in the past year have: sold or dealt drugs?

Response	6	8	10	12	Total
0	89.2	80.0	65.9	62.7	74.8
1	6.0	9.6	13.6	12.5	10.4
2	2.2	4.1	6.7	9.2	5
3-4	1.1	1.9	4.1	5.0	
5+	1.5	4.4	9.7	10.5	
N of Valid	850	907	848	797	
N of Miss	131	224	168	85	

Table 367: About how many adults (over 21) have you known personally who in the past year have: done other things that could get them in trouble with the police, like stealing, selling stolen goods, mugging or assaulting others, etc.?

Response	6	8	10	12	Total
0	86.7	73.1	58.9	58.1	69.4
1	7.1	12.3	16.1	14.3	12.4
2	3.1	6.2	7.2	7.2	5.9
3-4	1.3	2.6	7.4	8.4	4.9
5+	1.9	5.7	10.4	11.9	7.4
N of Valid	848	907	850	795	3400
N of Miss	132	223	166	86	607

Table 368: About how many adults (over 21) have you known personally who in the past year have: gotten drunk or high?

Response	6	8	10	12	Total		
0	63.3	46.0	28.9	23.1	40.8		
1	19.9	20.6	19.5	14.8	18.8		
2	7.4	9.6	10.7	11.4	9.7		
3-4	3.0	9.3	10.3	12.1	8.6		
5+	6.4	14.5	30.7	38.6	22.1		
N of Valid	856	908	848	796	3408		
N of Miss	125	222	168	86	601		

Table 369: How honest were you in filling out this survey?

Response	6	8	10	12	Total
I was very honest	85.7	79.8	81.8	83.7	82.7
I was honest pretty much of the time	12.9	17.7	14.9	14.1	15.0
I was honest some of the time	1.3	2.2	2.3	1.7	1.9
I was honest once in a while	0.1	0.3	0.9	0.5	0.5
I was not honest at all	0.0	0.0	0.0	0.0	0.0
N of Valid	860	920	852	808	3440
N of Miss	120	208	163	75	566

9 PREVENTION RESOURCES

9.1 Regional Prevention Resource Centers

Region 1 PREVENTION RESOURCE CENTER

Operated by Decision Point 614 East Emma Street, Suite M426 Springdale, AR 72764

Ms. Laurie Reh, PRC Coordinator (479) 927-2655 Fax: (479) 927-2752 E-MAIL: lreh@jtlshop.jonesnet.org Counties: Benton, Carroll, Madison, Washington

Region 2 PREVENTION RESOURCE CENTER

Operated by North Arkansas Partnership for Health Education Area Health Education Center (AHEC-NW) at Harrison 303 N. Main St., Ste. 301 Harrison, AR 72601

Elaine Fulton-Jones, PRC Coordinator (870) 391-3178 or (870) 391-3179 Fax: (870) 391-3507 E-MAIL: efultonjones@northark.edu Counties: Baxter, Boone, Marion, Newton, Searcy

Region 3 PREVENTION RESOURCE CENTER

Operated by Health Resources of Arkansas, Inc. P.O. Box 492 (211 Blanchard St.) Mountain View, AR 72560 Website: http://www.hra-health.org

Ms. Margaret Morrison, PRC Coordinator (870) 269-6770 Fax: (870) 269-2196 E-MAIL: m2prc@mvtel.net

Counties: Cleburne, Fulton, Independence, Izard, Jackson, Sharp, Stone, Van Buren, White, Woodruff

Region 4 PREVENTION RESOURCE CENTER

Operated by Crowley's Ridge Development Council 2114B North Church St, 72401 P.O. Box 1497 Jonesboro, AR 72403 Website: http://www.crdcnea.org

Ms. Dorothy Newsom, PRC Coordinator (870) 933-0033 Fax: (870) 933-0048 E-MAIL: dnewsom@ritternet.com Counties: Clay, Craighead, Greene, Lawrence, Mississippi, Poinsett, Randolph

Region 5 PREVENTION RESOURCE CENTER

Operated by Harbor House, Inc. P.O. Box 4207 615 North 19th Street Fort Smith, AR 72914

Ms. Cindy Stokes, PRC Coordinator (479) 783-1916 Fax: (479) 783-1914 E-MAIL: hhiprc@aol.com Counties: Crawford, Franklin, Logan, Polk, Scott, Sebastian

Region 6 PREVENTION RESOURCE CENTER

Operated by Community Service, Inc. P.O. Box 679 100 South Cherokee Street Morrilton, AR 72110

Mr. Terrence Love, PRC Coordinator (501) 354-4589 Fax: (501) 354-5410 E-MAIL: tlove@communityserviceinc.com Counties: Conway, Faulkner, Johnson, Perry, Pope, Yell

Region 7 PREVENTION RESOURCE CENTER

Operated by Crowley's Ridge Development Council 593 Hwy 243 Marianna Civic Ctr. Marianna, AR 72360

Mr. Kendon Gray, PRC Coordinator (870) 298-2250 Fax: (870) 298-2249 E-MAIL: kendongray@yahoo.com Counties: Crittenden, Cross, Lee, Monroe, Phillips, St. Francis

Region 8 PREVENTION RESOURCE CENTER

Operated by Family Service Agency 1401 Malvern Avenue, Suite 100 Hot Springs, AR 71901

Mr. Joshua Dixon, PRC Coordinator (501) 318-2648 Fax: (501) 624-5636 E-MAIL: jdixson@fsainc.org Counties: Clark, Garland, Hot Spring, Montgomery, Pike

Region 9 PREVENTION RESOURCE CENTER

Operated by Family Service Agency 628 West Broadway, Suite 300 North Little Rock, AR 72114

Mr. Hayse Miller, PRC Coordinator (501) 372-4242 Ext. 327 & 328 Fax: (501) 372-6565 E-MAIL: hmiller@fsainc.org Counties: Lonoke, Prairie, Pulaski, Saline

Region 10 PREVENTION RESOURCE CENTER

Operated by Southwest Arkansas Counseling & Mental Health Center, Inc. P.O. Box 1987 601 Hazel Street Texarkana, AR 71854

Ms.Trena Goings, PRC Coordinator (870) 774-2435 Fax: (870) 774-4216 E-MAIL: tgoings@swacmhc.com Counties: Hempstead, Howard, Lafayette, Little River, Miller, Sevier

Region 11 PREVENTION RESOURCE CENTER

Operated by UAMS/AHEC - **South Arkansas** 460 W. Oak El Dorado, AR 71730

Ms. Susan Rumph, PRC Coordinator (870) 864-2497 Fax: (870) 863-9341 E-MAIL: srumph@ahecsa.uams.edu Counties: Calhoun, Columbia, Dallas, Nevada, Ouachita, Union

Region 12 PREVENTION RESOURCE CENTER

Operated by St. James United Methodist Church 900 N. University Pine Bluff, AR 71601

Hank Wilkins, V, PRC Coordinator (870) 850-7216 Fax: (870) 536-6327 E-MAIL: hankwilkinsprc@yahaoo.com Counties: Arkansas, Cleveland, Grant, Jefferson, Lincoln

Region 13 PREVENTION RESOURCE CENTER

Operated by Phoenix Youth & Family Services P.O. Box 654 310 N. Alabama Street Crossett, AR 71635

Mr. Clifford Hawkins, PRC Coordinator (870) 364-1676 Fax: (870) 364-1779 E-MAIL: chawkins@phoenixyouth.com Counties: Ashley, Bradley, Chicot, Desha, Drew

9.2 State and National Contacts

Alcohol and Drug Abuse Prevention Division of Behavioral Health Services Arkansas Department of Human Services 305 S. Palm St. Little Rock, AR 72205 Telephone: (501) 686-9866 FAX: (501) 686-9396 Website: http://www.arkansas.gov/dhhs/dmhs

Jo Ann Warren, Acting Director Prevention Services Alcohol and Drug Abuse Prevention E-MAIL: Jo.Warren@arkansas.gov

Joe M. Hill, Director Alcohol and Drug Abuse Prevention E-MAIL: Joe.Hill@arkansas.gov

Arkansas Department of Education Federal Programs Liaison Safe and Drug-Free Schools Program Officer Learning Services/School Improvement #4 Capitol Mall Room 304B Little Rock, AR 72201 Telephone: (501) 683-5425 FAX: (501) 683-5409 Website: http://www.arkansased.org

Otistene Smith Federal Program Liaison Safe and Drug-Free Schools Program Officer E-MAIL: otistene.smith@arkansas.gov

International Survey Associates dba Pride Surveys 160 Vanderbilt Court Bowling Green, KY 42103 Telephone: (800) 279-6361 FAX: (270) 746-9598 Website: http://www.pridesurveys.com

Safe and Drug Free Schools and Communities

U.S. Department of Education Website: http://www.ed.gov/offices/OESE/SDFS

Southwest Center for the Application of Prevention Technology Website: http://captus.samhsa.gov/southwest

Southwest Prevention Center/ The University of Oklahoma Website: http://swpc.ou.edu/

Substance Abuse and Mental Health Services Administration (SAMSHA) Website: http://www.samhsa.gov

Electronic copies of reports can be found at http://www.state.ar.us/dhs/dmhs/adap_survey.htm. Some reports require passwords.